

Modelling the cost-effectiveness of alternative upper age limits for breast cancer screening in England and Wales

RAFIA, R, BRENNAN, A, MADAN, Jason, COLLINS, Karen <http://orcid.org/0000-0002-4317-142X>, REED, Malcolm W R, LAWRENCE, Gill, ROBINSON, Thompson, GREENBERG, David and WYLD, Lynda

Available from Sheffield Hallam University Research Archive (SHURA) at:

http://shura.shu.ac.uk/10927/

This document is the author deposited version. You are advised to consult the publisher's version if you wish to cite from it.

Published version

RAFIA, R, BRENNAN, A, MADAN, Jason, COLLINS, Karen, REED, Malcolm W R, LAWRENCE, Gill, ROBINSON, Thompson, GREENBERG, David and WYLD, Lynda (2015). Modelling the cost-effectiveness of alternative upper age limits for breast cancer screening in England and Wales. Value In Health, 19 (4), 402-412.

Copyright and re-use policy

See http://shura.shu.ac.uk/information.html

Figure 1: Predicted number of breast cancer cases detected and over-diagnosis per 100,000 women invited in each age group to screening (compared with the previous screening strategy).



Figure 2: Incremental life years, QALYs and costs per 100,000 women invited to screening (compared with the previous screening strategy).



Figure 3: Univariate Sensitivity Analysis: testing the robustness of basecase conclusion that screening up to age 78 most cost effective strategy.



Sensitivity analysis

ICER (£15,072 per QALY gained)