

Valorization of Bambara groundnut shell via intermediate pyrolysis: Products distribution and characterization

MOHAMMED, Isah Yakub, ABAKR, Yousif Abdalla, MUSA, Mukhtar, YUSUP, Suzana, SINGH, Ajit and KABIR, Feroz <<http://orcid.org/0000-0002-3121-9086>>

Available from Sheffield Hallam University Research Archive (SHURA) at:

<http://shura.shu.ac.uk/13402/>



This document is the author deposited version. You are advised to consult the publisher's version if you wish to cite from it.

Published version



MOHAMMED, Isah Yakub, ABAKR, Yousif Abdalla, MUSA, Mukhtar, YUSUP, Suzana, SINGH, Ajit and KABIR, Feroz (2016). Valorization of Bambara groundnut shell via intermediate pyrolysis: Products distribution and characterization. *Journal of Cleaner Production*, 139, 717-728.

Copyright and re-use policy



See <http://shura.shu.ac.uk/information.html>



1. 2-Myristinoyl pantetheine; 2. Pyridine; 3. Cyclobutene, 2-propenylidene-; 4. L-Galactose, 6-deoxy-; 5. Cyclobarbitol; 6. 2,4-Hexadienenitrile; 7. 2-Furanmethanol; 8. Phenol; 9. Phenol, 3-methyl-; 10. p-Cresol; 11. Mequinol; 12. Phenol, 2,5-dimethyl-; 13. Phenol, 3-ethyl-; 14. Creosol; 15. Benzaldehyde, 3-methyl-; 16. Phenol, 4-ethyl-2-methoxy-; 17. 2-Methoxy-4-vinylphenol; 18. Phenol, 2,6-dimethoxy-; 19. Hexadecanoic acid, 1-(hydroxymethyl)-1,2-ethanediyl ester; 20. trans-13-Octadecenoic acid





1. Cyclobutene, 2-propenylidene-; 2. 2-Cyclopenten-1-one; 3. Phenol; 4. Phenol, 2-methyl-; 5. p-Cresol; 6. Phenol, 2-methoxy-; 7. Benzene, 1-ethyl-4-methoxy-; 8. Phenol, 2,3-dimethyl-; 9. Phenol, 3-ethyl-; 10. Cresol; 11. Benzofuran, 2,3-dihydro-; 12. Phenol, 4-ethyl-2-methoxy-; 13. 2-Methoxy-4-vinylphenol; 14. Phenol, 2,6-dimethoxy-; 15. Propane-1,1,2,2-tetracarbonitrile, 3-(4-acetyl-2,5-dimethyl-3-furanoyl)-; 16. 1,3-Dioxane, 5-(hexadecyloxy)-2-pentadecyl-, trans-; 17. 4a,12c-Ethanooxepino[4,3,2-de]anthracene-7-carboxylic acid, 9,12-diacetoxy-3-methyl-8-oxo-2,3,4,5,6,7,7a,12b-octahydro-, methyl ester; 18. Stearic acid, 3-(octadecyloxy)propyl ester; 19. Heptasiloxane, hexadecamethyl-; 20. Octaethylene glycol monododecyl ether



1. Ethanol, 2-nitro-, propionate (ester); 2. Hydrazine, (1,1-dimethylethyl)-; 3. Cyclohexanepropanol-; 4. 3-Furanmethanol; 5. Hexane, 2,3,5-trimethyl-; 6. 2,4-Hexadienenitrile; 7. Formic acid, oct-2-yl ester; 8. Phenol, 2-methyl-; 9. Cyclohexane, (1-methylethylidene)-; 10. 2-Deoxy-D-galactose; 11. 2,3-Dimethylhydroquinone; 12. Hydroquinone; 13. 1,4:3,6-Dianhydro-à-d-glucopyranose; 14. 2,3-Anhydro-d-mannosan; 15. 2-Methoxyresorcinol; 16. Adrenalone; 17. Formic acid, 2,6-dimethoxyphenyl ester; 18. D-Allose; 19. Propanamide, 3-(1-piperaziny)-; 20. Lactose

Formatted: Italian (Italy)



1. 1-Hydroxy-2-butanone; 2. 2-Cyclopenten-1-one; 3. 3-Furanmethanol; 4. Butanoic acid, 4-hydroxy-; 5. 2-Cyclopenten-1-one, 3-methyl-; 6. Phenol; 7. Butanoic acid, 2,2-dimethyl-, methyl ester; 8. 1,2-Cyclopentanedione, 3-methyl-; 9. Phenol, 2-methyl-; 10. Phenol, 3-methyl-; 11. Phenol, 2-methoxy-; 12. 1-Nonen-3-ol; 13. 3-Pyridinecarboxylic acid, 4-hydroxy-; 14. 4-Pentenoic acid, 4-methyl-3-methylene-, isopropyl ester; 15. Phenol, 3-ethyl-; 16. (S)-(+)-2',3'-Dideoxyribonolactone; 17. 1,4:3,6-Dianhydro- α -D-glucopyranose; 18. Hydroquinone; 19. Formic acid, 2,6-dimethoxyphenyl ester; 20. Squalene

Fig. 5. GC-MS chromatogram of bio-oil. (a) Organic-RKO; (b) Organic-SKT; (c) aqueous-RKO; (d) aqueous-SKT