

## Upgrading of Napier grass pyrolytic oil using microporous and hierarchical mesoporous zeolites: products distribution, composition and reaction pathways

MOHAMMED, Isah Yakub, ABAKR, Yousif Abdalla, YUSUP, Suzana, ALABA, Peter Adeniyi, MORRIS, Kenobi Isima, SANI, Yahaya Muhammad and KABIR, Feroz Kabir <a href="http://orcid.org/0000-0002-3121-9086">http://orcid.org/0000-0002-3121-9086</a>>

Available from Sheffield Hallam University Research Archive (SHURA) at:

https://shura.shu.ac.uk/15937/

This document is the Supplemental Material

## Citation:

MOHAMMED, Isah Yakub, ABAKR, Yousif Abdalla, YUSUP, Suzana, ALABA, Peter Adeniyi, MORRIS, Kenobi Isima, SANI, Yahaya Muhammad and KABIR, Feroz Kabir (2017). Upgrading of Napier grass pyrolytic oil using microporous and hierarchical mesoporous zeolites: products distribution, composition and reaction pathways. Journal of Cleaner Production, 162, 817-829. [Article]

## Copyright and re-use policy

See <a href="http://shura.shu.ac.uk/information.html">http://shura.shu.ac.uk/information.html</a>

## Highlights

- ✓ Ex-situ catalytic upgrading of pyrolytic oil over microporous and mesoprous ZSM-5.
- $\checkmark$  Hierarchical mesoporous ZSM-5 produced higher yield of deoxygenated organic phase.
- ✓ Mesoporous zeolites favour production of alkyl monoaromatic hydrocarbons.