

## **Evaluation of deformed image-based dose calculations for adaptive radiotherapy of nasopharyngeal carcinoma**

POON, Miranda, HOLBORN, Catherine <<http://orcid.org/0000-0002-2211-1022>>, CHENG, Ka Fai, FUNG, Winky Wing Ki and CHIU, George

Available from Sheffield Hallam University Research Archive (SHURA) at:

<http://shura.shu.ac.uk/16561/>

---

This document is the author deposited version. You are advised to consult the publisher's version if you wish to cite from it.

### **Published version**

POON, Miranda, HOLBORN, Catherine, CHENG, Ka Fai, FUNG, Winky Wing Ki and CHIU, George (2017). Evaluation of deformed image-based dose calculations for adaptive radiotherapy of nasopharyngeal carcinoma. *Medical dosimetry : official journal of the American Association of Medical Dosimetrists*.

### **Copyright and re-use policy**

See <http://shura.shu.ac.uk/information.html>

Target volume /OARs	Dose level	Significantly different? (P<0.05)	p value	Greatest % difference	Mean % difference $\pm$ SD
NP-GTV	D <sub>98</sub>	no	0.0657	-0.57%	0.03% $\pm$ 0.21
	D <sub>95</sub>	no	0.2272	0.46%	0.03% $\pm$ 0.17
	D <sub>50</sub>	no	0.0766	-0.40%	0.04% $\pm$ 0.16
	D <sub>5</sub>	yes	0.0002	0.97%	0.15% $\pm$ 0.24
	D <sub>2</sub>	yes	0.0001	1.13%	0.18% $\pm$ 0.29
NP-CTV	D <sub>98</sub>	yes	0.0164	0.53%	0.07% $\pm$ 0.19
	D <sub>95</sub>	yes	0.0164	-0.38%	0.06% $\pm$ 0.15
	D <sub>50</sub>	no	0.1388	-0.41%	0.03% $\pm$ 0.14
	D <sub>5</sub>	yes	0.0003	0.80%	0.13% $\pm$ 0.21
	D <sub>2</sub>	yes	0.0002	1.13%	0.17% $\pm$ 0.28
NP-PTV	D <sub>98</sub>	yes	0.0001	0.64%	0.15% $\pm$ 0.21
	D <sub>95</sub>	yes	0.0012	-0.37%	0.09% $\pm$ 0.17
	D <sub>50</sub>	yes	0.0076	-0.47%	0.04% $\pm$ 0.13
	D <sub>5</sub>	yes	0.0024	0.57%	0.10% $\pm$ 0.18
	D <sub>2</sub>	yes	0.0003	1.10%	0.16% $\pm$ 0.26
Spinal cord	D <sub>max</sub>	yes	0.0043	-3.95%	-0.61% $\pm$ 1.14
	D <sub>10</sub>	no	0.1960	0.95%	0.12% $\pm$ 0.44
	D <sub>50</sub>	yes	0.0028	56.70%	3.70% $\pm$ 10.56
	D <sub>mean</sub>	yes	0.0024	18.97%	2.79% $\pm$ 5.00
Left optic nerve	D <sub>max</sub>	yes	<0.0001	-26.51%	-4.57% $\pm$ 5.77
	D <sub>10</sub>	yes	<0.0001	-17.06%	-3.52% $\pm$ 3.66
	D <sub>50</sub>	yes	<0.0001	-6.52%	-1.77% $\pm$ 1.85
	D <sub>mean</sub>	yes	<0.0001	-11.09%	-2.19% $\pm$ 2.58
Right optic nerve	D <sub>max</sub>	yes	<0.0001	-7.57%	-3.05% $\pm$ 2.42
	D <sub>10</sub>	yes	<0.0001	-15.07%	-4.13% $\pm$ 3.98
	D <sub>50</sub>	yes	<0.0001	-5.46%	-1.61% $\pm$ 1.65
	D <sub>mean</sub>	yes	<0.0001	-8.89%	-2.26% $\pm$ 2.10

Table 1



Patient	Spinal cord				Left optic nerve			
	D <sub>max</sub>	D <sub>10%</sub>	D <sub>50%</sub>	D <sub>mean</sub>	D <sub>max</sub>	D <sub>10%</sub>	D <sub>50%</sub>	D <sub>mean</sub>
1	-	0	-	-	-	-	-	-
2	+	+	+	+	-	-	0	-
3	-	-	+	+	-	-	-	-
4	-	+	+	+	-	-	-	-
5	-	+	+	+	-	-	-	-
6	-	0	0	0	-	-	-	-
7	-	-	+	+	-	-	0	-
8	+	0	+	+	0	-	-	-
9	-	-	+	+	-	-	+	+
10	-	-	-	-	-	-	-	-
11	0	+	+	+	-	-	0	-
12	-	-	-	-	-	-	-	-
13	-	+	+	+	-	0	+	+
14	+	+	0	+	-	-	-	-
15	-	+	+	+	-	-	-	-
16	-	-	0	+	-	-	0	0
17	-	0	-	-	+	-	-	-
18	-	+	+	+	-	-	-	-
19	-	-	0	-	-	-	-	-
20	-	-	+	+	-	-	-	-
21	-	-	-	-	-	-	-	-
22	+	+	-	0	+	-	-	-
23	-	+	+	+	-	-	-	-
24	-	+	+	+	-	-	-	-
25	-	0	0	-	-	-	-	-
26	+	+	+	+	-	-	-	-
27	-	+	+	+	-	-	-	-
28	-	-	+	-	-	-	-	-
29	+	-	+	0	-	-	-	-
30	-	+	+	+	-	-	-	-

Table 2