

## **Single Portion Packaging And The Use Of User Test Protocols To Determine Patient Accesibility**

YOXALL, Alaster <<http://orcid.org/0000-0002-0954-2725>>, BELL, Alison, GEE, Kate and LECKO, Caroline

Available from Sheffield Hallam University Research Archive (SHURA) at:

<https://shura.shu.ac.uk/24954/>

---

This document is the Accepted Version [AM]

### **Citation:**

YOXALL, Alaster, BELL, Alison, GEE, Kate and LECKO, Caroline (2019). Single Portion Packaging And The Use Of User Test Protocols To Determine Patient Accesibility. *Journal of Nutrition in Gerontology and Geriatrics*. [Article]

---

### **Copyright and re-use policy**

See <http://shura.shu.ac.uk/information.html>

## Tables

*Table 1: The mean age, dexterity and strength for male and female participants*

Mean values	Female (n=14)	Male (n=6)
Age	71.4	70.19
Grip Strength (Left) (N)	130.46	141.58
Grip Strength (Right) (N)	141.49	156.53
Dexterity (Left)	11	10
Dexterity (Right)	12	11
Dexterity (Both)	16	16
Dexterity (Total)	39	38

Table 2: Mean pack opening time (sec), number of failures, mean satisfaction score and pack pass/fail

Item (n)=20	Mean Time To Open S (SD)	Number of failures	Mean Satisfaction Score	Pass/fail
Jam	10.89 (9.01)	3	3.0	Fail
Fruit Pot	10.50 (6.46)	3	2.86	Fail
Orange Juice	5.14 (2.79)	0	4.79	Pass
Jelly	4.37 (2.0)	0	4.64	Pass
Cheese	15.51 (7.91)	6	1.92	Fail
Crackers	16.6 (9.4)	4	2.85	Fail
Milk	8.42 (4.34)	0	2.43	Fail
Biscuits	9.62 (3.48)	2	3.43	Fail
Spread	3.45 (2.0)	0	4.64	Pass
Sandwiches	16.73 (7.84)	0	2.86	Fail

Table 3: Product Correlations between time and satisfaction rating

Product	Correlation value (r)	P value
Jelly	-.56*	0.011
Sandwich	-.75**	0.000
Biscuits	-.56*	0.016
Cheese	-.76**	0.003
Crackers	-.68**	0.003
Jam	-.66**	0.005

\* Significant at the 0.01 level (2-tailed)

\*\* Significant at the 0.05 level (2-tailed)