

## **Predictive biometrics: A review and analysis of predicting personal characteristics from biometric data**

FAIRHURST, M., LI, C. and DA COSTA ABREU, Marjory  
<<http://orcid.org/0000-0001-7461-7570>>

Available from Sheffield Hallam University Research Archive (SHURA) at:  
<https://shura.shu.ac.uk/25394/>

---

This document is the Accepted Version [AM]

### **Citation:**

FAIRHURST, M., LI, C. and DA COSTA ABREU, Marjory (2017). Predictive biometrics: A review and analysis of predicting personal characteristics from biometric data. IET Biometrics, 6 (6), 369-378. [Article]

---

### **Copyright and re-use policy**

See <http://shura.shu.ac.uk/information.html>

# Predictive biometrics: a review and analysis of predicting personal characteristics from biometric data

Michael Fairhurst<sup>1</sup>, Cheng Li<sup>2</sup>, Márjory Da Costa-Abreu<sup>3</sup>

<sup>1</sup>School of Engineering and Digital Arts, University of Kent (UK), m.c.fairhurst@kent.ac.uk

<sup>2</sup>School of Engineering and Digital Arts, University of Kent (UK), cl382@kent.ac.uk

<sup>3</sup>DIMAp-UFRN (Brazil), marjory@dimap.ufrn.br

**Abstract:** Interest in the exploitation of soft biometrics information has continued to develop over the last decade or so. In comparison with traditional biometrics, which focuses principally on person identification, the idea of soft biometrics processing is to study the utilisation of more general information regarding a system user, which is not necessarily unique. There are increasing indications that this type of data will have great value in providing complementary information for user authentication. However, we have also seen a growing interest in broadening the predictive capabilities of biometric data, encompassing both easily definable characteristics such as subject age and, most recently, "higher level" characteristics such as emotional or mental states. This paper will present a selective review of the predictive capabilities, in the widest sense, of biometric data processing, providing an analysis of the key issues still adequately to be addressed if this concept of *predictive biometrics* is to be fully exploited in the future.

## 1. Introduction

The field of biometrics is now established as a mature and important area where practical solutions to many real-world problems have been realised, and the influence of which is rapidly growing. There is a world-wide research base of impressive and diverse innovative work which is allowing the field to continue to expand and develop, and it is therefore a field with a growing and increasingly detailed literature.

The principal focus of biometrics has always been the identification/verification of individuals based on the measurement and analysis of personal physiological or behavioural characteristics, and this remains the target application for most of the current research reported. Indeed, various comprehensive reviews of this fundamental aspect of biometrics research can already be found [18, 22, 87, 132, 138, 141].

To take just one illustrative but more specific task area (of particular interest later in this paper), the studies reported in [49, 122, 148, 14, 65, 134, 113, 93, 61] present different approaches to user identification and authentication based on the analysis of keystroke dynamics. There are commercial systems available which include keystroke monitoring as part of a general security system. [137] reports a systematic review of keystroke dynamics for user recognition, while [122, 143, 160, 30, 80, 159] present solutions for using keystroke dynamics to enhance the password used in a typical access control environment. [168] introduces a novel capability to determine the operating environment (desktop/laptop) in use.

However, the biometrics field remains dynamic, and current efforts often seek to broaden both

application areas (for example, progress towards robust and reliable mobile biometrics environments [9, 20, 106, 187]) and strategies to enable greater scope and convenience in adopting biometric solutions (for example, a trend towards effective techniques for "biometrics at a distance" [57, 75, 98, 140], where capture environments are less restricted than hitherto). More recently, there has been a significant increase in interest in exploring the interface between biometrics and forensic analysis and exploiting links between the two, and this is generating ideas and techniques of real benefit to both disciplines [24, 35, 83, 154, 155, 189].

Beyond this, other related topics in the general area of biometrics are of rapidly developing interest. For example, the notion of exploiting "soft biometrics" (biometric characteristics which are specific to an individual, but not in themselves unique - subject age, for example, or gender) is not new, but has gained in prominence, both as a means of supplementing unique biometric data to improve identification processes and as a way of determining additional information about individuals or particular application scenarios which may prove useful in specific contexts [8, 12, 16, 42, 69, 74, 88, 107, 128, 151, 177].

Of particular interest in this paper, however, is a somewhat different - although closely related - option. This relates to the ability to *predict* soft biometric characteristics from conventional biometric data. For example, an ability to determine the age or gender of a subject from a facial image, or the handedness of a writer from a sample of her signature, have obvious practical importance which suggests powerful and valuable application possibilities, not least at the biometrics-forensics interface noted above. Again, this is an area which has a relatively long history (particularly when the biometric modality of interest relates to facial characteristics - see, for example [164, 157]), but the work reported is generally much less extensive, and comprehensive review material of wide generality in this area is relatively hard to find.

The increasing research effort devoted to this area suggests that a more comprehensive review of the field and an analysis of its success and future development is timely, and this is expressly what this paper seeks to provide. However, our aim is only partly to draw together the variety of contributions to this topic from the published literature, and we want this review to extend beyond these narrow limits. For example, there has recently been a discernible move towards computing more generalised predictive individual characteristics from biometric data, and specifically indicators which are often referred to as "higher level" characteristics ([51, 52]), which can include such aspects as the "emotional state" of a subject. Here the literature is very much less extensive although, as noted above, the facial biometric modality provides the most common examples (for example, there is much work to be found on assessing facial expression, which is an indirect way of extracting information about these "higher level" states (see, for example, [39])). Our study will therefore extend to this area, making it, to our knowledge, the first review which provides such a comprehensive coverage of the topic.

In this paper, our aim is therefore to provide a broad-based review of the predictive capabilities of systems which acquire typical biometric data as their fundamental core function. The paper will first provide an overview, necessarily somewhat selective, of the current field as reported in the literature, and we will include an integrated study of both conventional prediction of soft biometric characteristics and the prediction of the higher level attributes noted above. We have termed the activities associated collectively with such processing "predictive biometrics", although, of course, conventional biometrics-based person identification is also a prediction task in a way. We will then provide a broad analysis of the current status of the field, summarise current capabilities and, importantly, explore some ways in which the field can most effectively be developed in the future.

## 2. Prediction from biometric data

There is a diverse, if somewhat limited, body of research reported in the literature on how to use soft biometric information to improve the performance of a traditional biometric system and also, looking in the opposite direction, on how to predict such information. However, the principal aim of this paper is to explore the more general predictive capabilities of this type of data.

We will divide our broad survey into two sub-sections, the first (Section 2.1) dealing with conventional prediction of demographic information typified by, but not restricted to, subject age or gender. We refer to these properties as *lower level* soft biometrics. The second (Section 2.2) deals with the prediction of what can be called the emotional or mental state of a subject, and we refer to these properties (for example, whether a subject is happy or sad, stressed or relaxed, and so on) as constituting *higher level* characteristics. It should be acknowledged that such characteristics are not "soft biometric characteristics" in the usual sense of the term, since they can change on a short timescale and will vary considerably among individuals at different times. Nevertheless, in the context of understanding predictive capabilities, and since they are of significant value in a variety of biometrics-based applications, we regard such properties as an extension of more conventional soft biometrics, although they generally cannot be considered as effective in contributing directly to the identification of an individual. As we have noted, there are also significantly fewer reported studies of the latter type than the former.

### 2.1. Prediction of lower level soft-biometric information

Even though the primary aim of biometric processing to date has been to establish or confirm individual identity, it is increasingly recognised that there is a close link between identification of individuals and situations commonly targeted by biometric systems where the prediction of important characteristics from that individual is also necessary [82, 135, 41].

Part of the analysis of biometric data might well therefore include the need to estimate a more general characteristic (such as age or gender, for example) of the "owner" of the specific piece of information under consideration. Predicting such characteristics of an individual has wider application, but the investigations reported in the following sub-section will focus on work related to the prediction of one or more types of demographic information.

**2.1.1. Age estimation:** In [54, 144], the authors present a survey of state-of-the-art techniques in the synthesis and estimation of facial images from the point of view of age characterisation. Existing models and algorithms, system performances, technical difficulties, popular face ageing databases, evaluation protocols, and promising future directions are also systematically discussed.

As expected, the large majority of age prediction studies concern the analysis of facial data. The main concerns of such studies can be grouped into three classes of investigation:

- Studies of different features for age estimation or the main features that are affected by ageing [59, 60, 84, 97, 103, 70, 133, 145, 153, 170, 175, 185, 129, 96, 29, 8, 186, 176, 34, 111, 181, 165]. Prediction accuracies reported range from 93% (when using facial ageing patterns) to 73% (when using Local Binary Pattern operators) although, as we note below, caution is needed in interpreting such comparisons.
- Studies regarding different algorithms which are able to deal with the differences in facial appearance caused by ageing effects [64, 66, 68, 71, 73, 92, 101, 127, 136, 28, 102, 190, 32, 11, 110, 109, 171, 58]. Prediction accuracies reported range from 83% (when using nearest

neighbour-based classification) to 70% (when using genetic algorithms).

- Studies which focus on dealing with the age-related changes in the face through the fusion of information or by using ensembles of classifiers [67, 89, 108, 188]. Prediction accuracies reported range from 95% (when using SVM as the fusion algorithm) to 92% (when using subspaces techniques).

Meaningful comparative analysis is extremely difficult because of the diversity of experimental conditions encountered in these studies, yet some broad discussion is useful. First, it is apparent that, despite the large number of papers, this specific strand of research is somewhat limited in the scope of its reported investigation. As an example, [59, 60] present very similar work regarding a new algorithm for age estimation using different databases. The same occurs in [66, 68, 71, 70].

It is very clear that the variety of different techniques used to identify features is somewhat limited. For example, the use of manifold-based and subspace-based structures is a common choice [97, 29, 32, 66, 109, 176, 181].

Regarding classification techniques, the use of probabilistic techniques such as Bayesian learning [101, 67, 175] is very popular. Another technique which is frequently encountered is the use of Support Vector Machines, following the trend that this technique has achieved within the wider biometrics community in more traditional applications [16, 40, 60, 110, 153].

There are relatively few databases available which provide the necessary demographic information for such analysis, as can be seen in Table 1 but, nevertheless, even a limited number of different datasets means that comparisons across databases should be interpreted with caution, since performance variations (such as those noted above) are clearly affected by the experimental parameters. It is important to note, for example, that different databases can adopt different age bands to characterise subject age distribution, rendering performance comparisons much less meaningful.

**Table 1.** *Largest databases available (as noted in the literature) that contain age information*

Ref.	Modality	Database	Qtt	Users	Age	Ethnicity
[60]	Face	FG-NET	1002	82	0 to 69	Asian
[23]	Face	MORPH	1724	515	15 to 68	Asian
[70]	Face	YGA	8000	1600	0 to 93	Asian
[172]	Face	PAL	540	540	18 to 93	Mixed
[127]	Face	Flickr	28231	5080	0 to 66	Mixed

Other biometric modalities have received rather less attention from the research community, but investigations can be found for age prediction using modalities such as the handwritten signature [45, 48]. The investigation of age prediction from gait data can be found in [107, 114], while [46, 151] investigate the prediction of age from iris data using different sets of geometric and texture features. In [128, 56, 40], the authors have investigated the prediction of age from voice data, and [120] examines the prediction of subject age from the fingerprint. Predictive accuracies range from a minimum of 57% (for the iris modality) to a maximum of 77% (for the signature modality), but the problems noted above make drawing specific conclusions unwise.

Finally, there is a very strong inclination in the literature to focus mainly on the use of facial features for age prediction. There appears to be much less interest in using behavioural modalities, such as handwritten signature, keystroke dynamics, or even speech analysis for this end, and there may be some value in broadening investigations to include such modalities.

**2.1.2. Gender prediction:** Once again, the majority of gender prediction papers concern the analysis of facial data (for example, see [26, 115, 118, 162, 163, 178, 177, 17]). The main focus of these studies is the use of PCA for object identification on the faces and Support Vector Machines for gender classification. As in the previous case, Table 2 shows that there are a limited number of databases available providing the data required to undertake this sort of study. Predictive accuracies reported range from 91% (when using Bayesian algorithms with the Face modality) to 95% (when using SVM with keystroke dynamics). Many of the same difficulties of producing a comparative analysis of these studies as noted in the previous section apply also in this case, although assigning a gender category to subjects is less of a problem than with age, where specific age is generally subsumed within a set of more general age bands.

**Table 2.** Largest databases reported in the literature for gender analysis

Ref.	Modality	Database	Males	Females	Ethnicity
[25]	Face	CAESAR	1119	1250	Mixed
[26]	Face	MUCT	131	145	Mixed
[147]	Face	XM2VTS	160	135	Mixed
[38]	Keystroke and Signature	Hand-based Brazilian	31	88	Mixed

Much less work is reported regarding gender prediction from other modalities. A study which explores gender prediction from keystroke dynamics is reported in [49], two studies can be found which deal with the prediction of this characteristic using iris data [158, 161]. Naturally, the passage of times brings opportunities to explore new and different modalities. The analysis of EEG and ECG signals are an example of such a modality, especially when considering conventional biometric identification tasks, but so far less so for more general prediction tasks. However one study can be found of gender prediction from EEG [131].

Again, we can see a similarity with the age prediction situation here. Studies of gender prediction are less widespread than for age prediction but face can again be seen as the most adopted modality for such investigations. As with age prediction, there are also fewer studies using behavioural modalities, such as handwritten signature or keystroke dynamics, and this may suggest some potentially fruitful future studies.

**2.1.3. Multi-soft-biometric prediction:** A number of reported studies can be found which predict gender or age together with other soft-biometrics data. These papers also implicitly summarise reported work on the prediction of other soft biometric characteristics which are less commonly considered generally. Examples include the prediction of:

- Age and Gender from voice [12, 121].
- Age and Gender from face [16, 88, 42].
- Age and Gender from gait [191].
- Age and Height from gait [31].
- Gender and Ethnicity from iris [91].
- Age, Gender and Ethnicity from face [164, 69, 74].
- Gender, Handedness and Age from writing [21].



- Gender and Height from gait [142, 25].
- Gender and Age from EEG [126].

It is clear from the list already shown that a significant interest in multi-soft-biometric prediction is relatively recent and, therefore, it is possible to find a varied group of demographic indicators being predicted in each modality, not necessarily with a specific focus on any group.

The prediction of multiple characteristics from a single data source has not produced any noteworthy advances in performance, although clearly this is an approach which has positive practical implications. It is possible that a useful alternative would be to explore further the possibility of predicting individual soft biometric characteristics from multiple biometric sources although, as will be seen later, this raises important issues about database planning and availability.

## 2.2. *Prediction of higher level individual characteristics*

We have made it clear that a principal (and particularly novel) strand of this paper is to consider the question of predicting so-called "higher level" characteristics from biometric data. Various biometric modalities have been used in a range of studies which deal with the analysis of such states although, for obvious reasons, these are principally behavioural modalities. These higher level predictions might typically relate to conditions broadly describable as "mental" or "emotional" state in varying forms (here we will use the terms interchangeably, although we recognise that individual studies may adopt stricter and more formal definitions). Thus we can also consider the possibility of extending and developing the predictive capability of biometric measurements to these higher level states, exemplified by characteristics such as how happy or sad, or how calm or stressed an individual is feeling. A knowledge of, for example, the state of mind of an individual as happy or sad, anxious or calm, under stress or relaxed, and so on, might provide information which could be extremely valuable in interpreting particular scenarios or evaluating human activities in a variety of situations.

In order to determine accurately a person's mental/emotional state, it is helpful to look at the work reported in [37], where the author presents a survey of ground-truth labelling in emotion-dependent data and raises some important questions, such as whether any incongruity exists between perceived and experienced emotion which might lead to doubtful annotations. Issues such as this lead the author to address factors such as the following: choice of participants (age, social and cultural groups), choice of emotion model (discrete emotion model or dimensional model), choice of induction context, modalities and annotation strategies.

Contributions found in [105, 72, 77] discuss the influence that music audio can have on mental state and how it can function as an induction method, while [27] represents a discrete approach to emotion assessment. Although reported studies concerning these higher level attributes are less widespread than the prediction of the more traditional lower level attributes, they nevertheless provide a very important foundation to the understanding of predicting emotions. However, the prediction of higher level states has been reported for a number of biometric modalities, such as the following:

- Keystroke dynamics: Typing activity is one of the main ways in which individuals interact with a computer, and has become a significant part of people's daily routine behaviour. There are a number of studies which use keystroke dynamics to determine mental state and, in particular, human emotions. For example, [192] measures mood based on monitoring mouse and keyboard activity, while [6] presents a system basing its inference about emotions on student

data captured from keyboard and microphone. [78] presents a novel approach to recognising emotion in software engineering, and [174, 78, 43] focus on detecting stress from keystroke interaction, while [149] asks the participants to perform several mathematical exercises while data is captured from the keyboard and used to detect emotion. [90] provides a review of emotion detection based on keystroke and movement, [19] focuses on detecting boredom and engagement during typing, and [169] offers a different perspective by combining facial feedback with keystroke for emotion prediction. [13] combines keystroke, mouse and touch-screen interactions to detect human emotions, and [52] exploits the application of emotion prediction in healthcare scenarios.

- Many studies can be found which investigate the analysis of handwriting and drawing movements in healthy subjects (exemplified by [119], for example), but handwriting has also been shown to be a good indicator of a writer's mental state [125, 63, 139, 77].
- Face: Again, this is one of the most studied modalities for emotion recognition, although here it is actually the computation of *facial expression* which is the principal determinant of recognising an individual's emotional state. In [5], the authors note that recognising facial emotional characteristics draws on "multiple strategies" and the study demonstrates that "emotion recognition is not monolithic but consists of a diverse array of strategies and processes". [99] takes on the challenge of determining facial expressions with a "single-image-based" face recognition system and the proposed method achieves 77.3%-84.0% recognition rate with a KNN classifier, while [167] introduces an additional modality (keystroke information) to improve the accuracy of emotion recognition. The authors present a result which suggests that two modalities can achieve different recognition accuracies depending on the emotion in question, and that they can complement each other. [184] presents a more effective approach using an adaptive discriminative metric instead of the more conventional simple Euclidean distance metric when recognising facial expressions, in order to increase the effectiveness of characterising similarity/dissimilarity of facial images. In essence, this represents a rather different data type from conventional biometric prediction, and so we do not provide here a more detailed survey of the extensive literature of facial expression analysis. [10] provides a recent survey regarding facial expressions.
- Voice: Voice is a modality through which individuals commonly, and involuntarily, often express emotions, and studies are reported in [150, 36] which focus on this behavioural trait. [124] describes a framework for emotion classification using a paradigm based on "emotion profiles". This approach, instead of assigning a more conventional single hard emotion label, interprets human emotion expression by providing multiple probabilistic class labels. Using this approach, the authors managed to capture the general emotional label at an accuracy of 68%.

Returning to keyboard-based prediction as an example raises some further interesting but more detailed issues. In the work reported in [43], for example, the experimenters adopted a 5-point Likert scale [104] for emotion labelling and used background key event collection software to record the keyboard data collected. However, the study included only 12 participants in the experimental database. The experiment did show encouraging results, suggesting around a 77% predictive accuracy for recognising emotions including confidence, hesitancy, nervousness, relaxation, sadness and tiredness, but the limitations of the database size obviously make strong or definitive conclusions difficult. In [112], key event collection software was employed, and a similar, but this time



11-point scale, adopted for emotion labelling. Using a somewhat larger database of 24 participants, this study reported an achieved recognition rate of around 75% for predicting cognitive stress.

Taking a rather less standard approach, [112] introduces a pressure sensing keyboard and records the key events and pressure sequences. The data are labelled according to emotional state by assuming that each emotion of interest is automatically linked to and generated by the specific task content presented to the participants, which may be seen as an area of weakness which requires further justification. This study, however, managed to collect data from a larger sample of 50 participants and generated an error rate of around 14% for "happiness" and "sadness" prediction.

In [112], the authors not only record the pressure sequence and key events but also record information about the mouse movements during interaction. This experiment produced a database which consisted of 24 participants. Emotional state is determined by the use of an emotional state questionnaire at the end of each task based on a 7-point Likert scale. This study reports, *inter alia*, that around 83% of participants showed increased physical keyboard pressure when put under stress.

Another key aspect here (and already noted in some cases above) concerns the size of databases used in reported studies, which has wide implications (we return to this later). Table 3 summarises the common databases available, for example, for the keystroke modality when used in the prediction of higher level states, and it is seen that only recently has a database become available which contains at least 100 subjects [53]. This work undertook a large scale data collection exercise which covered a variety of tasks, different activity scenarios (for example, both fixed, defined content-based tasks and free expression tasks) and involved 100 subjects providing common data in both keystroke and handwriting modalities.

**Table 3.** Largest databases available (as noted in the literature) for emotion analysis

Ref.	Capture method	Users	Emotion state questionnaire
[43]	Background key event	12	5-point Likert scale
[174]	Key event	24	11-point Likert scale
[112]	Key event and pressure sequence	50	Content determined emotion
[78]	Key event, pressure sequence and mouse	24	7-point Likert scale
[52]	Key event	100	10-point Likert scale

The idea of using biometrics-based prediction to assess mental states has found potential application in a variety of task areas. In [94], the author aims to introduce an eCommerce system that is aware of the user emotion via a combination of speech, facial image, motor functioning and body gesture. [85] uses an intelligent mouse-based system to monitor students' emotional state, while in [123], the authors propose a combination of keystroke and mouse dynamics to estimate affective state and communication preference in a given workspace in order to improve worker efficiency. In [76], the authors use a mobile phone platform to detect user emotion via data acquired from the user's social media applications. In [53], the proposed technique uses keystroke dynamics to detect a student's mental state, and [47] suggests some important potential for predictive biometrics in healthcare applications.

Over the past three years or so, higher level state prediction has also been investigated with various types of data collected from music [182, 183, 100], video [62, 15] and EEG signals [4, 180]. Despite the increasing interest in new modalities such as the EEG, most work in this area has concerned predictive medical applications [126, 95], although a study on improving driving safety

by predicting emotion from EGG signals can be found [52].

### 3. Discussion and analysis

We now turn to some analysis of the selective overview presented above, a discussion of how this can help us to draw constructive conclusions about the applicability of predictive biometrics, and how best to support the development of this area of research in the future. Thus, we use the review above to offer some new and perhaps more focused insights into the field and its potential for future development.

#### 3.1. *Applicability of predictive techniques*

We first consider the diversity of potential applications for biometrics-based prediction. There is a growing use of image processing and information about body data from pregnant women which focuses on gestational age estimation [57, 81, 179, 152]. This is also an approach which has been utilised in medical applications concerned with depressed patients [166]. This study has examined the changes in emotional processing by using a "face emotion recognition paradigm" to determine which treatment works most effectively. Indeed medical applications are frequently the target application domain for this type of work. [33] focuses on handwriting segments from patients with Parkinson's disease, and discusses how handwriting can be used to evaluate patients to determine how their handwriting patterns differ from those of healthy participants. The study found that patients with Parkinson's disease are less able to anticipate future movements in their writing execution. Following the same trend, [130] investigates the biomedical potential for using handwritten signatures to determine medical information relating to the effects of stroke.

The HCI area is also of considerable interest in the context of this topic. [116] reports experiments designed to test the efficacy of physiological measures to evaluate user experiences, while [86] predicts degree of subject frustration to help and support learners during the learning process, and [117] assesses users' emotional state during computer game play. [79] reports a process to develop an understanding of a subject's physiological status and predict stress, and [63] uses a variety of physiological signals to predict emotion, where body physiological characteristics such as cardiac function, temperature, muscle electrical activity, respiration, skin conductance and electrical activity of the brain are collected. The study reported in [173] detects both cognitive and physical stress by monitoring keystroke, and [7] presents a new approach to assessing emotional experience from users during computer-based interaction, using software which collects physiological measurements including heart rate, sweating (skin conductivity), muscle tension, and respiration rates.

Affective gaming [156] detects the force of button-pressing on a gamepad and uses this pressure data to measure and predict the affective state of the players, and [55] utilises a mobile phone touch screen to capture screen touch data to monitor a players emotional state. [47] examines the potential for biomedical applications of emotion prediction from keystroke.

#### 3.2. *Observations on methodological and procedural issues*

It is clear that there is much to be gained if we can develop effective strategies and techniques which allow us reliably to predict conventional soft biometric properties from biometric data, and this is even more widely applicable if higher mental states can also be determined. This is especially the case as we see the collection of biometric information become increasingly widespread and routine.

It is equally clear that research to date in this potentially important area is relatively limited and is not always approached in ways which are likely to maximise effectiveness. In particular, the work formally reported can appear to be rather more fragmented than in the "mainstream" of biometrics research, and this suggests there is scope for significant fundamental work still to be done.

What our review also reveals is the imbalance in the adoption of different biometric modalities for predictive purposes. The face modality is the most widespread modality adopted as a basis for this type of work, and there are good reasons for this. However, other modalities must surely have an important role to play, especially if we consider some of the most obvious areas of application (forensics, for example, where investigators may have little choice in determining the availability of particular evidential sources/modalities). For example, handwriting (in particular, the handwritten signature) is likely to grow again in importance with the current rise in the significance and widespread deployment of mobile biometrics and hand-held communication platforms.

Considering fundamental methodological issues further, it is apparent that there are inconsistencies about how acquired data samples are organised and, in particular, about the distribution of training/test samples. In our own work, we have tried to avoid the occurrence of different samples from the same individual occurring in both training and test sets, to avoid the risk of misleading results where individual identity might dominate the emotion prediction function. This appears not universally to be the case, however, and thus the interpretation and comparison of reported results can sometimes be difficult or uncertain.

Another particularly striking fact is that much of the work encountered reports experimental results based on extremely small sample sizes, again undermining the generality of conclusions which can be drawn, and limiting the extent to which the effectiveness of proposed techniques can be guaranteed. This, in general, is primarily a problem of the availability of appropriate or adequate databases, and we will return to this issue below.

From these general issues of process and methodology, we now move to some more specific lower-level analysis of the selective review undertaken, particularly with a view to providing some practical guidelines to inform and support future research.

## **4. Future development of predictive biometrics**

It is important in the present context to note that our review points to some very specific messages about how best to support the development of this area of work in the future, and we see the identification of these lessons learned as a principal contribution of this paper. We therefore suggest the following issues as priorities for future research effort to maintain and extend the progress already summarised in our review.

### **4.1. Databases**

In common with almost all major topics within the biometrics field, the availability of good databases is a key factor here in ensuring progress. While some extensive databases can be found, these tend to be related to a small number of modalities, and generally support a small range of predictive opportunities. For example, predicting gender from facial images benefits from the inherent nature of the metadata required and the fact that such data are generally well-labelled in relation to basic characteristics of interest.

If we move to, say, iris data, however, the situation is considerably less favourable, and once we consider the so-called "higher level states", databases are both more rarely encountered at all,

are generally more limited in size when they are available and, indeed, are considerably more difficult to compile in the first place, both in terms of required resources (not just because of financial implications but also the human effort required) and in terms of the basic methodologies for assigning metadata labels. More attention to database requirements and greater effort in establishing large and publicly-available databases to support the development and evaluation of predictive techniques is essential for significant future progress in this field.

#### 4.2. *Ground truth determination*

It is self-evident that a prerequisite for the evaluation of predictive algorithms is the availability of samples which are reliably and appropriately tagged with an accurate ground truth label. This raises two different but related issues.

While some properties which can usefully be predicted are generally (relatively) straightforward to label in a majority of cases (the gender of individuals, for example), others are less easy to label unambiguously or with a high degree of precision. Let us consider two illustrative examples.

First, let us consider the question of predicting subject age. While there can be little doubt for any specific individual of what an age label means, it is less clear exactly how we should use such very specific and naturally continuous rather than quantised information (indeed, the general issue of how ageing affects biometric data processing is in itself a very challenging area [44]). For example, age is a continuous dynamic variable, and it would be difficult setting out to predict subject age to a very high degree of precision and granularity. It is much more common, therefore, to identify "age bands" as the basis of prediction, but this leads to questions about what age bands are most appropriately adopted, how many bands should be considered, how to deal with the boundaries between bands, and so on. While some work has been reported to address this difficult question ([50], for example), this is inevitably a difficult area in practice, and one where standardisation of approach is currently hard to guarantee.

Second, we can see that the problems multiply significantly when we move away from relatively clear-cut characteristics such as age, gender and so on, to less easily defined characteristics such as higher level and emotional states. It is difficult enough simply to define a concept such as "happiness", without attempting to quantify an index of "degree of happiness" with any confidence. We have seen various attempts to generate appropriate ground truth labels in these circumstances (making assumptions using task-based criteria, for instance, self-assessment, and so on [51]), but there is no doubt that this is a fundamentally difficult area which is yet to be addressed adequately in the biometrics literature.

#### 4.3. *Task definition and feature analysis*

Many predictive tasks involve some specific activity or targeted response on the part of the test individual, and it is unsurprising that predicting emotional state is likely to be significantly task-dependent. It is apparent that there are no agreed guidelines about how to define experimental tasks as an objective basis for making meaningful comparisons across studies or in order to optimise predictive power for any given characteristic of interest, yet we can see that predictive performance can vary considerably depending on data generation conditions. Similarly, the basis of prediction requires the definition of features to extract from the samples collected in a predictive task.

Further work is required to understand better how to choose an optimal feature set which, again, is likely to vary depending on data collection conditions. Moreover, there is important work to be done in understanding the relationship between effective predictive features and the physiological

and (perhaps more importantly) the behavioural mediators of measured performance arising in any particular task. These are areas which have received little attention in the literature to date, and which again suggest that the scope of general experimentation and analysis needs to be broadened.

#### 4.4. *Optimising processing infrastructure*

It is very clear (and not at all surprising) that attainable performance will depend on the match between the data samples available, the statistical distributions they imply and the underlying processing infrastructure adopted for the prediction operation. While it is difficult to see how a formal optimisation strategy might be formulated and deployed, our review has suggested some particular directions in which implementation might be encouraged in order to exploit to best effect the predictive capabilities embedded in biometric data. Flexibility and adaptability are important issues here (the idea of more "intelligent" and flexible data processing appears beneficial, for example [3, 1]), while questions of feature selection and classifier optimisation have been very little considered to date.

#### 4.5. *Complementarity in modality selection*

While in conventional biometrics, where predicting personal identity from physiological/behavioural measurements is the principal aim, it has long been recognised that there is a value in combining identity evidence from multiple biometric modalities [146], this type of strategy seems rarely to be encountered in prediction tasks where the predictive target is a soft biometric characteristic. Although this may be largely a result of the lack of databases which provide the necessary data on which to develop practical techniques, it is nevertheless surprising, and suggests a strand of work which could pay dividends in the future. We know also that predicting higher level states (stress, for example) can be effectively achieved by measuring simple physiological indicators (sweating, heart rate patterns, etc.), and there appears to be scope for developing techniques which combine such simple measures with more subtle biometric measurements. These might combine different sources of physiological data, or might merge physiological and behavioural measurements in various ways.

#### 4.6. *Developing cross-disciplinary cooperation*

The preceding discussion suggests very strongly that greater cooperation and collaboration which crosses traditional disciplinary boundaries is likely to provide a major impetus for this type of work. We have previously mentioned the growing cooperation between the biometrics and forensics communities [51, 189, 155], but the same principles can be more widely encouraged. Greater interaction between, *inter alia*, engineers and scientists, physiologists, neuroscientists and, perhaps especially, researchers and practitioners in the experimental psychology community, could pay real dividends in developing better methodologies to support the sort of work reviewed above. One example stands out here. We referred above to the importance of establishing reliable ground truth labels for data samples, and of understanding how different features might best reflect characteristics which we aim to predict, and it is in addressing issues such as these where crossing traditional disciplinary boundaries can potentially provide especially effective new momentum.

Thus, we see that our review of the field has not only assembled a valuable overview of current achievements and areas of on-going research, but has also led us to extract some important messages about areas where greater research effort might lubricate processes and initiatives currently in progress and, perhaps, stimulate a greater rate of progress in the future.



## 5. Conclusions

The field of biometrics is now well-established, and is supported by a wealth of research and development which has resulted in widespread deployment of biometrics in a variety of important practical applications. For obvious reasons the focus of this research has principally been the identification of individuals from acquired biometric data, or the checking of identity claims through a verification process based on such data. However, another dimension to more recent research in the biometrics field has been an interest in acquiring, analysing and utilising data which contributes to individual identity while falling short of unique identification capability, and such soft biometric information is increasingly being studied and exploited.

In this paper we have explored another, closely related, aspect of biometric data processing which derives from, and builds on, these more mainstream areas, focusing instead on how biometric data can be used to predict traits which characterise individuals. There is a growing literature reporting the prediction of **lower-level** characteristics such as age, gender and a variety of other defining features of individuals from biometric data, resulting in the extraction of valuable information short of identity itself which can contribute to many important practical applications, including security, forensics and healthcare, to take just the most obvious examples. It is interesting to note also that already it is possible to find examples of applications where conventional biometrics and what we have called here "predictive biometrics" can be brought together to enhance conventional biometric processing [3, 2].

There is also a more recent interest in extending such predictive capabilities beyond these basic and most commonly considered properties to include **higher-level**, and perhaps more elusive, characteristics relating to emotional or mental states - such as degree of happiness, stress and other features characterizing individuals which have hitherto been less studied in the biometrics context but which can also contribute greatly to improving the range, reach and applicability of biometric processing.

However, research in this particular area represents a very small proportion of the totality of biometrics research, but in this paper we have examined the scope of this research and the diversity of approaches which can already be found. Perhaps more importantly, we have used this brief review of the field to identify and set out a number of issues which the available literature demonstrates to be imposing limitations on what can currently be achieved. This, it is suggested, can provide an initial roadmap to inform the development of a better understanding of some of the principal problems still to be fully explored, and can guide research towards solutions of maximum impact and reach in the future.

It is clear that the field of biometrics is already generating important and influential solutions in a variety of practical scenarios. This paper has addressed some of the areas which are broadening the range of application where further impact can be made, and has identified some techniques which, if developed appropriately, will contribute to this important process.

## 6. References

- [1] M.C.C. Abreu and M. C. Fairhurst. Analysing the benefits of a novel multiagent approach in a multimodal biometrics identification task. *IEEE Systems Journal*, 3(4):410–417, December 2009.
- [2] M.C.C. Abreu and M. C. Fairhurst. Combining multiagent negotiation and an interacting verification process to enhance biometric-based identification. In C. Vielhauer, J. Dittmann,



- A. Drygajlo, N. Juul, and M. Fairhurst, editors, *Biometrics and ID Management*, volume 6583 of *Lecture Notes in Computer Science*, pages 95–105. Springer Berlin / Heidelberg, 2011.
- [3] M.C.D.C. Abreu and M. C. Fairhurst. Enhancing identity prediction using a novel approach to combining hard- and soft-biometric information. *IEEE Transactions on Systems, Man, and Cybernetics, Part C: Applications and Reviews*, PP(99):1–9, 2010.
  - [4] S. Acar, H.M. Saraoglu, and S.A. Akar. Feature extraction for eeg based emotion prediction applications through chaotic analysis. In *The 19th National Biomedical Engineering Meeting*, BIYOMUT, pages 1–6, November 2015.
  - [5] R. Adolphs. Recognizing emotion from facial expressions: Psychological and neurological mechanisms. *Behavioral and Cognitive Neuroscience Reviews*, 1(1):21–62, 2002.
  - [6] E. Alepis, M. Virvou, and K. Kabassi. Affective student modeling based on microphone and keyboard user actions. In *The 6th IEEE International Conference on Advanced Learning Technologies*, ICALT, pages 139–141, July 2006.
  - [7] L. Alexandros and X. Michalis. The physiological measurements as a critical indicator in users’ experience evaluation. In *The 17th Panhellenic Conference on Informatics*, PCI, pages 258–263, New York, NY, USA, 2013. ACM.
  - [8] S.M. Ali, Z.A. Darbar, and K.N. Junejo. Age estimation from facial images using biometric ratios and wrinkle analysis. In *2015 5th National Symposium on Information Technology: Towards New Smart World*, NSITNSW, pages 1–5, Feb 2015.
  - [9] J. Angulo and E. Wastlund. Exploring touch-screen biometrics for user identification on smart phones. In J. Camenisch, B. Crispo, S. Fischer-Hbner, R. Leenes, and G. Russello, editors, *Privacy and Identity Management for Life*, volume 375 of *IFIP Advances in Information and Communication Technology*, pages 130–143. Springer Berlin Heidelberg, 2012.
  - [10] J. Anil and L. P. Suresh. Literature survey on face and face expression recognition. In *2016 International Conference on Circuit, Power and Computing Technologies*, ICCPCT, pages 1–6, March 2016.
  - [11] Ashutosh, B.Z. Laskar, S. Kumar, and S. Majumder. Gene expression programming based age estimation using facial features. In *2013 IEEE Second International Conference on Image Information Processing*, ICIIP, pages 442–446, December 2013.
  - [12] M.H. Bahari and H. Van Hamme. Speaker age estimation and gender detection based on supervised non-negative matrix factorization. In *IEEE Workshop on Biometric Measurements and Systems for Security and Medical Applications*, BIOMS, pages 1–6, 2011.
  - [13] K. Bakhtiyari and H. Husain. Fuzzy model in human emotions recognition. In *The 12th WSEAS International Conference on Applications of Computer Engineering*, pages 77–82, 2014.
  - [14] S.P. Banerjee and D. Woodard. Biometric authentication and identification using keystroke dynamics: A survey. *Journal of Pattern Recognition Research*, 7(1), 2012.

- [15] Y. Baveye, E. Dellandrea, C. Chamaret, and L. Chen. Deep learning vs. kernel methods: Performance for emotion prediction in videos. In *The International Conference on Affective Computing and Intelligent Interaction*, ACII, pages 77–83, September 2015.
- [16] S.E. Bekhouche, A. Ouafi, A. Benlamoudi, A. Taleb-Ahmed, and A. Hadid. Facial age estimation and gender classification using multi level local phase quantization. In *2015 3rd International Conference on Control, Engineering Information Technology*, CEIT, pages 1–4, May 2015.
- [17] A. Bhaskar and Aneesh R.P. Advanced algorithm for gender prediction with image quality assessment. In *2015 International Conference on Advances in Computing, Communications and Informatics*, ICACCI, pages 1848–1855, August 2015.
- [18] S. Bhatt and T. Santhanam. Keystroke dynamics for biometric authentication a survey. In *International Conference on Pattern Recognition Informatics and Mobile Engineering*, PRIME, pages 17–23, February 2013.
- [19] R. Bixler and S. DMello. Detecting boredom and engagement during writing with keystroke analysis, task appraisals, and stable traits. In *The 2013 International Conference on Intelligent User Interfaces*, IUI, pages 225–234, New York, NY, USA, 2013. ACM.
- [20] R. Blanco-Gonzalo, R. Sanchez-Reillo, O. Miguel-Hurtado, and J. Liu-Jimenez. Usability analysis of dynamic signature verification in mobile environments. In *International Conference of the Biometrics Special Interest Group*, BIOSIG 2013, pages 1–9, September 2013.
- [21] N. Bouadjenek, H. Nemmour, and Y. Chibani. Histogram of oriented gradients for writer’s gender, handedness and age prediction. In *2015 International Symposium on Innovations in Intelligent SysTems and Applications*, INISTA, pages 1–5, September 2015.
- [22] K.W. Bowyer, K. Hollingsworth, and P.J. Flynn. Image understanding for iris biometrics: A survey. *Computer Vision and Image Understanding*, 110(2):281–307, May 2008.
- [23] P. Buddharaju, I.T. Pavlidis, P. Tsiamyrtzis, and M. Bazakos. Physiology-based face recognition in the thermal infrared spectrum. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 29:613–626, April 2007.
- [24] M. Burmester and J. Mulholland. The advent of trusted computing: implications for digital forensics. In *The 2006 ACM symposium on Applied computing*, SAC 2006, pages 283–287, New York, NY, USA, 2006. ACM.
- [25] D. Cao, C. Chen, D. Adjero, and A. Ross. Predicting gender and weight from human metrology using a copula model. In *2012 IEEE Fifth International Conference on Biometrics: Theory, Applications and Systems*, BTAS, pages 162–169, September 2012.
- [26] D. Cao, C. Chen, M. Piccirilli, D. Adjero, T. Bourlai, and A. Ross. Can facial metrology predict gender? In *2011 International Joint Conference on Biometrics*, IJCB, pages 1–8, October 2011.
- [27] B. Cardoso, T. Romão, and N. Correia. Caat: A discrete approach to emotion assessment. In *Extended Abstracts on Human Factors in Computing Systems*, CHI EA 13, pages 1047–1052, New York, NY, USA, 2013. ACM.

- [28] H.T. Chang and H.W. Peng. Facial image prediction using exemplar-based algorithm and non-negative matrix factorization. In *2012 Asia-Pacific Signal Information Processing Association Annual Summit and Conference, APSIPA ASC*, pages 1–4, December 2012.
- [29] K.Y. Chang and C.S. Chen. A learning framework for age rank estimation based on face images with scattering transform. *IEEE Transactions on Image Processing*, 24(3):785–798, March 2015.
- [30] T.-Y. Chang. Dynamically generate a long-lived private key based on password keystroke features and neural network. *Information Sciences: an International Journal*, 211:36–47, November 2012.
- [31] R. Chellappa and P. Turaga. Recent advances in age and height estimation from still images and video. In *2011 IEEE International Conference on Automatic Face Gesture Recognition and Workshops*, FG, pages 91–96, March 2011.
- [32] Y.-L. Chen and C.-T. Hsu. Subspace learning for facial age estimation via pairwise age ranking. *IEEE Transactions on Information Forensics and Security*, 8(12):2164–2176, December 2013.
- [33] Z. Chen, P. Rau, Pei. L., and C. Chen. How to design finger input of chinese characters: A literature review. *International Journal of Industrial Ergonomics*, 44(3):428–435, 2014.
- [34] S.E. Choi, Y.J. Lee, S.J. Lee, K.R. Park, and J. Kim. A comparative study of local feature extraction for age estimation. In *2010 11th International Conference on Control Automation Robotics Vision, ICARCV*, pages 1280–1284, December 2010.
- [35] M. Choras. Intelligent computing for automated biometrics, criminal and forensic applications. In *The intelligent computing 3rd international conference on Advanced intelligent computing theories and applications*, ICIC 2007, pages 1170–1181, Berlin, Heidelberg, 2007. Springer-Verlag.
- [36] Z. Ciota. Emotion recognition on the basis of human speech. In *The 18th International Conference on Applied Electromagnetics and Communications*, pages 1–4, October 2005.
- [37] L. Constantine and H. Hajj. A survey of ground-truth in emotion data annotation. In *Pervasive Computing and Communications Workshops (PERCOM Workshops), 2012 IEEE International Conference on*, pages 697–702, March 2012.
- [38] V. R. Da Silva, J. C. G. De Araujo Silva, and M. Da Costa-Abreu. A new brazilian hand-based behavioural biometrics database: Data collection and analysis. In *The 7th IET International Conference on Imaging for Crime Detection and Prevention*, ICDP-16, 2016.
- [39] H. Dibeklioglu, A.A. Salah, and L. Akarun. 3d facial landmarking under expression, pose, and occlusion variations. In *The 2nd IEEE International Conference on Biometrics: Theory, Applications and Systems*, BTAS 2008, pages 1–6, September 2008.
- [40] G. Dobry, R.M. Hecht, M. Avigal, and Y. Zigel. Supervector dimension reduction for efficient speaker age estimation based on the acoustic speech signal. *IEEE Transactions on Audio, Speech, and Language Processing*, 19(7):1975–1985, September 2011.
- [41] A.G. Dyer, B. Found, and D. Rogers. Visual attention and expertise for forensic signature analysis. *Journal of Forensic Science*, 51(6):1397–1404, November 2006.

- [42] E. Eidinger, R. Enbar, and T. Hassner. Age and gender estimation of unfiltered faces. *IEEE Transactions on Information Forensics and Security*, 9(12):2170–2179, December 2014.
- [43] C. Epp, M. Lippold, and R.L. Mandryk. Identifying emotional states using keystroke dynamics. In *The 2011 annual conference on Human factors in computing systems*, CHI 2011, pages 715–724, New York, NY, USA, 2011. ACM.
- [44] M. Erbilek and M. C. Fairhurst. A methodological framework for investigating age factors on the performance of biometric systems. In *The on Multimedia and security*, MM& Sec 2012, pages 115–122, New York, NY, USA, 2012. ACM.
- [45] M. Erbilek, M. C. Fairhurst, and Marjory Cristiany Da Costa-Abreu. Improved age prediction from biometric data using multimodal. In *2014 International Conference of the Biometrics Special Interest Group*, Lecture Notes in Informatics, September 2014.
- [46] M. Erbilek, M. C. Fairhurst, and M. Da Costa-Abreu. Age prediction from iris biometrics. *IET Conference Proceedings*, pages 1.07–1.07(1), January 2013.
- [47] M. Erbilek, M. C. Fairhurst, and C. Li. Exploring gender prediction from digital handwriting. In *The 24th Signal Processing and Communication Application Conference (SIU)*, pages 789–792, May 2016.
- [48] M. C. Fairhurst and M. C. C. Abreu. An investigation of predictive profiling from handwritten signature data. In *10th International Conference on Document Analysis and Recognition*, ICDAR 2009, pages 1305–1309, Barcelona, Spain, 2009. IEEE Computer Society.
- [49] M. C. Fairhurst and M. C. Da Costa-Abreu. Using keystroke dynamics for gender identification in social network environment. In *The 4th International Conference on Imaging for Crime Detection and Prevention*. Kingston University, 2011.
- [50] M. C. Fairhurst and M. Erbilek. Analysis of physical ageing effects in iris biometrics. *IET Computer Vision*, 5(6):358–366, November 2011. Special issue on Future Trends in Biometric Processing.
- [51] M. C. Fairhurst, M. Erbilek, and C. Li. Enhancing the forensic value of handwriting using emotion prediction. In *International Workshop on Biometrics and Forensics*, IWBF 2014, pages 1–6, March 2014.
- [52] M. C. Fairhurst, C. Li, and M. Erbilek. Exploiting biometric measurements for prediction of emotional state: A preliminary study for healthcare applications using keystroke analysis. In *The IEEE Workshop on Biometric Measurements and Systems for Security and Medical Applications*, BIOMS 2014, pages 74–79, October 2014.
- [53] M. C. Fairhurst, Cheng Li, and M. Da Costa-Abreu. Exploring emotion prediction from biometric-based keystroke dynamics data using multiagent systems. In *The 6th International Conference on Imaging for Crime Prevention and Detection*, ICDP-15, pages 1–6, July 2015.
- [54] Y. Fu, G. Guo, and T.S. Huang. Age synthesis and estimation via faces: A survey. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 32(11):1955–1976, 2010.

- [55] Y. Gao, N. Bianchi-Berthouze, and H. Meng. What does touch tell us about emotions in touchscreen-based gameplay? *ACM Transactions on Computer-Human Interaction (TOCHI)*, 19(4):31:1–31:30, December 2012.
- [56] S. Gautam and L. Singh. Developmental pattern analysis and age prediction by extracting speech features and applying various classification techniques. In *2015 International Conference on Computing, Communication Automation, ICCCA*, pages 83–87, May 2015.
- [57] Y. Ge, J. Lu, Y. Feng, and D. Yang. Body-based human age estimation at a distance. In *2013 IEEE International Conference on Multimedia and Expo Workshops, ICMEW*, pages 1–4, July 2013.
- [58] X. Geng, C. Yin, and Z.H. Zhou. Facial age estimation by learning from label distributions. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 35(10):2401–2412, October 2013.
- [59] X. Geng, Z. Zhou, Y. Zhang, G. Li, and H. Dai. Learning from facial aging patterns for automatic age estimation. In *The 14th annual ACM international conference on Multimedia, MULTIMEDIA 2006*, pages 307–316, New York, NY, USA, 2006. ACM.
- [60] X. Geng, Z-H. Zhou, and K. Smith-Miles. Automatic age estimation based on facial aging patterns. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 29(12):2234–2240, December 2007.
- [61] R. Giot, M. El-Abed, B. Hemery, and C. Rosenberger. Unconstrained keystroke dynamics authentication with shared secret. *Journal Computers and Security*, 30(6-7):427–445, September 2011.
- [62] A. Goyal, N. Kumar, T. Guha, and S.S. Narayanan. A multimodal mixture-of-experts model for dynamic emotion prediction in movies. In *The IEEE International Conference on Acoustics, Speech and Signal Processing, ICASSP*, pages 2822–2826, March 2016.
- [63] Y. Gu, S.L. Tan, K.J. Wong, M.H.R. Ho, and L. Qu. A biometric signature based system for improved emotion recognition using physiological responses from multiple subjects. In *The 8th IEEE International Conference on Industrial Informatics*, pages 61–66, July 2010.
- [64] A. Gunay and V.V. Nabiyev. Automatic age classification with lbp. In *The 23rd International Symposium on Computer and Information Sciences, ISCIS 2008*, pages 1–4, October 2008.
- [65] D. Gunetti and C. Picardi. Keystroke analysis of free text. *ACM Transactions on Information and System Security*, 8(3):312–347, August 2005.
- [66] G. Guo, Y. Fu, C.R. Dyer, and T.S. Huang. Image-based human age estimation by manifold learning and locally adjusted robust regression. *IEEE Transactions on Image Processing*, 17(7):1178–1188, July 2008.
- [67] G. Guo, Y. Fu, C.R. Dyer, and T.S. Huang. A probabilistic fusion approach to human age prediction. In *IEEE Computer Society Conference on Computer Vision and Pattern Recognition Workshops, CVPRW 2008*, pages 1–6, Anchorage, Alaska, USA, June 2008.
- [68] G. Guo, Y. Fu, T.S. Huang, and C.R. Dyer. Locally adjusted robust regression for human age estimation. In *IEEE Workshop on Applications of Computer Vision, WACV 2008*, pages 1–6, Copper Mountain, CO, USA, January 2008.



- [69] G. Guo and G. Mu. Joint estimation of age, gender and ethnicity: Cca vs. pls. In *2013 10th IEEE International Conference and Workshops on Automatic Face and Gesture Recognition*, FG, pages 1–6, April 2013.
- [70] G. Guo, G. Mu, Y. Fu, and T.S. Huang. Human age estimation using bio-inspired features. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 112–119, June 2009.
- [71] G. Guo and X. Wang. A study on human age estimation under facial expression changes. In *2012 IEEE Conference on Computer Vision and Pattern Recognition*, CVPR, pages 2547–2553, June 2012.
- [72] Nakahara. H., S. Furuya, T. Masuko, P. R. Francis, and H. Kinoshita. Performing music can induce greater modulation of emotion-related psychophysiological responses than listening to music. *International Journal of Psychophysiology*, 81(3):152–158, 2011.
- [73] H. Han, C. Otto, and A.K. Jain. Age estimation from face images: Human vs. machine performance. In *International Conference on Biometrics*, ICB 2013, pages 1–8, June 2013.
- [74] H. Han, C. Otto, X. Liu, and A.K. Jain. Demographic estimation from face images: Human vs. machine performance. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 37(6):1148–1161, June 2015.
- [75] P.H. Hennings-Yeomans, S. Baker, and B.V.K.V. Kumar. Recognition of low-resolution faces using multiple still images and multiple cameras. In *The 2nd IEEE International Conference on Biometrics: Theory, Applications and Systems*, BTAS 2008, pages 1–6, September 2008.
- [76] K. C. Herdem. Reactions: Twitter based mobile application for awareness of friends’ emotions. In *The 2012 ACM Conference on Ubiquitous Computing*, UbiComp ’12, pages 796–797, New York, NY, USA, 2012. ACM.
- [77] S.C. Herholz and R.J. Zatorre. Musical training as a framework for brain plasticity: Behavior, function, and structure. *Neuron*, 76(3):486–502, 2012.
- [78] J. Hernandez, P. Paredes, A. Roseway, and M. Czerwinski. Under pressure: Sensing stress of computer users. In *The SIGCHI Conference on Human Factors in Computing Systems*, CHI, pages 51–60, New York, NY, USA, 2014. ACM.
- [79] J.H. Hong, J. Ramos, and A.K. Dey. Understanding physiological responses to stressors during physical activity. In *The 2012 ACM Conference on Ubiquitous Computing*, UbiComp, pages 270–279, New York, NY, USA, 2012. ACM.
- [80] S. Idrus, S. Zulkarnain, E. Cherrier, C. Rosenberger, and P. Bours. Soft biometrics for keystroke dynamics: Profiling individuals while typing passwords. *Journal Computers and Security*, 45:147–155, September 2014.
- [81] Z. Imaduddin, M.A. Akbar, H.A. Tawakal, I.P. Satwika, and Y.B. Saroyo. Automatic detection and measurement of fetal biometrics to determine the gestational age. In *2015 3rd International Conference on Information and Communication Technology*, ICoICT, pages 608–612, May 2015.
- [82] A.K. Jain, F. Griess, and S. Connell. On-line signature verification. *Pattern Recognition Letter*, 35(1):2963–2972, 2002.



- [83] A.K. Jain, A. Ross, and S. Pankanti. Biometrics: A tool for information security. *IEEE Transactions on Information Forensics and Security*, 1(2):125–143, June 2006.
- [84] C.-H. Ju and Y.-H. Wang. Automatic age estimation based on local feature of face image and regression. In *International Conference on Machine Learning and Cybernetics*, pages 885–888, Baoding, July 2009.
- [85] A. Kaklauskas, M. Krutinis, and M. Seniut. Biometric mouse intelligent system for student’s emotional and examination process analysis. In *The 9th IEEE International Conference on Advanced Learning Technologies*, pages 189–193, July 2009.
- [86] A. Kapoor, W. Burleson, and R.W. Picard. Automatic prediction of frustration. *International Journal of Human-Computer Studies*, 65(8):724–736, August 2007.
- [87] W. Khalifa, A. Salem, M. Roushdy, and K. Revett. A survey of eeg based user authentication schemes. In *The 8th International Conference on Informatics and Systems*, INFOS, pages BIO–55–BIO–60, May 2012.
- [88] V. Khryashchev, A. Priorov, and A. Ganin. Gender and age recognition for video analytics solution. In *2014 IEEE Applied Imagery Pattern Recognition Workshop*, AIPR, pages 1–6, October 2014.
- [89] S. Kohli, S. Prakash, and P. Gupta. Age estimation using active appearance models and ensemble of classifiers with dissimilarity-based classification. In *Proceedings of the 7th international conference on Advanced Intelligent Computing*, ICIC’11, pages 327–334, Berlin, Heidelberg, 2011. Springer-Verlag.
- [90] A. Kolakowska. A review of emotion recognition methods based on keystroke dynamics and mouse movements. In *The 6th International Conference on Human System Interaction*, pages 548–555, June 2013.
- [91] S. Lagree and K.W. Bowyer. Predicting ethnicity and gender from iris texture. In *IEEE International Conference on Technologies for Homeland Security*, HST 2011, pages 440–445, November 2011.
- [92] A. Lanitis, C. Draganova, and C. Christodoulou. Comparing different classifiers for automatic age estimation. *IEEE Transactions on Systems, Man, and Cybernetics: Part B*, 34(1):621–628, February 2004.
- [93] J.-W. Lee, S.-S. Choi, and B.-R. Moon. An evolutionary keystroke authentication based on ellipsoidal hypothesis space. In *The 9th annual conference on Genetic and evolutionary computation*, GECCO 2007, pages 2090–2097, New York, NY, USA, 2007. ACM.
- [94] S. Leon and A. Nikov. Emotion-oriented ecommerce systems. *Journal WSEAS TRANSACTIONS on SYSTEMS*, 9(6):594–606, June 2010.
- [95] W.Y. Leong. Eeg identification and differentiation for left-handedness. In *2014 IEEE International Symposium on Robotics and Manufacturing Automation (ROMA)*, pages 147–153, December 2014.
- [96] C. Li, Q. Liu, W. Dong, X. Zhu, J. Liu, and H. Lu. Human age estimation based on locality and ordinal information. *IEEE Transactions on Cybernetics*, PP(99):1–1, 2014.

- [97] C. Li, Q. Liu, J. Liu, and H. Lu. Learning ordinal discriminative features for age estimation. In *IEEE Conference on Computer Vision and Pattern Recognition, CVPR*, pages 2570–2577, 2012.
- [98] S.Z. Li, B. Schouten, and M. Tistarelli. Biometrics at a distance: Issues, challenges, and prospects. In Massimo Tistarelli, Stan Z. Li, and Rama Chellappa, editors, *Handbook of Remote Biometrics*, Advances in Pattern Recognition, pages 3–21. Springer London, 2009.
- [99] X. Li, G. Mori, and Hao Zhang. Expression-invariant face recognition with expression classification. In *The 3rd Canadian Conference on Computer and Robot Vision*, pages 77–77, June 2006.
- [100] X. Li, H. Xianyu, J. Tian, W. Chen, F. Meng, M. Xu, and L. Cai. A deep bidirectional long short-term memory based multi-scale approach for music dynamic emotion prediction. In *The IEEE International Conference on Acoustics, Speech and Signal Processing, ICASSP*, pages 544–548, March 2016.
- [101] Z. Li, Y. Fu, and T.S. Huang. A robust framework for multiview age estimation. In *IEEE Computer Society Conference on Computer Vision and Pattern Recognition Workshops, CVPRW*, pages 9–16, 2010.
- [102] Z. Li, U. Park, and A.K. Jain. A discriminative model for age invariant face recognition. *IEEE Transactions on Information Forensics and Security*, 6(3):1028–1037, September 2011.
- [103] Y. Liang, L. Liu, Y. Xu, Y. Xiang, and B. Zou. Multi-task gloh feature selection for human age estimation. In *The 18th IEEE International Conference on Image Processing, ICIP*, pages 565–568, 2011.
- [104] R. Likert. A technique for the measurement of attitudes. *Archives of Psychology*, 22(140):1–55, 1932.
- [105] S.R. Livingstone, A.R. Brown, and R. Muhlberger. Influencing the perceived emotions of music with intent. In Troy Innocent, editor, *3rd Iteration*, pages 161–170, Melbourne, 2005. CEMA Press.
- [106] H. Lu, F. Tournier, C.R. Chatwin, R.C.D. Young, and Z. Liu. An agent-oriented mobile payment system secured using a biometrics approach. *International Journal of Agent-Oriented Software Engineering*, 3(2/3):163–187, 2009.
- [107] J. Lu and Y-P Tan. Gait-based human age estimation. In *IEEE International Conference on Acoustics Speech and Signal Processing, ICASSP*, pages 1718–1721, 2010.
- [108] J. Lu and Y.P. Tan. Fusing shape and texture information for facial age estimation. In *2011 IEEE International Conference on Acoustics, Speech and Signal Processing, ICASSP*, pages 1477–1480, May 2011.
- [109] J. Lu and Y.P. Tan. Ordinary preserving manifold analysis for human age and head pose estimation. *IEEE Transactions on Human-Machine Systems*, 43(2):249–258, March 2013.
- [110] K. Luu, K. Ricanek, T.D. Bui, and C.Y. Suen. Age estimation using active appearance models and support vector machine regression. In *IEEE 3rd International Conference on Biometrics: Theory, Applications, and Systems, BTAS*, pages 1–5, September 2009.

- [111] K. Luu, K. Seshadri, M. Savvides, T.D. Bui, and C.Y. Suen. Contourlet appearance model for facial age estimation. In *2011 International Joint Conference on Biometrics, IJCB*, pages 1–8, October 2011.
- [112] H.-R. Lv, Z.-L. Lin, W.-J. Yin, and J. Dong. Emotion recognition based on pressure sensor keyboards. In *IEEE International Conference on Multimedia and Expo*, pages 1089–1092, June 2008.
- [113] E. Maiorana, P. Campisi, N. González-Carballo, and A. Neri. Keystroke dynamics authentication for mobile phones. In *The 2011 ACM Symposium on Applied Computing, SAC 2011*, pages 21–26, New York, NY, USA, 2011. ACM.
- [114] Y. Makihara, M. Okumura, H. Iwama, and Y. Yagi. Gait-based age estimation using a whole-generation gait database. In *International Joint Conference on Biometrics, IJCB*, pages 1–6, 2011.
- [115] E. Mäkinen and R. Raisamo. An experimental comparison of gender classification methods. *Pattern Recognition Letter*, 29(10):1544–1556, 2008.
- [116] R. Mandryk, K. Inkpen, and T. Calvert. Using psychophysiological techniques to measure user experience with entertainment technologies. *Behaviour and Information Technology (Special Issue on User Experience)*, 25(2):141–158, 2006.
- [117] R.L. Mandryk and M.S. Atkins. A fuzzy physiological approach for continuously modeling emotion during interaction with play technologies. *International Journal of Human-Computer Studies*, 65(4):329–347, April 2007.
- [118] F. Matta, U. Saeed, C. Mallauran, and J. Dugelay. Facial gender recognition using multiple sources of visual information. In *IEEE 10th Workshop on Multimedia Signal Processing*, volume 1, pages 785–790, Cairns, Queensland, Australia, October 2008.
- [119] R. Mergl, P. Tigges, A. Schroter, H.J. Moller, and U. Hegerl. Digitized analysis of handwriting and drawing movements in healthy subjects: methods, results and perspectives. *Journal of Neuroscience Methods*, 90(2):157–169, 1999.
- [120] R. Merkel, M. Hildebrandt, and J. Dittmann. Application of stirtrace benchmarking for the evaluation of latent fingerprint age estimation robustness. In *2015 International Workshop on Biometrics and Forensics, IWBF*, pages 1–6, March 2015.
- [121] F. Metze, J. Ajmera, R. Englert, U. Bub, F. Burkhardt, J. Stegmann, C. Muller, R. Huber, B. Andrassy, J.G. Bauer, and B. Littel. Comparison of four approaches to age and gender recognition for telephone applications. In *IEEE International Conference on Acoustics, Speech and Signal Processing*, volume 4 of *ICASSP 2007*, pages 1089–1092, Honolulu, Hawaii, USA, April 2007.
- [122] S. Modi and S.J. Elliott. Keystroke dynamics verification using a spontaneously generated password. In *The 40th Annual IEEE International Carnahan Conferences Security Technology*, pages 116–121, October 2006.
- [123] J Mostow, R. Maxion, and J. Cohn. Using keystroke timing to detect students’ mental states: White paper i. project description, 2011.

- [124] E. Mower, M.J. Mataric, and S. Narayanan. A framework for automatic human emotion classification using emotion profiles. *IEEE Transactions on Audio, Speech, and Language Processing*, 19(5):1057–1070, July 2011.
- [125] S. Mutalib, Roslina Ramli, S.A. Rahman, M. Yusoff, and A. Mohamed. Towards emotional control recognition through handwriting using fuzzy inference. In *International Symposium on Information Technology*, volume 2, pages 1–5, August 2008.
- [126] P. Nguyen, D. Tran, X. Huang, and W. Ma. Age and gender classification using eeg paralinguistic features. In *2013 6th International IEEE/EMBS Conference on Neural Engineering (NER)*, pages 1295–1298, November 2013.
- [127] B. Ni, Z. Song, and S. Yan. Web image mining towards universal age estimator. In *The 17th ACM international conference on Multimedia*, MM 2009, pages 85–94, New York, NY, USA, 2009. ACM.
- [128] M. Nishimoto, Y. Azuma, Y. Miyamoto, T. X. Fujisawa, and N. Nagata. Subjective age estimation using speech sounds: Comparison with facial images. In *IEEE International Conference on Systems, Man, and Cybernetics*, SMC 2008, pages 1900–1904, Singapore, October 2008.
- [129] A. Nkengne, A. Tenenhaus, and B. Fertil. Age prediction using a supervised facial model. In *2011 IEEE International Symposium on Biomedical Imaging: From Nano to Macro*, pages 1183–1188, March 2011.
- [130] C. O'Reilly and R. Plamondon. Looking for the brain stroke signature. In *The 21st International Conference on Pattern Recognition*, pages 1811–1814, November 2012.
- [131] L. Orgo, M. Bachmann, K. Kalev, H. Hinrikus, and M. Jarvelaid. Brain functional connectivity in depression: Gender differences in eeg. In *2016 IEEE EMBS Conference on Biomedical Engineering and Sciences*, IECBES, pages 270–273, December 2016.
- [132] S. Pal, M. Blumenstein, and U. Pal. Off-line signature verification systems: a survey. In *The International Conference on Emerging Trends in Technology*, ICWET 2011, pages 652–657, New York, NY, USA, 2011. ACM.
- [133] L. Pan. Human age estimation by metric learning for regression problems. In Daniel Cremers, Yuri Boykov, Andrew Blake, and Frank Schmidt, editors, *Energy Minimization Methods in Computer Vision and Pattern Recognition*, volume 5681 of *Lecture Notes in Computer Science*, pages 455–465. Springer Berlin / Heidelberg, 2009.
- [134] M. Pantic, A. Pentland, A. Nijholt, and T. Huang. Human computing and machine understanding of human behavior: A survey. In *The 8th International Conference on Multimodal Interfaces*, ICMI '06, pages 239–248, New York, NY, USA, 2006. ACM.
- [135] V. Pervouchine and G. Leedham. Extraction and analysis of forensic document examiner features used for writer identification. *Pattern Recognition Letter*, 40(3):1004–1013, 2007.
- [136] Y. Piao and M. Kudo. How do facial expressions contribute to age prediction? In *The 2nd IAPR Asian Conference on Pattern Recognition*, ACPR, pages 882–886, November 2013.
- [137] P.H. Pisani and A.C. Lorena. A systematic review on keystroke dynamics. *Journal of the Brazilian Computer Society*, 19(4):573–587, 2013.

- [138] R. Plamondon and S.N. Srihari. Online and off-line handwriting recognition: a comprehensive survey. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22(1):63–84, January 2000.
- [139] S. Planton, M. Jucla, F.E. Roux, and J.F. Demonet. The "handwriting brain": a meta-analysis of neuroimaging studies of motor versus orthographic processes. *Cortex*, 49(10):2772–2787, 2013.
- [140] H. Proenca, S. Filipe, R. Santos, J. Oliveira, and L.A. Alexandre. The ubiris.v2: A database of visible wavelength iris images captured on-the-move and at-a-distance. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 32:1529–1535, August 2010.
- [141] N. Ramanathan, R. Chellappa, and S. Biswas. Computational methods for modeling facial aging: A survey. *Journal of Visual Languages and Computing*, 20:131–144, June 2009.
- [142] Y. Ran, G. Rosenbush, and Q.F. Zheng. Computational approaches for real-time extraction of soft biometrics. In *International Conference on Pattern Recognition*, ICPR 2008, pages 1–4, 2008.
- [143] K. Renaud and A. DeAngeli. My password is here an investigation into visuo-spatial authentication mechanisms. *Interacting with Computers*, 16(6):1017–1041, 2004.
- [144] K. Ricanek and B. Barbour. What are soft biometrics and how can they be used? *Computer - IDENTITY SCIENCES*, 44(9):106–108, September 2011.
- [145] K. Ricanek, Y. Wang, C. Chen, and S.J. Simmons. Generalized multi-ethnic face age-estimation. In *IEEE 3rd International Conference on Biometrics: Theory, Applications, and Systems*, BTAS, pages 1–6, 2009.
- [146] R.N. Rodrigues, L.L. Ling, and V. Govindaraju. Robustness of multimodal biometric fusion methods against spoof attacks. *Journal of Visual Languages and Computing*, 20(3):169–179, 2009.
- [147] F. Roli, J. Kittler, G. Fumera, and D. Muntoni. An experimental comparison of classifier fusion rules for multimodal personal identity verification systems. In F. Roli and J. Kittler, editors, *Multiple Classifier Systems*, volume 2364 of *Lecture Notes in Computer Science*, pages 215–219. Springer Berlin / Heidelberg, 2002.
- [148] J. Roth, . Liu, A. Ross, and D. Metaxas. Biometric authentication via keystroke sound. In *International Conference on Biometrics*, ICB 2013, pages 1–8, June 2013.
- [149] O.C. Santos, S. Salmeron-Majadas, and J.G. Boticario. Emotions detection from math exercises by combining several data sources. In H.C. Lane, K. Yacef, J. Mostow, and P. Pavlik, editors, *Artificial Intelligence in Education*, volume 7926 of *Lecture Notes in Computer Science*, pages 742–745. Springer Berlin Heidelberg, 2013.
- [150] B. Schuller, M. Lang, and G. Rigoll. Multimodal emotion recognition in audiovisual communication. In *IEEE International Conference on Multimedia and Expo*, volume 1, pages 745–748, 2002.
- [151] A. Sgroi, K.W. Bowyer, and P.J. Flynn. The prediction of old and young subjects from iris texture. In *IAPR International Conference on Biometrics*, ICB 2013, pages 1–5, 2013.



- [152] B.P. Shan and M. Madheswaran. Extraction of fetal biometrics using class separable shape sensitive approach for gestational age estimation. In *International Conference on Computer Technology and Development*, volume 2 of *ICCTD*, pages 376–380, November 2009.
- [153] C. Shan. Learning local features for age estimation on real-life faces. In *The 1st ACM international workshop on Multimodal pervasive video analysis*, MPVA 2010, pages 23–28, New York, NY, USA, 2010. ACM.
- [154] N.A. Spaun and R.W.V. Bruegge. Forensic identification of people from images and video. In *The 2nd IEEE International Conference on Biometrics: Theory, Applications and Systems*, BTAS 2008, pages 1–4, September 2008.
- [155] A. Suman. Using 3d pose alignment tools in forensic applications of face recognition. In *The 2nd IEEE International Conference on Biometrics: Theory, Applications and Systems*, BTAS 2008, pages 1–6, September 2008.
- [156] J. Sykes and S. Brown. Affective gaming: Measuring emotion through the gamepad. In *Extended Abstracts on Human Factors in Computing Systems*, CHI EA, pages 732–733, New York, NY, USA, 2003. ACM.
- [157] H. Takimoto, T. Kuwano, Y. Mitsukura, H. Fukai, and M. Fukumi. Appearance-age feature extraction from facial image based on age perception. In *2007 Annual Conference SICE*, SICE 2007, pages 2813–2818, Kagawa, Japan, September 2007.
- [158] J.E. Tapia, C.A. Perez, and K.W. Bowyer. Gender classification from iris images using fusion of uniform local binary patterns. In L. Agapito, M.M. Bronstein, and C. Rother, editors, *Computer Vision - ECCV 2014 Workshops*, volume 8926 of *Lecture Notes in Computer Science*, pages 751–763. Springer International Publishing, 2015.
- [159] P.S. Teh, A. Beng, J. Teoh, and S. Yue. A survey of keystroke dynamics biometrics. *The Scientific World Journal*, 2013.
- [160] P.S. Teh, A.B.J. Teoh, C. Tee, and T.S. Ong. Keystroke dynamics in password authentication enhancement. *Expert Systems with Applications: An International Journal*, 37(12):8618–8627, December 2010.
- [161] V. Thomas, N.V. Chawla, K.W. Bowyer, and P.J. Flynn. Learning to predict gender from iris images. In *The 1st IEEE International Conference on Biometrics: Theory, Applications, and Systems*, BTAS 2007, pages 1–5, September 2007.
- [162] F.H.C. Tivive and A. Bouzerdoum. A shunting inhibitory convolutional neural network for gender classification. In *The 18th International Conference on Pattern Recognition*, volume 4 of *ICPR 2006*, pages 421–424, 2006.
- [163] M. Toews and T. Arbel. Detection, localization, and sex classification of faces from arbitrary viewpoints and under occlusion. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 31:1567–1581, 2009.
- [164] R. Tokola, A. Mikkilineni, and C. Boehnen. 3d face analysis for demographic biometrics. In *2015 International Conference on Biometrics*, ICB, pages 201–207, May 2015.



- [165] A. Torrisi, G.M. Farinella, G. Puglisi, and S. Battiato. Selecting discriminative clbp patterns for age estimation. In *2015 IEEE International Conference on Multimedia Expo Workshops, ICMEW*, pages 1–6, June 2015.
- [166] R. Tranter, D. Bell, P. Gutting, C. Harmer, D. Healy, and I.M. Anderson. Research report. *Journal of Affective Disorders*, 118(1-3):87–93, 2009.
- [167] G.A. Tsihrintzis, M. Virvou, E. Alepis, and I.-O. Stathopoulou. Towards improving visual-facial emotion recognition through use of complementary keyboard-stroke pattern information. In *The 5th International Conference on Information Technology: New Generations*, pages 32–37, April 2008.
- [168] I. Tsimperidis and V. Katos. Keystroke forensics: Are you typing on a desktop or a laptop? In *The 6th Balkan Conference in Informatics, BCI*, pages 89–94, New York, NY, USA, 2013. ACM.
- [169] W.-H. Tsui, P. Lee, and T.-C. Hsiao. The effect of emotion on keystroke: An experimental study using facial feedback hypothesis. In *The 35th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBC 2013*, pages 2870–2873, July 2013.
- [170] P. Turaga, S. Biswas, and R. Chellappa. The role of geometry in age estimation. In *IEEE International Conference on Acoustics Speech and Signal Processing, ICASSP*, pages 946–949, 2010.
- [171] K. Ueki, M. Miya, T. Ogawa, and T. Kobayashi. Class distance weighted locality preserving projection for automatic age estimation. In *The 2nd IEEE International Conference on Biometrics: Theory, Applications and Systems, BTAS 2008*, pages 1–5, September 2008.
- [172] A. Uhl and P. Wild. Comparing verification performance of kids and adults for fingerprint, palmprint, hand-geometry and digitprint biometrics. In *The 3rd IEEE international conference on Biometrics: Theory, applications and systems, BTAS 2009*, pages 397–402, Piscataway, NJ, USA, 2009. IEEE Press.
- [173] L.M. Vizer. Detecting cognitive and physical stress through typing behavior. In *The Extended Abstracts on Human Factors in Computing Systems, CHI EA*, pages 3113–3116, New York, NY, USA, 2009. ACM.
- [174] L.M. Vizer, L. Zhou, and A. Sears. Automated stress detection using keystroke and linguistic features: An exploratory study. *International Journal of Human-Computer Studies*, 67(10):870–886, October 2009.
- [175] C.-C. Wang, Y.-C. Su, C.-T. Hsu, C.-W. Lin, and H.Y.M. Liao. Bayesian age estimation on face images. In *The 2009 IEEE international conference on Multimedia and Expo, ICME 2009*, pages 282–285, Piscataway, NJ, USA, 2009. IEEE Press.
- [176] X. Wang, R. Guo, and C. Kambhamettu. Deeply-learned feature for age estimation. In *2015 IEEE Winter Conference on Applications of Computer Vision, WACV*, pages 534–541, January 2015.
- [177] Y. Wang, K. Ricanek, C. Chen, and . Chang. Gender classification from infants to seniors. In *2010 Fourth IEEE International Conference on Biometrics: Theory Applications and Systems, BTAS*, pages 1–6, September 2010.

- [178] Z.-H. Wang and Z.-C. Mu. Gender classification using selected independent-features based on genetic algorithm. In *International Conference on Machine Learning and Cybernetics*, volume 1, pages 394–398, July 2009.
- [179] L.K. Wee, L.M. Yun, T.L. See, and E. Supriyanto. Comparison studies of 2d and 3d ultrasound biparietal diameter for gestational age estimation. In *2011 2nd International Conference on Instrumentation, Communications, Information Technology, and Biomedical Engineering*, ICICI-BME, pages 163–167, November 2011.
- [180] I. Wichakam and P. Vateekul. An evaluation of feature extraction in eeg-based emotion prediction with support vector machines. In *The 11th International Joint Conference on Computer Science and Software Engineering*, JCSSE, pages 106–110, May 2014.
- [181] T. Wu, P. Turaga, and R. Chellappa. Age estimation and face verification across aging using landmarks. *IEEE Transactions on Information Forensics and Security*, 7(6):1780–1788, December 2012.
- [182] Li. X., X. J. Tian, M. Xu, Y. Ning, and L. Cai. Dblstm-based multi-scale fusion for dynamic emotion prediction in music. In *The IEEE International Conference on Multimedia and Expo*, ICME, pages 1–6, July 2016.
- [183] H. Xianyu, X. Li, W. Chen, F. Meng, J. Tian, M. Xu, and L. Cai. Svr based double-scale regression for dynamic emotion prediction in music. In *The IEEE International Conference on Acoustics, Speech and Signal Processing*, ICASSP, pages 549–553, March 2016.
- [184] H. Yan, M.H. Ang, and A.N. Poo. Adaptive discriminative metric learning for facial expression recognition. *IET Biometrics*, 1(3):160–167, September 2012.
- [185] P. Yang, L. Zhong, and D. Metaxas. Ranking model for facial age estimation. In *The 20th International Conference on Pattern Recognition*, ICPR, pages 3404–3407, 2010.
- [186] P. Yang, L. Zhong, and D. Metaxas. Ranking model for facial age estimation. In *2010 20th International Conference on Pattern Recognition*, ICPR, pages 3404–3407, August 2010.
- [187] J. You, K.H. Cheung, Q. Li, and P. Bhattacharya. An integration of biometrics and mobile computing for personal identification. In *International Conference on Advances in Pattern Recognition*, volume 2 of *ICAPR 2005*, pages 226–235, 2005.
- [188] C. Zhang and G. Guo. Age estimation with expression changes using multiple aging subspaces. In *2013 IEEE Sixth International Conference on Biometrics: Theory, Applications and Systems*, BTAS, pages 1–6, September 2013.
- [189] Y. Zhang, C. McCullough, J.R. Sullins, and C.R. Ross. Human and computer evaluations of face sketches with implications for forensic investigations. In *The 2nd IEEE International Conference on Biometrics: Theory, Applications and Systems*, BTAS 2008, pages 1–7, September 2008.
- [190] Y. Zhang and D.Y. Yeung. Multi-task warped gaussian process for personalized age estimation. In *2010 IEEE Conference on Computer Vision and Pattern Recognition*, CVPR, pages 2622–2629, June 2010.

This article has been accepted for publication in a future issue of this journal, but has not been fully edited.

Content may change prior to final publication in an issue of the journal. To cite the paper please use the doi provided on the Digital Library page.

- [191] J. Zhu, L. Liao, D. Yi, Z. Lei, and S.Z. Li. Multi-label cnn based pedestrian attribute learning for soft biometrics. In *2015 International Conference on Biometrics, ICB*, pages 535–540, May 2015.
- [192] P. Zimmermann, S. Guttormsen, B. Danuser, and P. Gomez. Affective computing - a rationale for measuring mood with mouse and keyboard. *International Journal of Occupational Safety and Ergonomics*, 9(4):539–551, 2003.