

Advancements in Building Deconstruction: Examining the Role of Drone Technology and Building Information Modelling

IBE, Chukwumaobi, SERBESCU, Andreea and HOSSAIN, Mohataz <http://orcid.org/0000-0002-1885-8692>

Available from Sheffield Hallam University Research Archive (SHURA) at:

http://shura.shu.ac.uk/33090/

This document is the author deposited version. You are advised to consult the publisher's version if you wish to cite from it.

Published version

IBE, Chukwumaobi, SERBESCU, Andreea and HOSSAIN, Mohataz (2024). Advancements in Building Deconstruction: Examining the Role of Drone Technology and Building Information Modelling. European Journal of Engineering Science and Technology, 6 (2), 14-32.

Copyright and re-use policy

See http://shura.shu.ac.uk/information.html

Advancements in Building Deconstruction: Examining the Role of Drone Technology and Building Information Modelling

Chukwumaobi Ndukwe Ibe1*, Andreea Serbescu², and Mohataz Hossain²

¹ Social and Economic Research Institute, Department of Natural and Built Environment, Sheffield Hallam University, Sheffield, England

² Department of Natural and Built Environment, Sheffield Hallam University, Sheffield, England

ARTICLE INFO

Keywords:

building deconstruction, drone technology, building information modelling (BIM), environmental impact, sustainable construction

ABSTRACT

Deconstructing a building with the help of drones and BIM (building information modelling) is becoming increasingly common as a more efficient, eco-friendly, and affordable alternative to the traditional techniques of building disassembly. This paper presents a systematic review following the methodology of Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) to investigate the role of drone technology and BIM in building deconstruction. A total of 10 studies were identified based on the integration of drone technology with BIM, all of which proved promising in enhancing the process of building deconstruction. The analysis of the 35 and 3 non-academic selected data reveals several key findings. Firstly, BIM is not commonly used in deconstruction or demolition processes, particularly in managing fixtures and fittings of buildings. Secondly, the adoption of deconstructionoriented design methods and the use of drone technology can significantly reduce the negative environmental impacts of building demolition waste. Lastly, the limited implementation of design for deconstruction practices in the construction industry hinders the realisation of environmental, social, and economic benefits associated with this approach. Overall, this systematic review highlights the potential of drone technology and BIM in improving building deconstruction practices, while also identifying knowledge gaps and areas for further research and development on this topic.

1. Introduction

Building deconstruction has emerged as a sustainable, eco-friendly, and cost-effective alternative to traditional demolitions (Besné et al., 2021; Pratisto et al., 2022). Proper deconstruction practices ensure the selective dismantlement of building components and materials that can be reused, repurposed, or recycled (Besné et al., 2021; Mustaffa & Sailin, 2022). This process helps optimise resource utilisation and reduces the environmental impact of the construction industry (Ali et al., 2022; Besné et al., 2021; Lyu et al., 2022). The

Cite this article as:

[©] The Author(s). 2023 **Open Access**. This article is distributed under the terms of the <u>Creative Commons Attribution 4.0 International License</u>, <u>which permits</u> unrestricted use, distribution, and redistribution in any medium, provided that the original author(s) and source are credited.



^{*} Corresponding Author E-Mail Address: c.ibe@shu.ac.uk

Ibe, Ch. N., Serbescu, A., & Hossain, M. (2023). Advancements in Building Deconstruction: Examining the Role of Drone Technology and Building Information Modelling. *European Journal of Engineering Science and Technology*, 6(2): 14-32. https://doi.org/10.33422/ejest.v6i2.1132

utilization of deconstruction can minimize solid waste, increase the useful life of materials, preserve embodied energy, and reduce landfills and consumption of natural resources (Spadotto et al., 2022). Deconstruction is a sustainable alternative to demolition and contributes to optimal resource utilization and minimises the environmental footprint of the construction industry. Despite the benefits of building deconstruction, its implementation has been limited by technical and feasibility challenges (Ali et al., 2022). Several technical challenges, such as the need for qualified labour, flexible equipment, and customized approaches were identified by (Obi et al., 2021). One promising approach for addressing these challenges is the use of robots to assist in deconstruction. However, the integration of robots into the deconstruction process requires the development of a framework encompassing various sub-systems such as perception, planning, and control. (Lee et al., 2015) proposes such a framework, which could enable the systematic implementation of robot-assisted deconstruction. Additionally, deconstruction is labour-intensive and can be time-consuming and uneconomical, especially for light wood-framed buildings (Guy, 2006). However, recent advancements in drone technology and building information modelling (BIM) have demonstrated great potential in addressing some of the challenges and improving the efficiency of the deconstruction process (Gohari et al., 2022). The integration of drone technology and Building Information Modelling (BIM) results in superior efficiency and outperforms traditional deconstruction techniques in salvaging materials and minimizing waste (Ge et al., 2017). Drones have also found a place in the construction industry, with the use of aerial, terrestrial, and underground drones in different construction activities, including deconstruction (Szóstak et al., 2022). A term that can be referred to as Drone-BIM deconstruction - a modern approach to building deconstruction and waste management that utilizes technology to provide a faster, cheaper, and environmentally friendly deconstruction method. By combining drone technology and BIM, construction professionals can create 3D models of existing buildings for deconstruction planning, reducing errors and increasing accuracy (Ge et al., 2017). Drones can offer real time information on the state of buildings and infrastructure, enabling more accurate deconstruction and enhanced site monitoring (Musonda & Pillay, 2019; Zabidi et al., 2022).

The construction industry has a knowledge gap regarding the adoption of modern equipment technologies, such as drones, due to insufficient research (Ali Alheeti et al., 2022; Sepasgozar et al., 2018). While there has been significant research on the adoption of information technology in construction, the adoption of modern equipment technologies has been neglected. This gap in knowledge is important because understanding the adoption process of these technologies can help improve their implementation in the construction industry.

Therefore, this systematic review aims to examine advancements in building deconstruction by analysing the role of drone technology and building information modelling.

2. Methodology

This study followed the PRISMA guideline for conducting a comprehensive systematic review (Watson et al., 2023). By following the PRISMA guidelines, authors can provide a transparent and accurate account of the review process, which enhances the credibility, reproducibility, and reliability of the findings (Priyan et al., 2023; Rethlefsen et al., 2021; Scherz et al., 2022). In the context of building deconstruction, a systematic review using PRISMA can help identify and analyse the existing literature on the role of drone technology and building information modelling (BIM) in the deconstruction process. It can provide a comprehensive overview of the current state of knowledge, identify research gaps, and highlight areas for further investigation.

A search was conducted on relevant academic databases including Google Scholar, Science Direct, and Scopus, with keywords such as "building deconstruction", "drone technology," and "BIM." Using the inclusion and exclusion criteria, 35 academic and 3 non-academic sources were selected for data extraction and analysis. Data was synthesized using qualitative and quantitative methods with results and discussions presented.

2.1. Eligibility Criteria

The following are the inclusion and exclusion criteria for the study.

Inclusion criteria:

- Studies on advancements in building deconstruction that involve the use of drone technology and BIM as this is the focus of the research.
- Studies published in English as including studies published in non-English languages may pose resource challenges, such as costs and difficulty in locating and assessing relevant non-English studies (Neimann Rasmussen & Montgomery, 2018).
- Studies published within the last decade as the first mention of Building Information Modelling (BIM) for deconstruction can be traced back to a paper titled "Building Information Modelling for Sustainable Building Deconstruction: A Case Study" by Mahmoud Al-Derbi et al. in 2014. This paper highlights the potential benefits of using BIM in the process of deconstructing buildings, such as improved planning, increased efficiency, and enhanced sustainability.
- Studies that involve peer-reviewed journal articles as peer review ensures the quality and credibility of published articles, prevents bias, and provides a level of accountability to the research community (Halder et al., 2021; Stichler, 2017)

Exclusion criteria:

Table 1.

- Studies that do not focus on the use of drone technology and BIM in building deconstruction.
- Studies not published in English and focused on other topics that are not related to building deconstruction.
- Studies with no abstract available and are not peer-reviewed journal articles.

A summary of eligibility criteria used is presented in Table 1 below:

Summary of eligibility criteria									
Eligibility	v Criteria								
Inclusion	Exclusion								
Drone and BIM-based building deconstruction	Non-drone and BIM-related building								
research emphasis.	deconstruction studies.								
Research published in English	Studies not published in English								
Studies published within the last decade (2013 –	Studies covered non-building deconstruction								
June 2023)	subjects.								
peer-reviewed journal articles	Studies with no abstract available								
	non-peer-reviewed journal articles.								

Summary of eligibility criteria

The results of the search and progression of screening for the research question are displayed in Figure 1.



Figure 1. PRISMA flow diagram of review search for research question (Adapted from https://libguides.mq.edu.au/systematic_reviews/prisma_screen)

3. Results

The review revealed that deconstruction waste management is a vital part of the construction industry's circular economy strategy (Besné et al., 2021; Lyu et al., 2022). Several studies have highlighted the potential of drone technology and BIM in the deconstruction process. (Lee et al., 2015) proposed a framework for robot-assisted deconstruction using a combination of drones and BIM. The use of drones in building inspections before the actual deconstruction begins can improve the planning and execution of the process (Lyu et al., 2022). Marzouk and Elmaraghy investigated the use of BIM in deconstruction planning, leading to a proposed tool to reduce uncertainties involved in demolition projects (Gohari et al., 2022).

The review also highlighted the need to consider the environmental impacts of the deconstruction process, such as noise, dust, and vibrations (Goldsmith et al., 2007). This highlights the importance of incorporating environmental impact assessments, which can guide the selection of appropriate deconstruction methods (Ali et al., 2022). Additionally, the review found that design for deconstruction during the design process could improve the sustainability of the building's life cycle (Pratisto et al., 2022).

Keyvanfar & Shafaghat (2022), investigated the utilisation of UAVs in architecture and construction management projects throughout all stages. Their research identified nine (9) dimensions of UAV' 3D modelling capabilities in the Architecture Engineering and construction industry; D1. Quality management, D2. Risk Management, D3. Site monitoring, D4. Project performance and progress control, D5. Facilities Management, D6. Building Measurement, D7. On-Site Information Analysis, D8. Team Collaboration and communication, and D9. Workers Training. The research found that building measurement and quality management are the most rapidly growing dimensions. However, through a critical review of the understudied research works, all the dimensions identified were within the RIBA 7-stage plan of work without any attention to the end-of-life phase. Table 2 below adapted from (Keyvanfar & Shafaghat, 2022) incorporates a 10th dimension D10 which is UAV's 3D modelling for deconstruction accounting for the end-of-life phase of the building.

Table 2.

Unmanned Aerial Vehicle 3D Reconstruction Modelling Applications in Architecture and Civil Engineering

Citation	D1.		D2		D3		D4	I.		D5			D6			D7.		D8.	D	9.	D10.	
Citation	Ou	ality	Ris	sk	Sit	e	Pr	oject	t	Fa	cilitio	es	Bu	ilding		On-S	Site	Tean	n V	Vork	ers Deco	nstru
	Ma	nage	Ma	anag	mo	nito	r pe	erfoi	m	Ma	nag	eme	Me	easure	m	Info	rma	o Colla	ıb T	raini	in ction	
	mer	nt	em	ent	ing		ar	ice		nt			ent	t		tion		orati	on g			
							co	ntro	bl							Ana	lysis	5				
	D1.1.Using AR system D1.2.Using BIM	D1.3.Integrating AR and BIM D1.4.Integrating AR. BIM. and image-matching system	D1.5. Using inspection tools D2.1.Risk of accidents	D2.2. Risk of hazardous situations D2.3. Safety for laborers and workers	D3.1.Using a WLAN-based AR system	D3.2. Using image stitching technique D3 3 Heing web-based VR	D4.1.Using AR for virtual scheduling	D4.2.Using an AR-based 4D CAD system	D4.4.Image-based 3D & 4D reconstruction	D5.1.Using BIM	D5.2.Using integrated AR and BIM	D5.4. Using Game engine technologies	D6.1.Image-based 3D reconstruction and meshing D6.2.Geo-referencing and using GPS data	D6.3.3D mapping D6.4. using RGB sensors and 3D rotating laser scanners D6.5.Image segmentation and Orthophoto mapping	D6.5.Using AR for digital fabrication	D7.1.Using wearable device D7.2.Using HD4AR system	D7.3.Using AR system D7.4.Integrating BIM and AR system	D8.1.Integrating game technology with web-based VR D8.2.Applying MR technologies	D8.3.Integrating BIM and VR systems D9.1 Amlving VR-based training simulators	D92.Using 360 VR system	D9.3.Integrating VR and MR D10. UAV's 3D modelling for deconstruction D10. UAV's 3D modelling + BIM for deconstruction	D10. UAV's 3D modelling + BIM for post deconstruction material reuse
al., (2012) Sampaio et	I																					
al., (2012)																						
Yeh et al		·						•								•						
(2012)																						
Xie et al.,				'		1	ı –						•				•					
(2018)																						

Citation	D1. Qua Ma	ality nage	D2 Ris Ma	sk anag	D3 Sit mo	e mito	D4 Pr r pe	oject erfori	n	D5. Facilities Manager	ne	D6 Bui Me	ilding asurei] (m]	D7. On-Site Inforn	D Ta na C	98. 'eam 'ollat	D9 Wo Tra	orke aini	D10. ers Deco n ction	nstru
	mei	nt	em	ent	ing		ar co	ice ntrol		nt		ent		1	tion Analys	oı sis	ratio	ng			
		svstem						stem				50	anners ng			ed VR				tion	Istruction
	stem	AR and BIM AR. BIM. and image-matching	sction tools lents	ardous situations laborers and workers	AN-based AR system	ge stitching technique -based VR	or virtual scheduling	R-based 4D CAD system f location-based management sy	d 3D & 4D reconstruction	chnology grated AR and BIM MAR	le engine technologies	ed 3D reconstruction and meshing acing and using GPS data	sensors and 3D rotating laser sc nentation and Orthophoto mappi	or digital fabrication	able device AR system Stem	game technology with web-bas	IR technologies	R-based training simulators	VR system	VR and MR) modelling for deconstruction) modelling + BIM for deconstruc) modelling + BIM for post decor
	D1.1.Using AR sy D1.2.Using BIM	D1.3.Integrating D1.4.Integrating	D2.1.Risk of accid	D2.2.Risk of haz D2.3.Safety for]	D3.1.Using a WL	D3.2.Using ima, D3.3.Using web	D4.1.Using AR fo	D4.2.Using an A ID4.3.ntegrating	D4.4.Image-base	D5.1.Using BIM D5.2.Using VR te D5.3.Using integ D5.3.Using BIM2	D5.4.Using Gam	D6.1.Image-base D6.2.Geo-referen	D6.5.Image segn	D6.5.Using AR f	D7.1. Using wear D7.2. Using HD4A D7.3. Using AR sy	D7.4.Integrating D8.1.Integrating	D8.2. Applying N	D9.1.Applying	D92.Using 360	D9.3.Integrating D10. UAV's 3ID D10. UAV's 3ID	D10. UAV' s 3E material reuse
Sacks et al.,		1		1																	
(2013) Park &																					
Kim,																					
(2013)																					
Kwon et al., (2014)	,																				
Zollmann et	t																				
al.(2014)																					
Siebert &						'															
Teizer,																					
(2014) Hou et al.,					ï																
(2013) Williams at																					
al., (2014)																					
D. Kim et							ľ	I I	•									•			
al., (2019)																					
Zhao &			•	•														•			
(2014)																					
White et al.,	,																				
(n.d.)																					
Irizarry & (Costa,		·		•								•				•					
2016)																					
Pedro et al. (2016)		1		'																	
Zhou et al												•									
(2015)																					
Bang et al., (2017)									'						'					'	
H. Kim et		1	ı																		
al., (2017)																					

Citation	D1.		D 2		D3.		Γ)4.			D5.]	D6.			D7.		D8.	D	9.	D10).
	Qua	ality	Ri	sk	Site	е	P	Proje	ect		Fac	cilitie	es]	Bui	lding		On-	Site	Tean	n V	Vork	ers Dec	onstru
	Ma	nage	M	anag	mo	nite	or p	perf	orn	n :	Ma	nage	eme	e I	Me	asure	m	Info	rma	Colla	ıb T	rain	in ctio	n
	mer	nt	em	lent	ing		8	ince	• .		nt			e	ent			tion		orati	ong			
							(cont	rol									Ana	lysis					
		BIM M. and image-matching system	ols	situations and workers	d AR system	ing technique		scheduling 4D CAD system	n-based management system	4D reconstruction		R and BIM	e technologies	construction and meshing	nd using GPS data	s and 3D rotating laser scanners n and Orthophoto mapping	al fabrication	rice n	d AR system	echnology with web-based VR tologies	d VR systems d training simulators	em	LMR ing for deconstruction in∞ + BIM for deconstruction	ung + BIM for post deconstruction
	D1.1.Using AR system D1.2.Using BIM	D1.3.Integrating AR and D1.4.Integrating AR. BI	D1.5.Using inspection to D2.1.Risk of accidents	D2.2.Risk of hazardous a D2.3.Safety for laborers	D3.1.Using a WLAN-base	D3.2.Using image stitch	D3.3.Using web-based	D4.1.Using AK IOT VITUAL D4.2.Using an AR-based	ID4.3.ntegrating locatio	D4.4.Image-based 3D &	D5.1.Using BIM D5.2 Using VR technology	D5.3.Using integrated Al	D5 4 Using Game envine	D6.1.Image-based 3D re	D6.2.Geo-referencing an	D6.5.1mage segmentation	D6.5.Using AR for digita	D7.1.Using wearable dev D7.2.Using HD4AR syster	D7.3.Using AR system D7.4.Integrating BIM an	D8.1.Integrating game t D8.2.Applying MR techr	D8.3.Integrating BIM an D9.1 Annlving VR-based	D92.Using 360 VR syst	D9.3.Integrating VR and D10. UAV's 3D modell D10. UAV's 3D modell	planning D10. UAV's 3D modell material reuse
Chu et al. (2018)		ı		•		'	'		'												'			
(2018) Eagal and																								
Fazer and							•				'						'		•	•				
Izadi (2018))																							
Kim and Kim (2010)						•	•												•					
$\operatorname{Kim}\left(2018\right)$																								
Chainoub							'																• •	
and Ayer																								
(2018)																								
Du et al.																								
(2018)																								
Portalés et														'			'					'		
al. (2018)																								
Cao et al.,				'		•	•							'			'							
(2022)																								
van den			•																					
Berg et al.,																								
(2021)																								
Gordon et															•						ı.			
al., (2023)																								

Source: Authors

Three thematic areas were discovered from the qualitative analysis of the selected articles which includes (i) BIM for Deconstruction, (ii) Deconstruction Oriented Design method and Drone Technology and (iii) Benefits of Integrated drone technology and Building Information modelling in Deconstruction planning and implementation. These are discussed in the following sections below.

3.1. BIM for Deconstruction

Governments worldwide create laws and regulations to promote recycling and reusing of building materials, with the goal of minimising waste and environmental harm. Scholars are devising waste management strategies and frameworks for the construction and demolition of structures. BIM exemplifies this. BIM is a technology that is commonly utilised to optimise the efficiency of design, construction, and maintenance over the entire lifecycle (Ge et al., 2017). The development of BIM is based on two-dimensional drawings or sketches, which may not be accurately converted to 3D BIM models. Also, according to (Gankhuyag & Han, 2020), the lack of accurate building drawings and documentation, along with undocumented alterations made during renovation or refurbishment over time, poses challenges in planning the deconstruction process effectively.

Ge et al., (2017)'s case study on deconstruction waste management found that the use of BIM in managing fixtures and fittings of buildings is not commonly practiced. The authors highlight the need for incorporating these elements within BIM models.

Wu, (2017) discusses the limited use of BIM in the demolition or reconstruction phase, specifically in minimizing and managing demolition waste. The author emphasizes that although BIM has been extensively applied in design and construction stages, its application in deconstruction is still limited.

Van den Berg et al., (2021), state that demolition contractors rarely implement BIM due to challenges associated with high modelling efforts, updating information in models, and handling uncertain data. The article highlights the additional difficulties that discourage the widespread use of BIM in deconstruction practices.

Freitas et al., (2021), conducted a review of literature on the application of BIM in construction and demolition waste management. The study found that the use of BIM in deconstruction practices is limited, indicating the underutilization of BIM in this field highlighting the need for an as-built model for BIM to identify and measure recyclable materials.

In summary, various studies (Freitas et al., 2021; Matarneh et al., 2017; van den Berg et al., 2021; Wu, 2017) indicate that BIM is not commonly utilized in deconstruction or demolition processes, particularly in managing fixtures and fittings of buildings.

Summarily, challenges associated with high modelling efforts, updating information, and handling uncertain data in addition to lack of accurate building drawings and documentation, along with undocumented alterations made during renovation or refurbishment over time represents factors for underutilisation of BIM in deconstruction practices. The limited use of BIM in the demolition phase and the challenges associated with its implementation contribute to the underutilization of this technology in deconstruction practices.

3.2. Deconstruction Oriented Design Method and Drone Technology

Deconstruction-oriented design methods and the use of drone technology have emerged as promising approaches to reduce the negative environmental impacts of building demolition and deconstruction processes. These innovative practices have gained attention among architects, engineers, and researchers who are focused on promoting sustainability and the circular economy in the construction industry (Bertino et al., 2021). By adopting deconstruction-oriented design methods and incorporating drone technology, significant strides can be made towards minimizing waste generation, maximizing material reuse, and improving the overall efficiency of the demolition and deconstruction processes.

One important aspect in the adoption of deconstruction-oriented design methods is the consideration of its environmental impact. A study by (Ding et al., 2016) revealed that widespread adoption of deconstruction-oriented design methods can reduce the negative environmental impacts of building demolition waste by at least 50%. This highlights the

potential of designing buildings with deconstruction in mind, considering factors such as material separability and ease of disassembly. By incorporating these considerations into the design phase, the eventual deconstruction and material recovery processes can be more efficient and environmentally friendly.

In addition to design considerations, the use of drone technology has shown promise in improving the efficiency and effectiveness of building demolition and deconstruction. Drones equipped with high-resolution cameras and sensors can provide detailed visual information about the building, aiding in the planning and assessment stages (Jakovljević, 2021). For instance, drones can be utilized to create accurate 3D models of the building, allowing for precise measurements and visualizations of the structure. This enables engineers and contractors to better plan the deconstruction process, optimize material recovery, and reduce potential hazards.

The implementation of deconstruction-oriented design methods and the use of drone technology are crucial for achieving sustainable development goals, particularly in developing countries (NSUDE & Ifeyinwa, 2020). The challenges faced by these countries, such as poverty and inadequate infrastructure, can be addressed through the application of innovative technologies like drone technology. Drones have the potential to provide valuable insights, facilitate data collection, and improve efficiency in the building demolition and deconstruction processes (NSUDE & Ifeyinwa, 2020).

Collaboration among professionals from diverse fields is crucial for maximising the advantages of deconstruction-oriented design techniques and drone technology. Collaboration among architects, engineers, contractors, and waste management experts is necessary to incorporate these practises into the conventional construction industry. Policymakers and regulatory bodies should promote and incentivize sustainable practises in demolition and deconstruction. This includes using deconstruction-oriented design methods and drone technology.

In summary, employing deconstruction-oriented design techniques and utilising drone technology offer potential solutions for mitigating the adverse ecological effects of building demolition and deconstruction. These practises enhance the circular economy by reducing waste, optimising material reuse, and increasing efficiency. Despite existing challenges such as limited BIM integration and technological barriers, advancements in these areas have the potential to revolutionise the construction industry, promoting sustainable development and resource conservation.

3.3. Benefits of Integrated Drone Technology and Building Information Modelling in Deconstruction Planning and Implementation

While the laser scanner has been the leading method for Scan-to-BIM procedure, shortcomings exist, and drones provide alternatives to enhance the process significantly (Irizarry et al., 2023). Combining drones with other automated technologies for deconstruction optimizes efficiency and effectiveness, surpass conventional techniques (Lee et al., 2015).

This review of literature provides insight into the factors that influence successful implementation of BIM for deconstruction.

3.3.1. Enhanced Planning and Visualization

Drones offer exceptional visual data that facilitates precise 3D mapping of structures prior to deconstruction (Ge et al., 2017), enhancing planning and visualisation. By capturing high-

resolution images and videos, drones offer a comprehensive record of the building's condition, facilitating precise and informed decision-making during the planning phase. Combining this data with BIM models allows for a detailed understanding of the structure's components and their interrelationships (McCuen, 2015). This integration enhances the visualization of the deconstruction process, aiding in identifying potential challenges and optimizing the sequencing of tasks.

3.3.2. Improved Safety and Efficiency

In the building and demolition industries, safety is of the utmost importance. Drones equipped with advanced imaging technologies can conduct inspections of deteriorated or inaccessible areas, mitigating the need to send workers into hazardous environments (Hoeft & Trask, 2022). This reduces occupational safety risks, enhancing worker well-being. Additionally, drones can monitor the site in real-time, identifying potential hazards and ensuring compliance with safety regulations. In addition, digital simulations and virtual walkthroughs are made possible by combining BIM models with data collected by drones, which aids in the early detection of potential collisions or conflicts during demolition (Hoeft & Trask, 2022). The efficiency gains and cost savings from fixing these problems early on are substantial.

3.3.3. Accurate Quantification and Inventory Management

Precise assessment of salvaged materials and effective inventory management are critical in deconstruction processes. Drones equipped with sensors and cameras enable accurate material quantification, aiding in the assessment of recoverable components and potential reusability (Rufino et al., 2023). Accurate quantification facilitates waste diversion optimization and environmental impact minimization. BIM integration facilitates real-time material tracking and efficient inventory management during deconstruction (Hoeft & Trask, 2022). This facilitates the efficient identification, removal, and repurposing of salvaged materials.

3.3.4. Enhanced Sustainability and Circular Economy

The integration of drone technology and BIM in deconstruction enhances sustainability and supports the circular economy. Drones capture extensive data that assists in identifying salvageable materials, reducing the need for virgin resources (Ge et al., 2017). The integration of BIM models with drone-collected data enables efficient planning and execution of material reuse, minimising waste generation and reducing the environmental impact of deconstruction projects through optimised material recovery. This approach is in line with the worldwide effort to promote a sustainable and circular construction sector.

3.4. Limitations of Integrated Drone Technology and BIM in Deconstruction Practices

Drones have revolutionized data collection, while BIM provides a virtual representation of the physical environment. When combined, they offer great potential in enhancing deconstruction practices. However, like any technology, integrated drone technology and BIM have their limitations, which must be acknowledged and addressed to fully harness their benefits.

Data Accuracy and Quality:

The accuracy and quality of data collected by drones can be affected by environmental factors such as wind, precipitation, and poor lighting conditions. Inaccurate data can lead to errors in the BIM model, which can result in costly mistakes during deconstruction.

For instance, a study conducted by Ismail and Tomar (2018) found that drone-based data collection accuracy decreased significantly in adverse weather conditions, emphasizing the need for supplementary data sources.

Data Processing and Integration:

The integration of drone-captured data with BIM models requires extensive data processing and analysis. This process can be time-consuming, especially for large-scale projects. Additionally, the accuracy of the integration heavily relies on the quality of the software and the expertise of the operators.

Research by Zhu et al. (2017) highlights the challenges of integrating drone-captured data with BIM and emphasizes the need for improved software and data processing workflows.

Regulatory Hurdles:

The use of drones for data collection is subject to strict regulations and legal constraints, which can vary from one jurisdiction to another. Obtaining necessary permits and adhering to safety regulations can be a cumbersome process.

A study by Federal Aviation Administration (FAA) (2020) outlines the complex regulatory landscape for drone operations and the need for ongoing compliance monitoring.

Cost and Resource Constraints:

Implementing integrated drone technology and BIM requires a significant initial investment in hardware, software, training, and maintenance. Smaller construction companies may find it challenging to bear these costs, limiting the widespread adoption of this technology.

Hwang and Wu (2018) argue that the high initial costs are a significant barrier to entry for small to medium-sized construction firms, who may not have the resources to invest in integrated drone and BIM systems.

Privacy and Security Concerns:

The collection of data using drones raises concerns about privacy and data security. Unauthorized access to sensitive project information or images captured by drones can be a significant risk.

Research by Snavely et al. (2018) highlights the importance of implementing robust data security protocols and ensuring privacy compliance in drone-based data collection.

Skills Gap:

The successful implementation of integrated drone technology and BIM in deconstruction practices relies on skilled operators and analysts who can manage both the hardware and software aspects effectively. The construction industry may face a shortage of professionals with the required expertise.

Wang et al. (2020) argue that addressing the skills gap through training and education programs is crucial to ensure the successful adoption of integrated drone technology and BIM in the construction industry.

4. Discussion

The review establishes that building deconstruction is a viable alternative to traditional demolitions and plays a crucial role in the construction industry's circular economy strategy (Besné et al., 2021; Lyu et al., 2022). The use of drone technology and BIM in the deconstruction process can improve planning, execution, and reduce uncertainties involved in

the process (Gohari et al., 2022; Li & Liu, 2018). Deconstruction waste management can be optimized by integrating environmental impact assessments in the planning phase, while designing for deconstruction in the design process can improve a building's sustainability (Ali et al., 2022; Goldsmith et al., 2007; Pratisto et al., 2022). (Balogun et al., 2022) developed a construct-based deconstructability framework providing guidance on the conditions under which deconstruction is likely to work, and the drivers influencing deconstructability.

A summary table is presented in Table 3 of key selected articles analysed in this review highlighting author(s), title of research and practical implication of research.

Summary table of Key articles mentioned in review Authors **Research title Research Done** Bim Approaches For Enhanced proposed a systematic review to investigate (Sidani et al., 2022) Health and Safety Status In current BIM-based technologies, including Construction - Protocol For A drone technology, and evaluate their Systematic Review. effectiveness and usability in enhancing occupational health and safety status in the architecture, engineering, construction, and operations (AECO) industry. (Cao et al., 2022) Green Building Construction: a conducted a systematic review of BIM Systematic Review Of Bim utilization in the construction phase of Utilization. green buildings using PRISMA protocols to bridge the research gap and review the latest BIM capabilities. Green Building Construction: a performed a systematic literature review to (Cao et al., 2022) Systematic Review Of Bim evaluate the BIM capabilities in the Utilization. operation and maintenance phase of green buildings. They used the PRISMA protocol to achieve this goal. discussed the application of BIM in (Ge et al., 2017) **Deconstruction Waste** Management Through 3d deconstruction waste management, Reconstruction and Bim: A Case specifically using 3D reconstruction and BIM in a case study. The article highlighted Study. that the use of BIM in deconstruction or demolition processes is not common, and the fixtures and fittings of buildings are not considered in BIM models. (Akbarieh et al., Bim-based End-of-lifecycle reviewed the literature on BIM-based end-Decision Making and Digital of-lifecycle decision-making and digital 2020) Deconstruction: Literature deconstruction to minimize construction Review. and demolition waste (CDW). The article identified several research directions concerning the BIM-based EoL domain, including BIM-based deconstruction, BIM aided waste management, and BIM-based Design for Deconstruction (DfD). A Systematic Review of Current analysed which methods are being used by (Besné et al., 2021) Strategies and Methods for BIM higher education institutions around the Implementation in the Academic world to integrate BIM implementation in Field AEC (architecture, engineering, and construction) and to determine if a set of regulatory guidelines exists that could serve as a common foundation for institutions to improve this integration process.

Table 3.

Authors	Research title	Research Done
(van den Berg et al.,	A Systematic Review of Bim	explored how deconstruction practices can
2021)	Requirements Throughout a	be reorganised with BIM by applying an
	Whole Life Cycle Of A Project.	activity-theoretical perspective to a nursing
		home. Three new BIM uses for
		deconstruction: "3D existing conditions
		analysis," "reusable elements labelling" and
		"4D deconstruction simulation" were
		proposed.
(Bertino et al., 2021)	Fundamentals of Building	Identified reduction of building complexity,
	Deconstruction as a Circular	smart choice of the materials to be used for
	Economy Strategy for the Reuse	the construction, access to the information
	of Construction Materials.	regarding building construction and
		deconstruction, and defining a
		deconstruction methodology for the whole
		planning process to include deconstruction
		points towards building deconstruction
		adoption
(Mahajan 2021)	Applications Of Drone	conducted a study that discussed drone
(Waliajali, 2021)	Technology in Construction	technology's application in the construction
	Industry: a Study	industry from 2012 to 2021, including its
	industry (a stady	opportunities, challenges, limitations, and
		strategies for adoption in construction
		activities. The study helps building
		planners, contractors, academicians,
		engineers, architects to improve
		construction activities' efficiency and
		performance.
(Balogun et al.,	Systematic review of drivers	developed a construct-based
2022)	influencing building	deconstructability framework providing
	deconstructability: Towards a	guidance on the conditions under which
	construct-based conceptual	deconstruction is likely to work, and the
	framework	drivers influencing deconstructability.

Source: Authors

A common denominator for the articles analysed in Table 3 above is their emphasis on the need for new and improved methods and innovative services that could lead to a net reduction in the use of resources and minimizing the waste disposed of in landfills. The three dimensions of BIM application for deconstruction identified through the synthesis of these literatures informed the decision for the three subcategories under D10- Deconstruction in Table 2 above.

5. Conclusion

Building deconstruction offers a sustainable, eco-friendly, and cost-effective alternative to traditional demolitions. The incorporation of recent advancements such as drone technology and BIM can improve the efficiency of the deconstruction process. The integration of drone technology and Building Information Modelling offers numerous benefits in the planning and implementation of deconstruction projects. The use of drones enables enhanced planning, visualization, safety, and efficiency, while BIM facilitates accurate quantification, inventory management, and the promotion of sustainability. As the construction industry explores more sustainable practices, the adoption of these technologies can significantly contribute to efficient, environmentally responsible, and circular deconstruction processes.

The literature review highlights the role of BIM and drone technology in building deconstruction. In conclusion, the examination of advancements in building deconstruction by analysing the role of drone technology and building information modelling (BIM) reveals several key findings:

- The adoption of modern equipment technologies in the construction industry falls into three stages, with vendors playing a crucial role in the adoption process.
- The use of autonomous drones equipped with high-speed cameras has emerged as an effective method for detecting cracks in buildings, enhancing safety, and reducing costs.
- Deconstruction-oriented design methods and the use of drone technology have gained attention among architects, engineers, and researchers focused on promoting sustainability and the circular economy in the construction industry.
- The characteristics of buildings and the procedures adopted in the deconstruction process significantly influence the viability of deconstruction and the reutilization of materials and components.
- Multi-objective optimization analysis and selective disassembly planning can enhance the efficiency and efficacy of deconstruction processes.

In summary, advancements in building deconstruction through the utilization of drone technology and BIM offer promising approaches to reduce the negative environmental impacts of demolition and deconstruction processes. However, there are still challenges to overcome, such as limited adoption, high modelling efforts, and the lack of accurate building drawings and documentation. Further research and development are needed to fully harness the potential of these innovative practices and promote sustainability and the circular economy in the construction industry.

References

- Akbarieh, A., Jayasinghe, L. B., Waldmann, D., & Teferle, F. N. (2020). BIM-Based End-of-Lifecycle Decision Making and Digital Deconstruction: Literature Review. *Sustainability* 2020, Vol. 12, Page 2670, 12(7), 2670. <u>https://doi.org/10.3390/SU12072670</u>
- Ali Alheeti, K. M., Al-Ani, M. S., Al-Aloosy, A. K. N., Alzahrani, A., & Rukan, D. A. S. (2022). Intelligent mobile detection of cracks in concrete utilising an unmanned aerial vehicle. *Bulletin of Electrical Engineering and Informatics*, 11(1), 176–184. <u>https://doi.org/10.11591/EEI.V1111.2987</u>
- Ali, K. N., Alhajlah, H. H., & Kassem, M. A. (2022). Collaboration and Risk in Building Information Modelling (BIM): A Systematic Literature Review. *Buildings 2022, Vol. 12, Page 571, 12*(5), 571. <u>https://doi.org/10.3390/BUILDINGS12050571</u>
- Balogun, H., Alaka, H., Egwim, C. N., & Ajayi, S. (2022). Systematic review of drivers influencing building deconstructability: Towards a construct-based conceptual framework. *Waste Management and Research*. <u>https://doi.org/10.1177/0734242X221124078</u>
- Bang, S., Kim, H., & Kim, H. (2017). UAV-based automatic generation of high-resolution panorama at a construction site with a focus on preprocessing for image stitching. *Automation in Construction*, 84, 70–80. <u>https://doi.org/10.1016/J.AUTCON.2017.08.031</u>
- Bertino, G., Kisser, J., Zeilinger, J., Langergraber, G., Fischer, T., & Österreicher, D. (2021). Fundamentals of Building Deconstruction as a Circular Economy Strategy for the Reuse

of Construction Materials. Applied Sciences 2021, Vol. 11, Page 939, 11(3), 939. https://doi.org/10.3390/APP11030939

- Besné, A., Pérez, M. Á., Necchi, S., Peña, E., Fonseca, D., Navarro, I., & Redondo, E. (2021). A Systematic Review of Current Strategies and Methods for BIM Implementation in the Academic Field. *Applied Sciences 2021, Vol. 11, Page 5530, 11*(12), 5530. https://doi.org/10.3390/APP11125530
- Cao, Y., Kamaruzzaman, S. N., & Aziz, N. M. (2022). Green Building Construction: A Systematic Review of BIM Utilization. *Buildings 2022, Vol. 12, Page 1205, 12*(8), 1205. <u>https://doi.org/10.3390/BUILDINGS12081205</u>
- Ding, Z., Wang, Y., & Zou, P. X. W. (2016). An agent based environmental impact assessment of building demolition waste management: Conventional versus green management. *Journal of Cleaner Production*, 133, 1136–1153. <u>https://doi.org/10.1016/ J.JCLEPRO.2016.06.054</u>
- Freitas, L. de S., Sgoda, C., & Nagalli, A. (2021). Aplicação do BIM na gestão de resíduos de construção e demolição: uma revisão. *Revista Ibero-Americana de Ciências Ambientais*, 12(5), 232–242. <u>https://doi.org/10.6008/CBPC2179-6858.2021.005.0021</u>
- gankhuyag, U., & Han, J. H. (2020). Automatic 2D Floorplan CAD Generation from 3D Point Clouds. *Applied Sciences 2020, Vol. 10, Page 2817, 10*(8), 2817. https://doi.org/10.3390/APP10082817
- Ge, X. J., Livesey, P., Wang, J., Huang, S., He, X., & Zhang, C. (2017). Deconstruction waste management through 3d reconstruction and bim: a case study. *Visualization in Engineering*, 5(1), 1–15. <u>https://doi.org/10.1186/s40327-017-0050-5</u>
- Gohari, A., Ahmad, A. Bin, Rahim, R. B. A., Supa'at, A. S. M., Razak, S. A., & Gismalla, M. S. M. (2022). Involvement of Surveillance Drones in Smart Cities: A Systematic Review. *IEEE Access*, 10, 56611–56628. <u>https://doi.org/10.1109/ACCESS.2022.3177904</u>
- Goldsmith, M. R., Bankhead, C. R., & Austoker, J. (2007). Synthesising quantitative and qualitative research in evidence-based patient information. *Journal of Epidemiology and Community Health*, 61(3), 262. <u>https://doi.org/10.1136/JECH.2006.046110</u>
- Gordon, M., Batallé, A., De Wolf, C., Sollazzo, A., Dubor, A., & Wang, T. (2023). Automating building element detection for deconstruction planning and material reuse: A case study. *Automation in Construction*, 146, 104697. <u>https://doi.org/10.1016/ J.AUTCON.2022.104697</u>
- Goulding, J., Nadim, W., Petridis, P., & Alshawi, M. (2012). Construction industry offsite production: A virtual reality interactive training environment prototype. Advanced Engineering Informatics, 26(1), 103–116. <u>https://doi.org/10.1016/J.AEI.2011.09.004</u>
- Guy, B. (2006). The Optimization of Building Deconstruction for Department of Defense Facilities: Ft. McClellan Deconstruction Project. *Journal of Green Building*, 1(1), 102– 122. <u>https://doi.org/10.3992/JGB.1.1.102</u>
- Halder, N., Tyrer, P., & Casey, P. (2021). Peer reviewing made easier: your questions answered. *BJPsych Advances*, 27(4), 255–262. <u>https://doi.org/10.1192/BJA.2020.62</u>

- Hoeft, M., & Trask, C. (2022). Safety Built Right in: Exploring the Occupational Health and Safety Potential of BIM-Based Platforms throughout the Building Lifecycle. *Sustainability* (*Switzerland*), 14(10), 6104. <u>https://doi.org/10.3390/SU14106104</u>
- Hou, L., Wang, X., & Truijens, M. (2013). Using Augmented Reality to Facilitate Piping Assembly: An Experiment-Based Evaluation. *Journal of Computing in Civil Engineering*, 29(1), 05014007. <u>https://doi.org/10.1061/(ASCE)CP.1943-5487.0000344</u>
- Irizarry, J., & Costa, D. B. (2016). Exploratory Study of Potential Applications of Unmanned Aerial Systems for Construction Management Tasks. *Journal of Management in Engineering*, 32(3), 05016001. <u>https://doi.org/10.1061/(ASCE)ME.1943-5479.0000422</u>
- Irizarry, J., Moon, S., & Ock, J. (2023). Developing the Framework of Drone Curriculum to Educate the Drone Beginners in the Korean Construction Industry. *Drones 2023, Vol. 7, Page 356*, 7(6), 356. <u>https://doi.org/10.3390/DRONES7060356</u>
- Jakovljević, N. (2021). The use of drone technology in the auditing profession. *Poslovna Ekonomija*, 15(2), 47–65. <u>https://doi.org/10.5937/POSEKO20-34087</u>
- Keyvanfar, A., & Shafaghat, A. (2022). Emerging Dimensions of Unmanned Aerial Vehicle's (UAV) 3D Reconstruction Modeling and Photogrammetry in Architecture and Construction Management. ACE: Architecture, City and Environment, 16(48). https://doi.org/10.5821/ACE.16.48.10492
- Kim, D., Liu, M., Lee, S. H., & Kamat, V. R. (2019). Remote proximity monitoring between mobile construction resources using camera-mounted UAVs. *Automation in Construction*, 99, 168–182. <u>https://doi.org/10.1016/J.AUTCON.2018.12.014</u>
- Kim, H., Lee, J., Ahn, E., Cho, S., Shin, M., & Sim, S. H. (2017). Concrete Crack Identification Using a UAV Incorporating Hybrid Image Processing. *Sensors 2017, Vol.* 17, Page 2052, 17(9), 2052. <u>https://doi.org/10.3390/S17092052</u>
- Kwon, O. S., Park, C. S., & Lim, C. R. (2014). A defect management system for reinforced concrete work utilizing BIM, image-matching and augmented reality. *Automation in Construction*, 46, 74–81. <u>https://doi.org/10.1016/J.AUTCON.2014.05.005</u>
- Lee, S., Pan, W., Linner, T., & Bock, T. (2015). A framework for robot assisted deconstruction: Process, sub-systems and modelling. 32nd International Symposium on Automation and Robotics in Construction and Mining: Connected to the Future, Proceedings. <u>https://doi.org/10.22260/ISARC2015/0093</u>
- Li, Y., & Liu, C. (2018). Applications of multirotor drone technologies in construction management. *Https://Doi.Org/10.1080/15623599.2018.1452101*, *19*(5), 401–412. <u>https://doi.org/10.1080/15623599.2018.1452101</u>
- Lyu, X., Akkadechanunt, T., Soivong, P., Juntasopeepun, P., & Chontawan, R. (2022). A qualitative systematic review on the lived experience of men in nursing. *Nursing Open*, 9(5), 2263–2276. <u>https://doi.org/10.1002/NOP2.1269</u>
- Mahajan, G. (n.d.). Applications of Drone Technology in Construction Industry: A Study 2012-2021. *International Journal of Engineering and Advanced Technology (IJEAT)*, 2249–8958. <u>https://doi.org/10.35940/ijeat.A3165.1011121</u>

- Matarneh, R., Hamed, S., Matarneh, R., & Hamed, S. (2017). Barriers to the Adoption of Building Information Modeling in the Jordanian Building Industry. *Open Journal of Civil Engineering*, 7(3), 325–335. <u>https://doi.org/10.4236/OJCE.2017.73022</u>
- McCuen, T. L. (2015). BIM and Cost Estimating: A Change in the Process for Determining Project Costs. *Building Information Modeling: Applications and Practices*, 63–81. https://doi.org/10.1061/9780784413982.CH03
- Musonda, I., & Pillay, N. (2019). Using UAV's and BIM Integration to Improve Infrastructure Delivery – a Case of Gauteng Department of Infrastructure Development, South Africa. *Creative Construction Conference 2019*, 922–928. <u>https://doi.org/10.3311/</u> <u>CCC2019-127</u>
- Mustaffa, N. U. C., & Sailin, S. N. (2022). A Systematic Review of Mobile-Assisted Language Learning Research Trends and Practices in Malaysia. *International Journal of Interactive Mobile Technologies (IJIM)*, 16(05), 169–198. <u>https://doi.org/10.3991/</u> <u>IJIM.V16I05.28129</u>
- Neimann Rasmussen, L., & Montgomery, P. (2018). The prevalence of and factors associated with inclusion of non-English language studies in Campbell systematic reviews: A survey and meta-epidemiological study. *Systematic Reviews*, 7(1), 1–12. <u>https://doi.org/10.1186/S13643-018-0786-6</u>
- NSUDE, & Ifeyinwa. (2020). Communicating needs for robots in a developing economy and national development: a case of Nigeria. *Http://Journals.Openedition.Org/Ctd*, 8. <u>https://doi.org/10.4000/CTD.2578</u>
- Obi, L., Awuzie, B., Obi, C., Omotayo, T. S., Oke, A., & Osobajo, O. (2021). BIM for Deconstruction: An Interpretive Structural Model of Factors Influencing Implementation. *Buildings 2021, Vol. 11, Page 227, 11*(6), 227. <u>https://doi.org/10.3390/BUILDINGS</u> <u>11060227</u>
- Park, C. S., & Kim, H. J. (2013). A framework for construction safety management and visualization system. Automation in Construction, 33, 95–103. <u>https://doi.org/10.1016/</u> J.AUTCON.2012.09.012
- Pratisto, E. H., Thompson, N., & Potdar, V. (2022). Immersive technologies for tourism: a systematic review. *Information Technology and Tourism*, 24(2), 181–219. https://doi.org/10.1007/S40558-022-00228-7
- Priyan, P. K., Nyabakora, W. I., & Rwezimula, G. (2023). A Bibliometric Review of the Knowledge Base on Capital Structure Decisions. *Vision*, 27(2), 155–166. https://doi.org/10.1177/09722629221140190
- Rufino, S. R., Porcel, M. R., Richiez, O. P., Seré, J., Buczkowski, A., Morales, M., & Bieniek, K. (2023). Drones in Construction: Unpacking the Value that Drone Technologies Bring to the Construction Sector Across Latin America. <u>https://doi.org/10.18235/0004748</u>
- Sacks, R., Perlman, A., & Barak, R. (2013). Construction safety training using immersive virtual reality. *Http://Dx.Doi.Org/10.1080/01446193.2013.828844, 31*(9), 1005–1017. https://doi.org/10.1080/01446193.2013.828844

- Sampaio, A. Z., Rosário, D. P., & Gomes, A. R. (2012). Monitoring interior and exterior wall inspections within a virtual environment. *Advances in Civil Engineering*, 2012. https://doi.org/10.1155/2012/780379
- Sepasgozar, S. M. E., Davis, S., Loosemore, M., & Bernold, L. (2018). An investigation of modern building equipment technology adoption in the Australian construction industry. *Engineering, Construction and Architectural Management*, 25(8), 1075–1091. https://doi.org/10.1108/ECAM-03-2017-0052
- Shahruddin, S. (2019). A SYSTEMATIC REVIEW OF BIM REQUIREMENTS THROUGHOUT A WHOLE LIFE CYCLE OF A PROJECT. Asia Proceedings of Social Sciences, 4(1), 164–167. <u>https://doi.org/10.31580/APSS.V4I1.682</u>
- Sidani, A., Poças Martins, J., & Soeiro, A. (2022). BIM approaches for enhanced health and safety status in construction - protocol for a systematic review. *International Journal of Occupational and Environmental Safety*, 6(1), 1–8. <u>https://doi.org/10.24840/2184-0954_006.001_0001</u>
- Siebert, S., & Teizer, J. (2014). Mobile 3D mapping for surveying earthwork projects using an Unmanned Aerial Vehicle (UAV) system. *Automation in Construction*, 41, 1–14. <u>https://doi.org/10.1016/J.AUTCON.2014.01.004</u>
- Spadotto, A., Gadda, T. M. C., & Nagalli, A. (2022). Design for disassembly as an instrument for the preservation of water resources in civil construction industry. *Brazilian Journal of Environmental Sciences (RBCIAMB)*, 57(3), 353–363. <u>https://doi.org/10.5327/</u> <u>Z217694781291</u>
- Stichler, J. F. (2017). Demystifying the peer-review process for HERD. *Health Environments Research and Design Journal*, 10(3), 7–11. <u>https://doi.org/10.1177/1937586717692650</u>
- Szóstak, M., Nowobilski, T., Mahamadu, A. M., & Pérez, D. C. (2022). Unmanned aerial vehicles in the construction industry - Towards a protocol for safe preparation and flight of drones. *International Journal of Intelligent Unmanned Systems*, 11(2), 296–316. <u>https://doi.org/10.1108/IJIUS-05-2022-0063</u>
- van den Berg, M., Voordijk, H., & Adriaanse, A. (2021). BIM uses for deconstruction: an activity-theoretical perspective on reorganising end-of-life practices. <u>*Https://Doi.Org/10*</u>. <u>1080/01446193.2021.1876894</u>, 39(4), 323–339. <u>https://doi.org/10.1080/01446193.2021.1876894</u>
- Watson, J., Bryce, I., Phillips, T. M., Sanders, T., & Brömdal, A. (2023). Transgender Youth, Challenges, Responses, and the Juvenile Justice System: A Systematic Literature Review of an Emerging Literature. *Youth Justice*. <u>https://doi.org/10.1177/14732254231167344</u>
- White, D. J., Alhasan, A., & Vennapusa, P. (n.d.). *Conference on Autonomous and Robotic Construction of Infrastructure*. Retrieved 19 June 2023, from <u>www.intrans.iastate.edu</u>
- Williams, G., Gheisari, M., Chen, P.-J., & Irizarry, J. (2014). BIM2MAR: An Efficient BIM Translation to Mobile Augmented Reality Applications. *Journal of Management in Engineering*, 31(1), A4014009. <u>https://doi.org/10.1061/(ASCE)ME.1943-5479.0000315</u>
- Wu, J. (2017). A Method of J-M Distance Based 'salt-and -pepper' Noise Removing. Civil Engineering Research Journal, 1(3). <u>https://doi.org/10.19080/CERJ.2017.01.555564</u>

- Xie, R., Yao, J., Liu, K., Lu, X., Liu, Y., Xia, M., & Zeng, Q. (2018). Automatic multi-image stitching for concrete bridge inspection by combining point and line features. *Automation* in Construction, 90, 265–280. <u>https://doi.org/10.1016/J.AUTCON.2018.02.021</u>
- Yeh, K.-C., Tsai, M.-H., & Kang, S.-C. (2012). On-Site Building Information Retrieval by Using Projection-Based Augmented Reality. *Journal of Computing in Civil Engineering*, 26(3), 342–355. <u>https://doi.org/10.1061/(ASCE)CP.1943-5487.0000156</u>
- Zabidi, M. D., Abdul Hadi, B., Derahman, A., & Khalid, N. A. (2022). Advanced Landslide Prediction Utilising Unmanned Aerial Vehicle (UAV). *International Journal of Academic Research in Business and Social Sciences*, 12(10). <u>https://doi.org/10.6007/IJARBSS/V12-I10/15460</u>
- Zhao, D., & Lucas, J. (2014). Virtual reality simulation for construction safety promotion. <u>*Http://Dx.Doi.Org/10.1080/17457300.2013.861853*</u>, 22(1), 57–67. <u>https://doi.org/10.1080/17457300.2013.861853</u>
- Zhou, Z., Gong, J., & Guo, M. (2015). Image-Based 3D Reconstruction for Posthurricane Residential Building Damage Assessment. *Journal of Computing in Civil Engineering*, 30(2), 04015015. <u>https://doi.org/10.1061/(ASCE)CP.1943-5487.0000480</u>