

Frontier Science: Boxing Science

RUDDOCK, Alan <<http://orcid.org/0000-0002-7001-9845>>

Available from Sheffield Hallam University Research Archive (SHURA) at:

<https://shura.shu.ac.uk/31360/>

This document is the Presentation

Citation:

RUDDOCK, Alan (2023). Frontier Science: Boxing Science. In: ASE Annual Conference 2023, Sheffield Hallam University, 5 January 2023- 7 January 2023. Association of Scientific Educators. (Unpublished) [Conference or Workshop Item]

Copyright and re-use policy

See <http://shura.shu.ac.uk/information.html>

FRONTIER SCIENCE: BOXING SCIENCE

DR ALAN RUDDOCK SFHEA FBASES

Boxing Science | Academy of Sport and Physical Activity, Sheffield Hallam University, UK



IN THIS PRESENTATION YOU WILL LEARN HOW TO...

1. **Observe** athlete requirements through data collection (e.g., testing);
2. **Analyse** data to explain athlete requirements;
3. **Apply** this information to prescribe individualised training programmes;
4. **Monitor** key outcome variables to optimise training demand; and
5. **Evaluate and revise** processes on a micro, session-by-session, and macro, training phase/camp basis with the support team, boxers, and coaches.




STEAM APPLICATION


1. **Science** - Scientific method applied to determine a way of working
2. **Technology** - Data collected using sensors and analysed using programmes
3. **Engineering** - Designing structures 'e.g. training' to build 'machines' - athletes
4. **Arts** - Training and scientific concepts communicated via web and social media
5. **Maths** - Data analysis and presentation; understanding of mechanical constructs



BUILDING AN ATHLETE SUPPORT PROGRAMME




BUILDING AN ATHLETE SUPPORT PROGRAMME




1. Observe athlete requirements through data collection (e.g., testing);


BUILDING AN ATHLETE SUPPORT PROGRAMME




BUILDING AN ATHLETE SUPPORT PROGRAMME




BUILDING AN ATHLETE SUPPORT PROGRAMME




BUILDING AN ATHLETE SUPPORT PROGRAMME




REWIND 10 YEARS TO 2012...




REWIND 10 YEARS TO 2012...




REWIND 10 YEARS TO 2012...




REWIND 10 YEARS TO 2012...




REWIND 10 YEARS TO 2012...



***CHECKS PUBMED...**



STEP 1...



1. Observe athlete requirements through data collection (e.g., testing);

STEP 1 - OBSERVE ATHLETE REQUIREMENTS THROUGH DATA COLLECTION



5		00:31:25
4		00:10:30
3		00:04:37

6-12


65%

**18:16
mins**

Data taken from 6 to 12 round spars of 3 minute rounds & 30 to 60 seconds recovery

Time spent in $\geq 90\%$ max heart rate (MHR)

Average time spent in the red zone



STEP 1 - OBSERVE ATHLETE REQUIREMENTS THROUGH DATA COLLECTION



**DESCRIBE
(OBSERVATION)**

1. Boxing is a high-intensity intermittent sport that elicits large demands on the athlete's cardiovascular system

STEP 1 - OBSERVE ATHLETE REQUIREMENTS THROUGH DATA COLLECTION



**DESCRIBE
(OBSERVATION)**

1. Boxing is a high-intensity intermittent sport that elicits large demands on the athlete's cardiovascular system

**HOW DO WE KNOW THAT A BOXER IS FIT AND
STRONG ENOUGH? HOW CAN WE TRACK THEIR
PROGRESS?**

STEP 1 - OBSERVE ATHLETE REQUIREMENTS THROUGH DATA COLLECTION

Journal of Physical Education and Sport® (JPES), Vol.20 (6), Art 466 pp. 3452 - 3459, 2020
online ISSN: 2247 - 806X; p-ISSN: 2247 - 8051; ISSN - L = 2247 - 8051 © JPES

Original Article

Physical profile of junior and senior amateur boxers

DANIEL C WILSON¹, ALAN D RUDDOCK², MAYUR K RANCHORDAS³, STEPHEN W THOMPSON⁴,
DAVID ROGERSON⁵

^{1,2} Boxing Science, Sheffield, UK

^{2,3,4,5} Sport and Physical Activity Research Centre, Sheffield Hallam University, UK

Published online: December 30, 2020

(Accepted for publication: December 15, 2020)

DOI:10.7752/jpes.2020.06466

Simple Testing

Body composition

Jump tests

Medicine ball throws

Press-up

Sprint tests

Repeated sprint tests

Yo-Yo Intermittent Recovery Test L1

STEP 1 - OBSERVE ATHLETE REQUIREMENTS THROUGH DATA COLLECTION



**DESCRIBE
(OBSERVATION)**

1. Boxing is a high-intensity intermittent sport that elicits large demands on the athlete's cardiovascular system.

STEP 1 - OBSERVE ATHLETE REQUIREMENTS THROUGH DATA COLLECTION




**DESCRIBE
(OBSERVATION)**

1. Boxing is a high-intensity intermittent sport that elicits large demands on the athlete's cardiovascular system
2. We now had a small but effective database of around 40 boxers to describe their strength and fitness

TESTING:


**DOESN'T HAVE TO BE EXPENSIVE OR COMPLICATED
SIMPLE TESTS ARE RELIABLE
CAN BE IMPLEMENTED IN A RANGE OF ENVIRONMENTS**

STEP 1...



1. Observe athlete requirements through data collection (e.g., testing);

STEP 2...



STEP 2 – ANALYSE DATA TO EXPLAIN ATHLETE REQUIREMENTS

We use testing data to infer strengths and areas for development

Remember: We know that boxing is a high-intensity intermittent sport

So our boxers need to score well on high-intensity fitness tests

But what might be limiting their performance?



Rate of force development?
Assessed using jumping testing

STEP 2 – ANALYSE DATA TO EXPLAIN ATHLETE REQUIREMENTS

We use testing data to infer strengths and areas for development

Remember: We know that boxing is a high-intensity intermittent sport

So our boxers need to score well on high-intensity fitness tests

But what might be limiting their performance?



Maximum force production?
Assessed using strength testing

STEP 2 – ANALYSE DATA TO EXPLAIN ATHLETE REQUIREMENTS

We use testing data to infer strengths and areas for development

Remember: We know that boxing is a high-intensity intermittent sport

So our boxers need to score well on high-intensity fitness tests

But what might be limiting their performance?



Maximum speed?
Assessed using sprint testing

STEP 2 – ANALYSE DATA TO EXPLAIN ATHLETE REQUIREMENTS

We use testing data to infer strengths and areas for development

Remember: We know that boxing is a high-intensity intermittent sport

So our boxers need to score well on high-intensity fitness tests

But what might be limiting their performance?





Central cardiovascular capacity?
Assessed using submaximal tests,
blood lactate profiling and indirect
calorimetry

STEP 2 – ANALYSE DATA TO EXPLAIN ATHLETE REQUIREMENTS

Test data is integrated to form an athlete report that highlights strengths and areas for improvements

		Test	Average (UFC / BS)	18/05/2022	Rating	% vs Mean
JUMP ASSESSMENTS	These tests help assess the ability to produce force from the lower-body.	Squat Jump (cm)	53.0	38.6	Poor	-27%
		Countermovement Jump (cm)	53.0	41.3	Poor	-22%
		SJ - CMJ	2.00	2.7	Average	35%
REACTIVE STRENGTH	This 10-jump pogo test is an assessment of the reactive strength of the calf complex and the ability to absorb and produce force quickly.	RSI Flight Time (ms)	425	456	Average	7%
		RSI Contact Time (ms)	178	184	Below Average	-3%
		RSI	2.89	2.48	Poor	-14%
LOAD-VELOCITY PROFILE (TRAP BAR)	A load-velocity profile helps determine an athletes one rep max (1RM), target lifting velocities and whether they are more suited to heavy or lighter loads to determine how strong or explosive they are.	1RM x BM	2.10	2.00		-5%
		Velocity @ 1 x BM	0.93	0.98		6%
		Velocity @ 1.5 x BM	0.67	0.63		-7%
		Velocity @ 2 x BM	0.46	0.27		-42%
LANDMINE PUNCH ASSESSMENTS	This assesses how much force an athlete can produce in a punching action. 20kg and 30kg loads determine whether an athlete needs to improve on punching speed or strength.	LM Punch 20 kg (R)	3.70	4.17	Excellent	13%
		LM Punch 20 kg (L)	3.70	4.36	Excellent	18%
		LM Punch 30 kg (R)	3.00	3.56	Excellent	19%
		LM Punch 30 kg (L)	3.00	3.27	Average	9%
		LM Punch Peak Power (R) 30kg	1677	2249	Good	34%
		LM Punch Peak Power (L) 30kg	1520	1882	Good	24%
CORE ENDURANCE ASSESSMENTS	These tests are beneficial in assessing an athletes core endurance, and to highlight any anterior/posterior and bi-lateral differences.	Supine Hold (secs)	90	150	Excellent	67%
		Lateral Hold L (secs)	90	90	Good	0%
		Lateral Hold R (secs)	90	90	Good	0%

FITNESS ASSESSMENTS	LACTATE PROFILE
	This incremental treadmill test allows us to analyse how athletes respond to increased intensities.



STEP 2 – ANALYSE DATA TO EXPLAIN ATHLETE REQUIREMENTS


ANALYSE (EXPLANATION)

1. We use our testing database to identify strengths and areas for improvement
2. We *explain* performance limiters by integrating test results and create a performance profile

ANALYSIS:


USE SPREADSHEETS TO CREATE DATABASE
COMPARE ATHLETE PERFORMANCES WITH GROUP MEANS
DETERMINE STRENGTHS AND AREAS FOR IMPROVEMENT

STEP 1...




1. Observe athlete requirements through data collection (e.g., testing);

STEP 2...



STEP 3...




STEP 3 – PRESCRIBE INDIVIDUALISED TRAINING PROGRAMMES

Depending on strengths and areas for development we target different physiological adaptations



STEP 3 – PRESCRIBE INDIVIDUALISED TRAINING PROGRAMMES

Depending on strengths and areas for development we target different physiological adaptations




Increase the amount of oxygen rich blood that is delivered to the muscles and returned for re-oxygenation



STEP 3 – PRESCRIBE INDIVIDUALISED TRAINING PROGRAMMES

Depending on strengths and areas for development we target different physiological adaptations



Increase the amount of oxygen rich blood that is delivered to the muscles and returned for re-oxygenation




Improve how the muscles extract and utilise oxygen to generate energy



STEP 3 – PRESCRIBE INDIVIDUALISED TRAINING PROGRAMMES

Depending on strengths and areas for development we target different physiological adaptations



Increase the amount of oxygen rich blood that is delivered to the muscles and returned for re-oxygenation



Improve how the muscles extract and utilise oxygen to generate energy




Improve buffering mechanisms to limit the effect of acidosis on force production



STEP 3 – PRESCRIBE INDIVIDUALISED TRAINING PROGRAMMES


Increase the amount of oxygen rich blood that is delivered to the muscles and returned for re-oxygenation



REVIEW

Biology of VO_{2max} : looking under the physiology lamp

C. Lundby,¹ D. Montero² and M. Joyner³



STEP 3 – PRESCRIBE INDIVIDUALISED TRAINING PROGRAMMES

PHYSIOLOGICAL ADAPTATIONS

- Heart size and compliance
- The ability of the heart to relax and fill with blood between beats
- The forcefulness of heart beats
- The amount of blood returned to the heart
- The number and network of capillaries

STANDARD SESSION

4 MINS ON : 2 MINS OFF X 4-6 REPS



STEP 3 – PRESCRIBE INDIVIDUALISED TRAINING PROGRAMMES

STANDARD SESSION

4 MINS ON : 2 MINS OFF X 4-6 REPS



- Training prescribed using a 'time in zone' method
- Determine 90% HR max
- Schedule between 10 and 12 min at 90% HR max
- Run at a speed that elicits 90% HR max after approx. 1 min
- Run interval for 4 min ; 2 min rest; repeat 4 to 6 times


STEP 3 – PRESCRIBE INDIVIDUALISED TRAINING PROGRAMMES

PRESCRIBE (APPLICATION)

1. We use our understanding of the sports determinants and areas for development to target specific adaptations
2. We use scientific research and evidence-based practice to prescribe training sessions in a simple and effective way


PRESCRIPTION:
**USE SCIENTIFIC EVIDENCE TO BASE TRAINING AROUND
THE DETERMINANTS OF THE SPORT AND DESIRED
ADAPTATIONS**

STEP 1...




1. Observe athlete requirements through data collection (e.g., testing);


STEP 2...



STEP 3...



STEP 4...



STEP 4 – MONITOR KEY OUTCOME VARIABLES







STANDARD SESSION

4 MINS ON : 2 MINS OFF X 4-6 REPS




- Time above 90% HR max
- Running speed
- Rating of Perceived Exertion

STEP 4 – MONITOR KEY OUTCOME VARIABLES



STEP 4 – MONITOR KEY OUTCOME VARIABLES



STEP 4 – MONITOR KEY OUTCOME VARIABLES


**OPTIMISE
(MONITORING)**

1. We identify key variables that are linked to our intended target adaption
2. We monitor these variables during training to ensure that our training is being executed in the way we prescribed it

OPTIMISE:


**CREATE SIMPLE DATA COLLECTION SHEETS
TRACK 1 OR 2 KEY VARIABLES WITHIN A SESSION
ADJUST INTENSITY TO MATCH TARGET OUTCOME**

STEP 1...




1. Observe athlete requirements through data collection (e.g., testing);


STEP 2...




STEP 3...



STEP 4...




STEP 5...




STEP 5 – EVALUATION AND REVISION

- SESSION-BY-SESSION
- TRAINING PHASE
- TRAIN CAMP
- USING DATA AND FEEDBACK
- TESTING & MONITORING
- INTEGRATION OF DATA & PERFORMANCE ANALYSIS
- SUPPORT TEAM
- BOXERS
- COACHES
- TEAM MEETINGS
- STRONG RELATIONSHIPS
- DAY-TO-DAY/WEEK-TO-WEEK




STEP 1...




1. Observe athlete requirements through data collection (e.g., testing);


STEP 2...




STEP 3...



STEP 4...



STEP 5...



IN THIS PRESENTATION YOU LEARNED HOW TO...

1. **Observe** athlete requirements through data collection (e.g., testing);
2. **Analyse** data to explain athlete requirements;
3. **Apply** this information to prescribe individualised training programmes;
4. **Monitor** key outcome variables to optimise training demand; and
5. **Evaluate** and revise processes on a micro, session-by-session, and macro, training phase/camp basis with the support team, boxers, and coaches.



STEAM APPLICATION

1. **Science** - Scientific method applied to determine a way of working
2. **Technology** - Data collected using sensors and analysed using programmes
3. **Engineering** - Designing structures 'e.g. training' to build 'machines' - athletes
4. **Arts** - Training and scientific concepts communicated via web and social media
5. **Maths** - Data analysis and presentation; understanding of mechanical constructs

