

IoT-enabled smart cities: a hybrid systematic analysis of key research areas, challenges, and recommendations for future direction

OMRANY, Hossein, AL-OBAIDI, Karam < http://orcid.org/0000-0002-4379-6964>, HOSSAIN, Mohataz, ALDUAIS, Nayef AM, AL-DUAIS, Husam S and GHAFFARIANHOSEINI, Amirhosein

Available from Sheffield Hallam University Research Archive (SHURA) at:

https://shura.shu.ac.uk/33417/

This document is the Published Version [VoR]

Citation:

OMRANY, Hossein, AL-OBAIDI, Karam, HOSSAIN, Mohataz, ALDUAIS, Nayef AM, AL-DUAIS, Husam S and GHAFFARIANHOSEINI, Amirhosein (2024). IoT-enabled smart cities: a hybrid systematic analysis of key research areas, challenges, and recommendations for future direction. Discover Cities, 1: 2. [Article]

Copyright and re-use policy

See http://shura.shu.ac.uk/information.html

Review

IoT-enabled smart cities: a hybrid systematic analysis of key research areas, challenges, and recommendations for future direction

 $\label{eq:hossein} Hossein\ Omrany^1 \cdot Karam\ M.\ Al-Obaidi^2 \cdot Mohataz\ Hossain^2 \cdot Nayef\ A.\ M.\ Alduais^3 \cdot Husam\ S.\ Al-Duais^4 \cdot Amirhosein\ Ghaffarianhoseini^5$

Received: 14 December 2023 / Accepted: 5 March 2024 Published online: 12 March 2024 © The Author(s) 2024 OPEN

Abstract

Cities are expected to face daunting challenges due to the increasing population in the near future, putting immense strain on urban resources and infrastructures. In recent years, numerous studies have been developed to investigate different aspects of implementing IoT in the context of smart cities. This has led the current body of literature to become fairly fragmented. Correspondingly, this study adopts a hybrid literature review technique consisting of bibliometric analysis, text-mining analysis, and content analysis to systematically analyse the literature connected to IoT-enabled smart cities (IESCs). As a result, 843 publications were selected for detailed examination between 2010 to 2022. The findings identified four research areas in IESCs that received the highest attention and constituted the conceptual structure of the field. These include (i) data analysis, (ii) network and communication management and technologies, (iii) security and privacy management, and (iv) data collection. Further, the current body of knowledge related to these areas was critically analysed. The review singled out seven major challenges associated with the implementation of IESCs that should be addressed by future studies, including energy consumption and environmental issues, data analysis, issues of privacy and security, interoperability, ethical issues, scalability and adaptability as well as the incorporation of IoT systems into future development plans of cities. Finally, the study revealed some recommendations for those interconnected challenges in implementing IESCs and effective integrations within policies to support net-zero futures.

Keywords Internet of Things · Smart cities · Built environment · Environmental technologies · Climate emergency practices · Bibliometrics

1 Introduction

Cities are a critical constituent of modern civilisation due to their environmental and socio-economic impacts on citizens' lives [1–3]. Based on a recent report issued by the United Nations (UN), 55% of the world's population currently lives in cities. However, the projections made by the UN shed light on the possibility of 6.5 billion people living in urban areas by 2050, equivalent to 68% of the world population [4]. This is triggered by urbanisation, a gradual shift in the residence paradigm of the human population from rural to urban areas, in tandem with the overall increase in the global population.

Karam M. Al-Obaidi, k.al-obaidi@shu.ac.uk | ¹School of Architecture and Built Environment, The University of Adelaide, Adelaide 5005, Australia. ²Department of the Natural and Built Environment, College of Social Sciences and Arts, Sheffield Hallam University, Sheffield S1 1WB, UK. ³Faculty of Computer Science and Information Technology, Universiti Tun Hussein Onn Malaysia, 86400 Parit Raja, Malaysia. ⁴Department of Architecture, Faculty of Built Environment, Universiti Malaya, 50603 Kuala Lumpur, Malaysia. ⁵School of Future Environments, Auckland University of Technology, Auckland 1142, New Zealand.





As such, cities are expected to face daunting challenges since their resources and infrastructures are predicted to undergo an ever-increasing strain in the impending future [1]. In response, the concept of smart cities has emerged strongly over the recent decades owing to its potential for tackling these challenges through the deployment of Information and Communication Technology (ICT). Many cities around the globe have invested in becoming "smart", aiming to improve city operations and the quality of services provided for citizens and the environment [2, 5] (Table 1). In a comprehensive definition presented by Kondepudi et al. [6], smart cities are characterised as cities that utilise ICT and other advanced technologies to increase the quality of life for citizens, promote competitiveness, and improve the efficacy of urban services while assuring the perseverance of resources for present and future generations. In this regard, technologies such as the Internet of Things (IoT) play a crucial role in enabling cities to transition toward the smart city paradigm. IoT can be defined as a global infrastructure offering advanced services by interconnecting various physical and virtual "things" using interoperable ICTs [5]. The employment of IoT in the built environment enables devices to communicate with each other using different methods, such as ubiquitous and pervasive computing, sensor networks, and embedded devices [7–9]. The concept of integration was initially introduced as smart city testbeds that offered a platform for researchers to investigate new methods before implementing them as robust solutions. Two large projects SmartSantander and OrganiCity were introduced as smart city testbeds using IoT experimentations at an urban scale in Europe [10–12].

In recent years, increasing attention has been given to the deployment of IoT technologies to support smart cities to meet specific goals within Sustainable Development Goals (SDGs) such as Good Health and Wellbeing (SDG3), Industry Innovation and Infrastructure (SDG9), Sustainable Cities and Communities (SDG11) and Responsible Consumption and Production (SDG12). For instance, several applications of IoT in smart cities that are in line with SDGs including smart buildings, smart energy management, smart water management, health monitoring, environmental monitoring, intelligent traffic management, smart parking solutions, connected public transportation, smart waste management, public safety and surveillance. While emerging IoT technologies significantly contribute to smart cities aligning with SDG9, they also have an impact on the global economy. In this context, statistical information from several organisations such as 'IoT Analytics' on the global IoT enterprise spending dashboard indicated that the IoT enterprise market size steadily increased at a compound annual growth rate (CAGR) of 14% in 2019 to 22% in 2023 [18]. Allied Market Research [19] stated that smart cities and applications based on IoT are expected to reach \$5.4 Trillion in 2030. The market was valued at \$648.36 billion in 2020 and is projected to reach \$6,061.00 billion by 2030 [19]. Statista indicated that approximately 50 billion IoT devices will be used around the world by 2030 [20], which has influenced the development of smart cities to increase from 118 cities in 2021 to 141 cities in 2023, as reflected in a report by IMD World Competitive Centre (WCC) [21].

Since 2010, various studies discussed the concept of the Internet of Things for smart cities. Initial database searching was conducted using the Web of Science (WoS) with the keywords "Internet of Things", "IoT", "and/for", and "Smart Cities". The search pointed out that the number of publications between 2010 and 2013 was limited. Subsequently, the number of publications in this field has increased, recording more than 100 publications in 2014 while it reached more than 1000 in 2022 in different fields. By targeting "highly cited papers", the search returned less than 200 papers from the Web of Science Core Collection in different fields. Interestingly, the findings revealed three papers that received the highest number of citations above 1000, including studies by Zanella et al. [22], Botta et al. [23] and Lin et al. [24].

As mentioned earlier, a plethora of research has been developed investigating various aspects of IoT-enabled smart cities (IESCs). In response to the increasing number of publications in the field of IESCs, many review articles have been published aiming to solidify the flourishing knowledge in the field. The focus of these papers has mainly been limited to particular aspects of IoT in smart cities. Amongst them are studies that provided an overview of IESCs' concept [3, 7, 9, 25, 26], studies that investigated the key IoT technologies and infrastructures for smart cities [8, 27, 28], and those that reviewed key features and applications of the IoT technologies to support the development of smart cities [2, 29].

Nonetheless, the rapid advancements in the field are outstripping the possibility of addressing various aspects of IESCs in a single literature review article, and this most likely can be the main reason for the absence of a comprehensive literature review in this field. In addition, performing a holistic literature review of IESCs can be challenging due to the multi-faceted nature of this research area in which the current body of literature often spans across multiple disciplines [5]. This may further point out the diverse, yet fairly fragmented intellectual base of IESCs.

Therefore, this study adopts a hybrid literature review technique consisting of bibliometric analysis, text-mining analysis, and content analysis to systematically analyse the literature connected to IESCs. To the best of the authors' knowledge, this is the first study of its kind that investigates the IESCs literature using such a comprehensive review approach. The objectives of this study can be summarised as (i) to identify the key research topics in the field of IESCs, (ii) to critically analyse the most popular realms of IESCs research identified via bibliometric analysis, and (iii) to provide recommendations for future development of IESCs. The outcomes of this research offer a status-quo understanding of

Table 1 Examples of smart city projects in different co	ountries	
Project	Location	Characteristics
Switching on Darwin 2022 [13]	Darwin City, Australia	This project was introduced to utilise and integrate new technology as city-scale smart infrastructure services such as lighting, parking and Wi-Fi were implemented using integrated open IoT platforms
The Smart Green Infrastructure Monitoring 2022 [14]	Chicago, United States	This project was developed to deal with stormwater management and the issue of rainwater via deploying smart technologies based on the combination of IOT sensors and cloud computing
Putrajaya Smart City 2022 [15]	Putrajaya, Malaysia	This project addressed the urban issues to improve the quality of life and enhance sustainability via using loT and ICT
Dimmer 2017 [16]	Turin, Italy and Manchester, United Kingdom	This project tackled the issues related to climate change by increasing the control of the energy supply chain and enhancing energy efficiency via deploying sensing and actuating devices in the smart city
OrganiCity–Testbed (2015–2018) [10]	United Kingdom, Denmark and Spain	The project was developed to provide a new understanding of digital city-making in future sustainable cities through co-creation by a wide range of stakeholders. The project provided a testbed to test aspects in real city-scale loT deployments
SmartSantander project-Testbed 2014 [11, 12]	Spain	The project introduced experimental advanced research on IoT technologies to reduce technical and societal barriers by including a realistic assessment of users' acceptability tests to allow the IoT concept to become an everyday reality
IntUBE [17]	Finland	This project aimed to adapt the latest ICT technologies in Intelligent Building and Neighbourhood Management Systems to increase the life-cycle energy efficiency of the buildings without compromising the comfort or performance of the build- ings



IESCs literature to the interested communities, providing them with a view of the most popular research streams as well as emerging research themes in the field. This can be particularly useful for the scientific community as the findings of this study shall furnish them with an understanding of research areas that require further investigations.

2 Methodology

The overall methodological approach of this research consists of three major stages, as illustrated in Fig. 1. The following sections provide further details on each of these stages.

2.1 Database development

The choice of a database for performing scientific reviews is utterly important due to its impact on the quality of results [30, 31]. To date, several databases have been developed to assist scholars with conducting advanced searches through various bibliometric sources such as Medline, Google Scholar, ScienceDirect, Scopus, and Web of Science (WoS). The difference between these databases resides in their coverage when it comes to research disciplines [31]. Among all, the WoS is one of the most widely utilised databases for the purpose of review analysis owing to its distinguished features in enabling researchers to gain access to more than 171 million scholarly records available via 34,000 journals, allowing users to carry out advanced searches, and offering access to over 1.9 billion cited references across various disciplines [32, 33]. As such, this paper has selected WoS as the primary database for the retrieval of publication materials owing to its comprehensive coverage and scientific soundness.

The first step involved constructing a comprehensive search syntax consisting of terms related to the concept of IoTenabled smart cities. To this end, a search string was formulated using keywords such as "Internet of Things" OR "IoT". These keywords were thence combined with "Smart Cit*" OR "Cit*" OR "Urban" OR "Built Environment" via Booleans ("AND") and deployed as the search query for retrieval of relevant data in the WoS database. It is also noteworthy to mention that the scope of the current paper is limited to the investigation of IoT applications in the context of urban environments.

The constructed search string was applied in the Web of Science Core Collection (including Science Citation Index Expanded (SCI-EXPANDED), Social Sciences Citation Index (SSCI), Emerging Sources Citation Index (ESCI), Conference Proceedings Citation Index-Social Science & Humanities (CPCI-SSH), Conference Proceedings Citation Index-Science (CPCI-S), and Arts & Humanities Citation Index (A&HCI)) database indexed since 1900 using the "titles, abstracts, and keywords" of scholarly materials. The search returned 4223 documents on the 2nd of October 2022 including 2018 articles, 1811 proceeding papers, 203 review articles, 81 early access, 66 book chapters, 36 editorial materials, 2 books, 2 datasets, and 4 miscellaneous.

Database development

Defining scope & objectives
Searching WoS
Defining filters screening process.
Refinement of the results
Exporting the data

Bibliometric analysis via VOSviewer

- •Co-occurrence analysis of all keywords.
- •Identification of hot research topics

Content analysis

 Categorizing studies based on the major research themes discovered via bibliometric analysis.

Fig. 1 The overall research approach of this research



Further, this paper considered several inclusion criteria to filter out materials irrelevant to the defined objectives. First, the "Document Types" filter was used to retain only documents classified as "articles", "review articles", "books" and "book chapters" since these materials are considered "certified knowledge" because of their reputability and comprehensiveness [34]. Second, documents written in non-English languages were also excluded. Third, resources that were not related to the IESCs (e.g., law, medical science, agriculture, nursing, parasitology, and fisheries) were filtered out using the filtering functions of the WoS.

This ensured that only documents directly relevant to the concept of IESCs were retained for further analysis. Thereupon, a peer-review check was conducted to ensure that the selected articles underwent a rigorous peer-review process. This was done by cross-referencing the publication sources of the shortlisted articles with recognised databases and directories of peer-reviewed journals, such as Ulrich's Periodicals Directory or the Directory of Open Access Journals (DOAJ). This thorough verification process ensured that only articles from sources with established peer-review processes were included in the analysis. In addition, the titles, abstracts, and conclusions of shortlisted articles were scanned to ensure their alignment with the scope and objectives of this paper. In this stage, studies must have investigated the IoT implementation in the context of smart cities to be included in the final analysis. Hence, materials solely focused on IoT implementation or exploring IoT in unrelated contexts (e.g., manufacturing) were excluded. It is also noteworthy to mention that studies with incomplete information, both in terms of methodology and reporting of findings, were excluded.

As a result, the application of these filters led to a downsizing of the initial search results to 843 documents. These materials were then exported using the '*Tab-delimited*' file format to be processed and analysed via VOSviewer.

2.2 Identification of key research themes

The keywords co-occurrence analysis is commonly utilised for mapping out the theoretical and empirical knowledge in research disciplines [30, 31]. The application of this method enables researchers to demonstrate the cumulative knowledge of the target literature, unveiling the conceptual and thematic structure of the research and identifying key areas within a given research domain [31]. In this approach, the calculation is done based on the frequency of co-occurring keywords in publications and their corresponding strength of associations. The current paper constructed the network of keywords co-occurrence via VOSviewer software using all keywords of selected studies, including "author's keywords" and "keywords plus", e.g., those indexed by publishing journals.

VOSviewer is one of the bibliometric tools being widely employed across many research disciplines to assess the literature, such as smart cities [35], innovation in the construction industry [36], or construction waste management [37]. This software offers a user-friendly interface, allowing researchers to develop, visualise, and explore the bibliometric nexus of various entities related to a given research area [31]. One of the attributes of this software relates to the function of data cleaning via using a thesaurus file [38], providing the possibility of polishing the dataset to enhance the accuracy of analyses by merging different variations that may exist for one term. Hence, a thesaurus file has been developed to ensure the precision of analyses (e.g., IoT, internet of things, and internet of thing refer to one term, thus they have been merged and represented as IoT). Further information regarding data analysis and science mapping can be found in the software manual [38].

Further, this study applied text mining analysis via VOSviewer software. This technique is aimed at extracting information from a massive corpus of documents in texts [39, 40]. The use of text mining enables researchers to adequately capture semantic structures and prevalent patterns of phrases that characterise a large amount of data in text format [39, 40]. In this paper, text mining analysis was employed using the term co-occurrence algorithm to analyse the concatenation of titles and abstracts of 843 publications. The adoption of this technique, in combination with keywords co-occurrence analysis facilitated identifying research areas with the highest interest that shape the conceptual structure of IESCs.

2.3 Content analysis

Upon identifying the major thematic research themes, the selected materials were imported into an *Excel Spreadsheet* in order to be classified based on the results of previous steps. To this end, the titles, abstracts, and conclusions of all 843 studies were thoroughly read to allocate each study to its corresponding research theme category. Thereafter, studies in each category were critically analysed. The results of these analyses are provided in Sect. 3.



3 Results and discussions

3.1 An overview of results

Figure 2a illustrates the overall publication trend per year, focusing on IoT implementation in smart cities. Starting from 2017, a significant surge in publications can be observed with 75 articles published in that year alone which is equivalent to nearly 60% of all materials published in the previous 6 years combined. This notable increase can be attributed to multiple factors, such as increasing investment in innovative technologies, rising awareness of IoT's role in addressing urban challenges, and advancements in IoT technology and infrastructure [35, 41]. The impact of policies aimed at stimulating innovative ICT-based solutions for enhancing city governance can also be highlighted as one of the key contributors to the growing popularity of this topic, as many countries have begun supporting smart city projects by adjusting their policies over recent years [42, 43]. The support provided by policies can potentially drive further research and innovation in the field. Furthermore, the publication trend has shown a consistent upward trajectory in recent years,



Fig. 2 a Publication trend of IoT implementation in smart cities. Note that the limited number of documents identified for 2023 is attributed to the search that was conducted in late 2022. Hence, we expect an increase in publications for 2023, indicating an upward trend. **b** Top 10 journals with the highest publications



with 53% of all materials (i.e., 445) published between 2020 and 2022. Considering this steady rise in publications across these periods, alongside the escalating interest in ICT-based technologies, the interest in IESCs is expected to continue growing in the foreseeable future.

The findings also revealed that a total of 127 journals collectively published 843 articles spanning the years 2010 to 2022. Figure 2b illustrates the top ten prominent journals that have significantly contributed to the advancement of the field, accounting for nearly 51% of the published materials. Notably, IEEE Access emerged as the leading publisher, with 14% of the selected materials included in this review, followed by Sensors–MDPI (13%), IEEE Internet of Things Journal (8%), and Smart Cities–MDPI (4%). A common characteristic shared among these top journals is their multidisciplinary nature, covering a diverse array of topics related to "smart cities" and "IoT." Yet, there is a particular focus in the scope of these journals that resonates with the main research themes (i.e., data analysis, network and communication management and technologies, security and privacy management and data collection) identified in this research (See the next Section).

3.2 Identification of key research areas using bibliometric analysis

Figure 3 shows the results of this analysis performed for a minimum threshold of 25 keywords. In this figure, the frequency of co-occurring keywords in the target literature is represented by the sizes of the nodes while the strength of associations between keywords is represented by the thickness of the connecting links. The location of the nodes can also be an important point of reference, indicating that the keywords with proximity would most likely have strong relationships with each other.

Thirty keywords with the highest values of co-occurrence, along with their respective link strength are shown in Table 2, indicating that these keywords have received high attention in the literature and are strongly associated with



Fig. 3 Illustration of keywords' co-occurrence analysis



(2024) 1:2

Table 2Thirty keywords withhighest occurrences

Keyword	Occurrences	Total link strength
Tol	2775	7927
Smart cities	1378	4701
Big data analysis	454	1937
Cloud computing	387	1589
Challenges	343	1646
Cities	336	1373
Wireless sensor network (WSN)	329	1224
Management-system	323	1411
Blockchain technology	276	1185
Machine learning	241	962
Edge computing	231	1041
Architecture	212	997
Artificial intelligence	190	866
Data collection	187	845
Optimisation	181	697
Deep learning	171	593
Algorithms	166	657
Fog computing	163	725
Protocols	155	619
Bluetooth low-energy	145	588
Health monitoring	144	672
Authentication protocol	130	542
Energy efficiency	124	498
5G networks	116	488
Future internet	116	572
Communication technologies	113	495
Crowdsensing	113	386
Wireless communication systems	111	374
Technologies	105	455
Neural networks	98	373

other keywords. In this regard, the high values of "IoT" and "smart cities" keywords were expected because they were included in the search string used for the retrieval of primary data. Nevertheless, these terms were kept in the analysis since their removal would have led to omitting other keywords linked to them. As shown in Fig. 3, the results of the keywords co-occurrence analysis identified five major clusters. The findings suggest that keywords such as "smart buildings", "artificial intelligence", "big data analysis", and "challenges" from cluster 1; "IoT", "urban areas", and "energy efficiency" from cluster 2; "cloud computing", "edge computing", "energy consumption", "communication technologies", and "5G networks" from cluster 3; "blockchain technology", "trust management", and "authentication protocols" from cluster 4, and "machine learning", "deep learning", "time-series analysis", and "intrusion detection" from cluster 5 are located at the proximity of the clusters' boundaries, implying that these domains of research are cross-cutting with solid associations with different clusters.

Table 3 presents the results of the text-mining analysis, introducing four key research themes within the domain of IESCs that have attacked the highest interest in terms of publications. These areas include (i) data analysis approaches, (ii) network and communication management and technologies, (iii) security and privacy management, and (iv) data collection approaches. The outcomes of the text-mining analysis are, to a large extent, consistent with the results of the keywords co-occurrence analysis shown in Fig. 3 and Table 2.

The next step for this paper is to critically discuss these four areas. Such an analysis can provide the target audiences with a state-of-the-art understanding of the recent developments in IESCs and create a proper basis for future research to contemplate further innovations and advancements in the field.

Research themeMain termsData analysis approachBig data analysis, cloud computing, machine learning, edge computing, edge computing, computing, data analytics, time series analysis, mobile edge computing context-aware computing, cognitive computing, and fuzzy logic context-aware computing, cognitive computing, and fuzzy logic NSN, 5G internet, 6G internet, future internet, communication technolog management and technologiesNetwork and communication management and technologiesWSN, 5G internet, 6G internet, future internet, communication technolog munication technologies, resource allocation & management, routing a munication technology, authentication protocols, intrusion detection, tru challenges, agreement protocols, privacy protection	s in IESCs	
Data analysis approachBig data analysis, cloud computing, machine learning, edge computing, computing, data analytics, time series analysis, mobile edge computing, context-aware computing, cognitive computing, and fuzzy logicNetwork and communicationWSN, 5G internet, 6G internet, future internet, communication technologiesNetwork and communicationWSN, 5G internet, 6G internet, future internet, communication technologiesSecurity and privacy managementBlockchain technologies, resource allocation & munication, tru challenges, agreement protocols, privacy protection	Main terms Exercised and the second	œmplary cent refer- nces
Network and communication WSN, 5G internet, 6G internet, future internet, communication technolog management and technologies munication technologies, resource allocation & management, routing a Security and privacy management Blockchain technology, authentication protocols, intrusion detection, tru challenges, agreement protocols, privacy protection	Big data analysis, cloud computing, machine learning, edge computing, artificial intelligence, neural networks, deep learning, fog computing, data analytics, time series analysis, mobile edge computing, clustering algorithms, classification algorithms, data fusion, context-aware computing, cognitive computing, and fuzzy logic	4–51]
Security and privacy management Blockchain technology, authentication protocols, intrusion detection, tru challenges, agreement protocols, privacy protection	WSN, 5G internet, 6G internet, future internet, communication technologies, wireless communication systems, future internet, com- 5 munication technologies, resource allocation & management, routing algorithm & protocols, cyber-physical system	2–58]
	int Blockchain technology, authentication protocols, intrusion detection, trust management, cyber security, attack detection, security [55 challenges, agreement protocols, privacy protection	9-65]
Data collection approach Crowdsensing, unmanned aerial vehicle, feature selection, localisation, B. sensors, but sensors, pollut	Crowdsensing, unmanned aerial vehicle, feature selection, localisation, Bluetooth low-energy, environmental monitoring, weather [66 sensors, surveillance sensors, pedestrian sensors, screen sensors, pollution & smoke sensors	6–71]



3.3 Critical analysis of research themes

3.3.1 Data analysis approaches in IESCs

Data in smart cities is generated and analysed based on multiple relationships between various technological systems and their physical environments. IoT data plays a vital role in the success of any smart city [72, 73]. Accessibility to real data offers the capacity to instantly assess the performance of any entity within a smart city by continuously collecting and analysing data from numerous sectors (e.g., health care or transportation), and actively attending to any anomalies manifested in manufacturing products [20]. Choi [47] stated that the quality of services in a smart city relies on the type of generated data gathered from different sources, levels and scales. Therefore, data collected from IoT devices should be effectively processed and transformed into actionable insights to regulate the massive flow of information in any smart city [74]. IoT data can be generated from various sources, including (i) equipment data to demonstrate the status of the IoT devices which facilitate activities of predictive maintenance, (ii) submeter data to measure utility usage (e.g., information about water, and electricity), and (iii) environmental data to evaluate and sense temperature, humidity, air quality and movements. IoT data is often generated in discrete values representing facts or numbers that convey information including useful, irrelevant or redundant information, hence these data need to be processed and analysed in order to be meaningful [75].

Data analytics is an integral part of deploying IoT technologies in smart cities, enabling the assessment of datasets to retrieve meaningful outcomes [76]. These outcomes are thence presented using statistics, patterns and forms that help to establish effective decision-making processes [45, 77]. Moreover, data analytics provides solutions to overcome the issues attributed to unstructured data, including controlling variant types and formats of generated data [78]. Figure 4 presents the connection between IoT data to demonstrate the flow of collecting data from sensors installed in IoT devices and the process of transferring data through an IoT gateway for it to be analysed [79] and how different data analytics processes can be employed for processing data in the context of IESCs. Data of IoT in smart cities undergoes different complexities that are undertaken based on specific values as listed below:

- Descriptive/time series analytics demonstrates time-based data and massive in-motion data sets to identify urgent situations, instant actions as well as associated trends and patterns [50, 80].
- Diagnostic analytics employs data mining and statistical analysis to detect latent relationships and patterns in • data that are applied to uncover the causes of specific problems [49].
- Predictive analytics aims to predict future events by employing various statistical and machine learning algorithms ٠ to develop models that can be utilised for predictions about future events such as weather forecasting [81].
- Prescriptive analytics uses both descriptive and predictive analyses to recognise suitable actions based on a specific situation which is common with commercial IoT applications to reach better conclusions [76].

To analyse IoT data, it is vital to recognise the nature of data prior to processing. In principle, IoT data is categorised into structured and unstructured. Structured data follows a specific model to define how the data is organised or represented. Data collected via IoT sensors often comes in structured values, especially if these sensors are used for environmental assessments such as air temperature, humidity, or air quality. This type of data is simply formatted, queried, stored and processed. Unstructured data cannot fit into predefined data models such as text, speech, images, and videos, which requires conversion into a logical schema for decoding data. According to International Data Corporation, approximately 80% of business data is unstructured [5]. Therefore, data analytics techniques are gaining considerable interest in IoT, especially in smart cities due to their capacity for processing unstructured data [46, 82].

Data generated via IoT devices can also be classified as Real Time and Non-Real Time or in motion versus at rest [83, 84]. Most data in IoT are in motion as they move across different networks until they reach their ultimate target. However, inactive data is considered data at rest that can be stored in different digital forms such as mobile devices, spreadsheets, or databases. Mohammadi et al. [85] highlighted IoT data with five features: high volume, high velocity, high variability, value and veracity. High-volume data is distinguished by its enormous guantity, which is constantly produced via many IoT devices. High velocity refers to data type generated at high speed by many IoT devices. High variability data, which is inconsistent due to the dynamic nature of IoT environments, encompasses a variety of data formats such as unstructured, semi-structured, quasi-structured and structured data. Value data exemplifies the significance of collected data from IoT sensors after being analysed. Finally, veracity data promotes consistency, quality, and reliability in generated data.



Data Analytics in IoT Systems

Data Process in IoT Systems



Fig. 4 Data process in IoT and different types of data analytics based on complexity and value in IESCs



Yang and Shami [45] and Yin et al. [51] demonstrated tasks in IoT data analytics that consist of classification, clustering, regression and anomaly detection. Furthermore, Yang and Shami [86] indicated that information from IoT is processed according to the type of data. Alternatively, algorithms in IoT data analytics are categorised into two types of learning: batch and online. L'heureux et al. [87] indicated that batch learning represents a method to analyse static IoT data in batches via Traditional Machine learning algorithms. Online learning is a technique that employs various methods to train models in IoT environments by continuously using incoming online IoT data streams [88].

Data analytics relies on advanced methods to perform analysis. Among all, machine learning (ML) has gained momentum for providing new knowledge and improving data quality via learning and processing repetitive data to attain efficiency [89]. ML employs two forms of techniques, namely supervised and unsupervised learning [90]. The machine learns rules and models of datasets drawn from clustering or frequency of particular data using pattern recognition and reinforcement techniques [90, 91].

Another analytical technique often used for data processing in IoT-enabled platforms is deep learning. Li et al. [92] described deep learning as an ideal method for obtaining precise information from raw IoT data that existed in complex environments. Atitallah et al. [76] categorised deep learning into different modes of learning such as unsupervised, semi-supervised, supervised and reinforcement. Deng [93] classified deep learning into discriminative, generative and hybrid classes. According to Atitallah et al. [94], the most common deep learning models are Convolutional Neural Network (CNN), Deep Belief Network (DBN), Deep Reinforcement Learning (DRL), Generative Adversarial Networks (GAN), Recurrent Neural Network (RNN) and Stacked Auto Encoder (SAE). Figure 5 summarises different deep learning models, along with their applications. IoT data analytics utilises different advanced computational platforms to improve performance and accuracy. Three types of computational analysis cover computing using Cloud, Fog and Edge [94]. In fact, both Fog and Edge represent an extended development of cloud computing that offers the power for data analytics to be performed near the source of generated data.

3.3.1.1 Applications of IoT data analysis in IESCs The process of retrieving information from data generated via IoT devices requires employing data mining tools. Mining data is a process of identifying patterns and correlations or discovering anomalies within large datasets to forecast outcomes. Various types of algorithms could be used for data assessment



Fig. 5 Taxonomy of deep learning models and their main applications



such as clustering algorithms. The selection of algorithms for clustering data is based on considering different variables such as size, data size, data type and the number of clusters. Daissaoui et al. [95] listed several algorithms to generate and manage data in smart buildings. The study covered four general types identified in previous studies including probabilistic graphical models, system identification methods, vector support machines and data mining and clustering. Several studies used probabilistic graphical models, e.g. Stoppel and Leite [96] incorporated probabilistic methods into simulation by analysing building energy models for describing occupant presence in buildings. Chen et al. [97] proposed methods using stochastic inhomogeneous Markov chains to examine occupancy in single-zone and multi-zones within a building. For vector support machines, Akbar et al. [98] investigated the occupancy state in a smart office by proposing a non-intrusive approach via Support Vector Machines to detect an occupancy state by using electricity consumption data. For data mining and clustering, D'Oca and Hong [99] presented a framework that utilised a three-step data mining through a decision tree model. The proposed model was used for forecasting occupant presence and occupancy patterns in office spaces.

Hong [100] suggested an approach to operate data analytics using Fog and Edge computing and central servers to enhance decision-making from IoT devices. Yang [101] and Rahman et al. [102] proposed a model to ingest IoT data into the nodes of Fog computing. The model covers the limitations relating to the fundamental aspects of data analytics associated with data, humans, systems and optimisation. Portelli and Anagnostopoulos [103] proposed a learning approach that enhances the prediction and precision of IoT data by using Adaptive Vector Quantization and Linear Regression to maximise communication efficiency. Lujic et al. [104] used a set of algorithms to examine IoT data that is affected by failures in sensors, systems and networks concerning smart buildings to recover incomplete datasets, reducing forecasting error and decreasing running time.

Several studies presented frameworks that combined data assessment from real-time and historical records to achieve prediction by using Decision Tree Regression, Multiple Linear Regression, Support Vector Regression and Random Forest Regression [105]. For instance, Xiaoyi et al. [48] presented a model for smart cities by analysing the management of renewable energy systems using a Multi-Objective Distributed Dispatching algorithm. The proposed method managed to decrease energy consumption while delivering high utility services in a smart city. Gomes et al. [50] also presented a framework and modules to facilitate data analytics in real-time and data stream enhancement. The analysis layer was developed to include a set of modules to extract relevant information as shown in Fig. 6. These modules include (1) preprocessing to eliminate invalid values and reject values out of a specified range; (2) aggregation to aggregate a data set by using various functions (e.g., min, max, sum, or count); (3) statistics of a dataset in the form of median, average, standard deviation, variance, kurtosis and skewness; (4) pattern to detect behaviour patterns such as trend changing, and stability; (5) clustering to group datasets based on distance or similarities using density-based clustering, hierarchical clustering, k-means, or subspace clustering, and (6) prediction to forecast values in several steps using various approaches such as Autoregressive Integrated Moving Average, Artificial Neural Network (ANN), Kalman filter, and Forecasting Method to Model Time Series Data. Table 4 summarises the main applications of data analysis research in IESCs.

The summary showed that data processing and management in IoT devices are considered critical. The survey demonstrated various algorithmic techniques to facilitate data. It was found that studies are still exploring numerous methods based on the level of processing. The assessment revealed that many studies have been developed to create actionable







Table 4 Summary of	f various research approaches of data analysis in IESCs		
Studies	Methods	Applications	Levels
Gomes et al. [50]	Developed IoT Architecture to bring data processing functions from cloud to the network edge	A framework for developing data stream processing applications in the edge to reduce response time	Data flow in IoT technologies
Xiaoyi et al. [48]	Multi-Objective Distributed Dispatching algorithm (MODDA)	IoT-driven framework for efficient green energy man- agement systems to minimizing cost and energy consumption	Data management in smart cities
Atitallah et al. [94]	Survey on the use of Deep Learning for developing IESCs	Outline the current challenges and issues of smart city services	Data analysis and process in smart cities
Yin et al. [51]	Convolutional neural network (CNN) and recurrent autoencoder for anomaly detection	A new model that attains desirable effect on anomaly detection in IoT Data	Data in IoT devices
Ali et al. [105]	Data Flow Architecture With TTG-CLASSIFIED Tech- nique	A centralized smart governance framework with data flow architecture	Data flow architecture of IoT-based smart city data
Shah et al. [106]	Survey Analysis	A guideline to understand the functionalities of Big Data Analytics and IoT for disaster management environment	loT Data for disaster management environment in smart cities
Yassine et al. [74]	Empirical data collection for loT big data with fog and cloud computing for online and offline data processing	A platform for innovative analytics on IoT-captured data from smart homes	loT data in smart homes
Rahman et al. [102]	A semantic fog computing framework	A sustainable framework to support context-aware smart city services	Data of body sensor, and crowdsourcing and crowd- sensing in smart city
Akbar et al. [81]	Machine Learning based predictions combined with complex event processing (CEP)	Predictive analytics for complex IoT data streams	Data in IoT devices

O Discover

(2024) 1:2

platforms to enhance the data stream and data management, control data anomalies and improve data analytics. The assessment indicated that processing real data from IoT is challenging due to limitations in IoT architecture, data speed, size, accuracy, response and security. It was noted that many studies are still reviewing and testing the integration of different algorithmic techniques for new applications to obtain effective solutions. In addition, developing new IoT frameworks by integrating different algorithmic techniques has added a new level of complexity in designing smart cities. On the other hand, these findings indicate that IoT and big data analytics are still under development and require further research and investigation, especially in designing smart cities.

3.3.2 Network and communication management and technologies in IESCs

IoT network consists of various components such as sensors, software, gadgets and appliances that communicate and exchange information data with each other. Management of IoT networks allows for various functionalities such as authentication, configuration, provisioning, routing, monitoring and security to maintain a network performance in terms of low energy consumption and low latency [107]. Aboubakar et al. [108] stated that standard network management in IoT consists of specific logical elements that include agents, network devices, managed devices, and network managers which are supported by management databases and messaging protocols. Each element performs specific tasks to keep the network running. The "agent" represents the software which operates on managed devices or groups of IoT devices. The agent performs data aggregation into a combined stream to central IoT applications and is typically managed by IoT Gateway. The "network devices" include Firewalls for a security feature, Servers to manage the devices within that network, Client Applications to allow users access to complete tasks, Routers to connect to networks, Switches to allow the devices to communicate with each other and Access Points to connect the endpoint device with the network. The "managed devices" allow organisations to better monitor and control their connected IoT devices to register and deploy connected devices, device logging, organising devices into relevant groups, indexing and searching device fleets, remotely manage and update devices, custom scripting, security tunnelling for diagnosing and resolving issues and customisable dashboards for centralised device control. The management of devices plays an important role in increasing the speed of registration of IoT devices, improving device organisation, easier remote-device management and simplifying device location. The "network manager" is a device that manages a group of managed nodes. It facilitates network topology, synchronisation of devices, and management of traffic and congestion in IoT systems. The "management database" is located in the managed device and includes data about the managed device parameters. The "messaging protocols" function as a data exchange that connects information between the managed devices and the network manager. Generally, these networks need to be efficient to support specific functional operations (Fig. 7), such as Network Configuration Management, Security Management, Topology Management, QoS Management, Network Maintenance and Fault Management. These functionalities are typically provided as a network service in an IoT environment to ensure sufficient network performance.

Aboubakar et al. [108] presented management solutions for IoT networks from various perspectives. These IoT network management solutions included software-defined networking (SDN)-based, machine learning-based, cloud-based, and semantic-based frameworks. The design of a new network must incorporate efficient management processes for managing a significant number of linked devices, immense amounts of data, and services with varying Quality of Service (QoS) requirements. Monitoring the network's infrastructure makes it possible to detect any events or changes that might impact the network's resource security or usage. In this regard, several protocols have been developed to help with network management. These protocols control and monitor different network components such as gateways, devices, and terminal servers. Since the implementation of IoT low-power networks in both public and private spaces is growing at unprecedented rates, network management has emerged as a critical component of IoT low-power networks for maximising their performance and ensuring their continued availability.

3.3.2.1 Communication technologies in IESCs In computer networks, there are several common types of network technologies such as Local Area Network (LAN), Wireless Local Area Network (WLAN), Virtual Private Network (VPN) and Wide Area Network (WAN). LAN connects devices in the same proximity, e.g., connecting devices in a small office or a building. WLAN functions in the same way as a LAN, but it uses wireless connections. VPN is a secure network which is used to communicate with encrypted data. WAN offers the possibility to connect devices across a large distance. In smart cities, heterogeneous objects are connected by IoT communication technologies to deliver intelligent services. In IoT, several wireless network types can facilitate IoT sensor deployment and IoT applications in industries such as Radio-frequency identification (RFID)/Bluetooth Low Energy (BLE)/Near Field Communication (NFC), Wi-Fi/(LoRa and





Fig. 7 Overview of entities, operations and solutions in IESCs network management

Wi-Fi)LoFI, MESH Protocols, NarrowBand-Internet of Things (NB-IoT), Ultra-Wide Bandwidth (UWB), Low-Power Wide-Area Networks (LPWAN) (LoRa, Sigfox), ZigBee and Cellular (3G/4G/5G/6G) [109]. The next paragraph highlights some of these technologies.

Bluetooth is a short-wavelength radio-based communication standard for low-power data transfer between electronic devices over short distances [110]. Bluetooth 4.1, lately issued by the Bluetooth special interest group, offers Bluetooth Low Energy besides offering high-speed and IP connectivity to promote IoT applications [111]. Machine to Machine (M2M) is the next generation of the Internet revolution connecting many devices via the Internet. The M2M was initially implemented using RFID as the first technology (RFID tag and reader), and now it is aimed at automating the communications between machines and devices via provided networks without human intervention. Ultra-wideband communication (UWB) is a communication technology that was developed to strengthen communications in areas with a low-range coverage while consuming a low amount of energy and providing a high bandwidth. Recently, the number of applications using this technology to connect sensors has increased [112]. Wi-Fi is a wireless networking technology that allows devices within a 100-m radius to exchange data using radio waves [57]. In certain ad hoc configurations, Wi-Fi enables smart systems to communicate and exchange data without requiring a router. For low-power wireless networks with the goals of reliable and scalable communications, the IEEE802.15.4 standard details both the medium access control and the physical layer [113]. LTE-A (LTE Advanced) represents an enhanced variant of Long-Term Evolution (LTE) that offers benefits such as increased bandwidth (up to 100 MHz), spatial multiplexing on both the downlink and the uplink, wider coverage, greater throughput, and lower latency [114].

There are a variety of technologies developed to improve the effectiveness of network management. One of these technologies is Radio Access Network as a Service (RANaaS) which has been developed to facilitate adaptable management of network resources [115]. IPv6-based networks have management protocols in place, such as Long-Range Wide Area Network (LoWPAN), Network Management Protocol (LNMP) and Simple Network Management Protocol (SNMP) [116]. In addition, self-organising wireless networks can benefit from Time Synchronised Mesh Protocol (TSMP), a communication protocol that empowers the sensors/devices to be synchronised with one another. Furthermore,

Software-Defined Networking (SDN) is a key component in the development of 5G systems, which intends to reduce complexity in network management and design while also allowing for the network to be managed and reconfigured in a way that is automated, flexible and dynamic [117–119]. Furthermore, the paradigms provide features for managing heterogeneous devices in a wide range of deployments and use cases [120]. Despite the potential of these paradigms for introducing effective methods in managing networks, several issues remain [121].

Several studies such as Cedillo-Elias et al. [56] proposed cloud platforms utilising SDN and OpenStack to safeguard citizens' data contained by the government and make extra efficient usage of existing IT infrastructures for smart city facilities. In another study, Purnama et al. [54] analysed the viability of deploying IoT connectivity for AMI (Advanced Meter Infrastructure) services in Surabaya, Indonesia. To experimentally evaluate and compare multi-hop and single-hop LoRa topologies in terms of energy efficiency and range extension. Aslam et al. [122] presented a case study that measured Packet Reception Ratio (PRR) for different source-to-destination distances, transmission powers and spreading factors (SFs). The findings demonstrated that the configuration of a LoRa network with multiple hops can save a significant amount of energy and improve coverage. Nashiruddin and Nugraha [53] investigated LoRaWAN's network planning for Smart Metering Infrastructure (SMI) by counting the number of gateways required to support the communication of SMI devices. Fraile et al. [55] also compared IEEE 802.15.4 and LoRa for indoor deployments in IoT-enabled school buildings. Using information gathered from 8 networks and 49 devices spread across 6 educational facilities, the study compared the efficiency and cost of various IoT solutions. The outcomes demonstrated that LoRa can achieve lower costs and higher data rates than IEEE 802.15.4 while maintaining similar or better link quality. Table 5 presents the recent protocols to enhance the management of IoT communication.

To sum up, this section discusses various network and communication management and technologies used in IESCs to connect heterogeneous objects and provide intelligent services while consuming low power. Intriguingly, surveying the literature on IoT network management shows no detailed or comprehensive overview available of existing resource-constrained network solutions. Future research could focus on developing more energy-efficient and scalable communication technologies to handle the increasing number of smart devices in smart cities. Further research should aim to investigate several solutions to improve data security, reliability, energy efficiency, network scalability, interoperability, and data privacy. These solutions include encryption, authentication, access control, low-power communication protocols, energy-efficient hardware, cloud-based architectures, edge computing technologies, blockchain, digital certificates, context-aware, adaptive IoT communication systems, and hierarchical clustering. Numerous studies have investigated the use of IoT connectivity for various applications, such as smart city services and advanced meter infrastructure, and have compared the efficiency and cost of different IoT solutions, including LoRa and IEEE 802.15.4. Therefore, it is recommended that IoT network management should incorporate efficient management processes for handling a large number of devices, vast amounts of data, and diverse services with varying QoS requirements. Furthermore, network managers should continuously evaluate and adopt new technologies and protocols to enhance network performance and security. Developing an effective solution for managing IoT networks can be challenging due to the inherent constraints of IoT networks [123], such as the diversity of IoT devices, the fluidity of network topologies, the scarcity of available resources, and the unpredictability of radio links. More research is needed to design effective solutions to manage IoT with low-power networks that can handle heterogeneity while ensuring security and privacy and allowing for scalable resource utilisation.

3.3.3 Security and privacy management in IESCs

Smart cities are equipped with advanced technological infrastructures to actively monitor and control physical objects and furnish citizens with real-time information about transport, smart parking, traffic, or public safety [124]. Nevertheless, there are various issues related to security and privacy at different levels of smart cities' architecture. This is largely due to the nature of devices deployed in these cities which are often resource-constrained, thus making cities vulnerable to security attacks [64]. An example of such attacks is the major electricity breakdown that occurred in Ukraine due to malicious attacks on smart grids [124]. Therefore, this section discusses six major areas of security and privacy issues in IESCs.

Intrusion Detection System (IDS). As the number of things connected to systems increases, the centralised or cloudbased IDS will suffer from excessive latency and network overhead. Subsequently, it makes it difficult to respond to attacks and detect rogue users. For example, a fog-oriented IDS was developed with the capacity to use an Online Sequential Extreme Learning Machine, which is decentralised in computing infrastructure and has no fixed location between the data source and the cloud [125].



Studies	Characteristics	Technology/Protocol
Aboubakar et al. [108]	Management solutions for loT networks from various perspectives	SDN-based, machine learning-based, cloud-based, and semantic-based frameworks
Nashiruddin & Nugraha [53]	Investigation of LoRaWAN's network planning for Smart Metering Infrastructure	LoRaWAN
Aslam et al. [122]	Case study on energy efficiency and range extension in LoRa networks with multiple hops	LoRa
Fraile et al. [55]	Comparison of IEEE 802.15.4 and LoRa for indoor deployments in IoT-enabled buildings	IEEE 802.15.4 and LoRa
Purnama et al. [54]	Deploying IoT connectivity for AMI Services	Sigfox and LoRaWAN
Cedillo-Elias et al. [56]	Cloud platforms utilising SDN and OpenStack for smart city government services	SDN and OpenStack

Table 5 Protocols and solutions to enhance loT network management

O Discover

Automobiles and Transportation. Attempts have been previously undertaken to develop a "Smart Accident Precognition System (SAPS)" aiming to minimise the risks of accidents and protect the users' safety on the road. To further improve the system, SAPS was coupled with Google Assistant to make use of various embedded devices for monitoring several aspects of vehicles and passengers such as speed, distance, and safety measures. The real-time data are stored within the cloud and accessed by both the vehicle and the Google Assistant, allowing smarter decision-making and acting based on the previous data recorded [67]. However, the implementation of such a scheme may pose threats to unauthorised access to users' personal details as well as gaining control over vehicles and transportation systems.

e-Healthcare System. This is an improvement to the traditional healthcare systems by connecting to IoT systems and the Internet. However, e-Healthcare systems are subject to the same issues as any IoT-enabled systems such as compromising privacy and personal data due to hacking by malicious users from across the Internet [126]. For example, in a smart city environment, the healthcare system is often a collaboration between the public and private sectors. Although the public sector can be the central decision-maker, distributing treatment and medicine to the private sector may be more effective and efficient. However, this means the personal information will be overseen by different parties and thus have a larger chance of being hacked or exposed [127].

Communication methods of IoT. Since the communication of IESCs is reliant on online networking systems, it is susceptible to different types of cyberattacks [124]. In communication, connectivity is a critical component in delivering an IoT solution. Many protocols can be employed within the same IoT solution to maintain the stability of IoT communications to be suited for varied contexts with different barriers and limits. Some of these difficulties relate to the physical elements, i.e., the distance between devices, the specific IoT task performed such as the need for real-time applications requiring higher and more stable connectivity capabilities, and the device's computing resources such as weaker or power-saving devices may need communication protocols that require less power. Every of these communication protocols has their strengths and weaknesses and some of them are more prone to attacks [127].

Code and program level of IESCs. Data aggregation has different levels, such as the need to achieve trust and quality in shared information models to enable reuse, secure data interchange and transfer, and protection mechanisms for vulnerable devices [59]. As each of the IoT solutions is deployed with different objectives and means, on the coding level, they should be customised and carefully integrated to maximise their performance and data protection. As an example, most websites and Internet-connected apps incorporate at least one type of Web API to assist with a specific function in the grand scheme of things, such as Samsung SmartThings, which provides classes via an API to process HTTPS calls within the IoT solution asynchronously [127].

Ethics and morality of humans. Caution is required with those working with the system and those holding the collected data, as there are research papers which showed that immoralities and irresponsible acts of corporations and authorities are important causes of compromised security and privacy. A study conducted in a smart city in India showed that although not all the usable subjects think that it is significant, in general, the trust and intention of the authorities and holders of the gathered data are affecting their trust in IoT as a whole [128].

3.3.3.1 Managing and combating the issues To combat the issues highlighted above, active attempts must be made to improve security and privacy by safeguarding communications of devices and networks. To this end, specific measures can be implemented.

- (i) To combat the ineffectiveness of a centralised IDS, hybrid semi-distributed and distributed intrusion detection systems can be promoted. In these systems, the associated databases demonstrate effective feature extractions and selections, combined with parallel machine-learning models and fog-edge coordinated analytics that can mitigate the risks of centralised IDS [62].
- (ii) To combat possible security and privacy threats associated with transportation and automobile systems, including both unauthorized use of users' information and attacks triggered by malware, spam, black holes, wormholes, and outages, it is necessary to improve Vehicular Sensor Networks in IoT-enabled transportation and automobile system in terms of robustness, reliability and security [65].
- (iii) To improve security and privacy issues, an active defensive line is needed consisting of ML and blockchain technologies in which the former enables predicting and detecting vulnerabilities while the latter secures the networks by creating tamper-resistant records of shared transactions [61].
- (iv) Securing different data layers is also a promising way to prevent security and privacy issues via using payload-based symmetric encryption for the data security layer, utilising computation of secured data for the data computational layer, and only extracting visions from the last data layer, i.e., the decision-making layer [60].



(v) The physical layer is often ignored to be protected. The passive observer's data is usually unreachable to the network's authentic source and destination nodes, deploying countermeasures such as an efficient "Sequential Convex Estimation Optimization" algorithm that can be very useful against them [129].

Table 6 presents a comprehensive summary of recent research in the field of security and privacy in smart environments. One of the notable observations is the diverse range of applications covered in the papers, including smart cities, e-healthcare systems, industrial IoT, smart homes, and more. This highlights the importance of context-specific solutions that can address the unique security and privacy challenges in different environments. The proposed solutions in the papers utilise various technologies, such as machine learning, blockchain, elliptic curve cryptography, and homomorphic encryption. While these technologies offer high levels of security and privacy, they also require significant computational resources, which can be a challenge in resource-constrained smart environments.

The limitations and trade-offs of the proposed solutions in the papers need to be carefully considered as well. For instance, Arunkumar et al. [130] presented a lightweight security key generating system that can detect and prevent security threats in smart cities using machine learning and elliptic curve cryptography. However, the hardware used to deploy the system is relatively immobile and consumes a lot of energy. The blockchain-based authentication method offers improved communication metrics and privacy-preserving features but comes at the cost of weaker identity management and slower automation speed [131]. Similarly, the routing model presented by Haseeb et al. [132] can efficiently establish direct trust between nodes but does not handle malicious attacks and flooding of messages well. The seamless authentication loT framework for e-Healthcare systems presented by Deebak et al. [133] is more efficient and has a better packet delivery ratio and network lifetime, but consumes more resources compared to related works. Additionally, some papers address specific challenges in smart environments, such as predictive computation [134], security in fog computing [135], security in smart grid networks and access control in edge computing [136]. These papers highlight the importance of addressing specific security and privacy challenges in emerging technologies and infrastructures in smart environments.

In conclusion, Table 6 presents a summary of recent research in the field of security and privacy in smart environments. The diversity of applications, technologies, and challenges discussed in the papers highlights the need for context-specific solutions that can balance the trade-offs between security, privacy, efficiency, and scalability in resource-constrained smart environments.

3.3.4 Data collection approach in IESCs

The approach for data collection in the context of smart cities may vary depending on the smart data applications from macro to micro scales and the sectors from which the data is collected [138–140]. Different studies showed research in areas such as Energy Conservation, Urban Environment, Health & Wellbeing, Biodiversity, Surveillance/Security & Safety, Transportation & Mobility, Infrastructure & Communication, Tourism and Waste Management. Below, the review identifies a number of domains in which IoT can be integrated with advanced technologies for the purpose of data collection in smart cities.

- Electrical Energy. Several studies collected and forecasted data from the microgrid using smart meters such as the Heuristic Intelligent Neural Decision Support System [141–143]. In a study, Abu-Rayash and Dincer [144] developed a new integrated solar energy system capable of meeting the energy demands of a small city of 5000 homes. The proposed system can also collect real-time solar energy and thermal energy data using Photovoltaic panels and thermal energy storage tanks, respectively.
- Urban Environmental Pollution. Yu et al. [145] showed the effective collection of air pollution data (Particulate matter—PM2.5) from 242 cities in China based on an online IoT monitoring system. In another research, P.M2.5 sensors were deployed on street levels and via drones at Xidian University and Peking University using 4G (fourth-generation) internet network base platforms and the stations complied with narrowband IoT communications [146]. Furthermore, electrochemical (SNS-MQ135) and MQ9 gas sensors were employed via Bluetooth, ZigBee and Z-Wave networks to measure air quality at the polluted city Bucharest, Romania in order to detect carbon dioxide (CO2) level, ammonium (NH4), ethanol (C2H6O), toluene (C7H8), carbon monoxide (CO) and methane (CH4) [147]. Segura-Garcia et al. [148] also validated an IoT prototype for monitoring real-time Psycho-Acoustic Soundscape utilising 5G (fifth-generation) LTE-M1 sound monitoring devices. Further, Dembski et al.



Table 6 Summary of re	ecent research in security and privacy in smart en	vironments	
Studies	Area	Characteristics	Limitations
Arunkumar et al. [130]	Smart cities	Lightweight security key generating system using LRECC and trainable through logistic regression machine learning for detecting, mitigating, and pre- venting security threats	The hardware used is relatively immobile and consumes a lot of energy
Deebak et al. [131]	Massive loT-Enabled Industrial Application	Blockchain-based seamless authentication method prioritizing privacy-preserving, trust-awareness, and improved communication metrics for expanding users' connectivity	Weaker identity management of users and automation speed of devices; require other hardware to mitigate the issues
Haseeb et al. [132]	Communication in a smart environment	Routing model for trust management achieved through supervised machine learning that efficiently establishes direct trust between nodes without requiring extra overheads and resources compared to previous systems	The model does not handle malicious attacks and flood- ing of messages well
Deebak et al. [133]	E-Healthcare system in smart cities	Seamless authentication IoT framework with privacy- preserving protocol, improved system efficiency rate, and better packet delivery ratio and network lifetime	Consumes higher resources compared to related previous works
Zhao et al. [134]	Predictive computation in smart environments	Special homomorphic calculations toolkit based on the Pailier encryption method and Lagrange's Interpola- tion Theorem to enhance the privacy and security of predictive computation	Handle smaller amounts of data and have difficulties in handling larger amounts of data at the same time
Guo et al. [135]	Smart home	A secure remote user authentication scheme for fog- enabled smart home systems with improved authen- tication efficiency, avoidance of storing sensitive information in smart gateways, formal security proof, and reduced communication and computation costs	While the scheme provides improved security and reduced communication and computation costs, it may have downsides such as longer complexity and high execution time
Chaudhry et al. [136]	Smart grid	A new authentication scheme for demand response management in a smart grid environment provides necessary security requirements and is probably secure under formal analysis	The study does not provide details on the practical implementation of the proposed authentication scheme
Haseeb et al. [137]	Smart agriculture	An energy-efficient and lightweight protocol for secure and efficient data communication in WSN-based smart agriculture	Limited coverage area due to low transmit power and energy constraints of the nodes



[149] developed an urban digital twin and computational simulations such as space syntax, SUMO—Simulation of Urban Mobility and simulated wind flow by installing a test sensor and mobile App – Reallabor Tracker for citizen's feedback.

- Biodiversity. In a study, Chen and Han [150] used a range of turbidity, oxidation-reduction, or pH potential (ORP), conductivity and dissolved oxygen (DO) sensors to measure water quality in Bristol, UK. In this project, a multiparameter water quality sonde (Aqua Troll 600) was used to assess the water quality while an IP Network-based Camera was utilised to collate video images of the water surface. Studies also used low-cost data collection methods through renewable wireless sensor networks for measuring environmental parameters such as temperature, pressure, humidity, smoke, and noise sensors, smart IoT-enabled bins, pyroelectric infrared, UV/Lux sensors and rain sensors [151]. For instance, Gallacher et al. [152] deployed Echo Boxes that consisted of low-cost sensor networks combined with artificial intelligence techniques to monitor bats' activities in a large urban park. Podder et al. [153] also proposed an IoT-based Smart AgroTech system in the context of urban farming with the capacity to monitor humidity, temperature, and soil moisture, and decide when the irrigation system should operate.
- Infrastructure, Information, Security and Safety. For example, real-time e-learning data collected via phones and gadgets can be applied in virtual classrooms [154]. Kinawy et al. [155] developed an online portal where the use of citizen profiles and knowledge items, such as tagging and comments on project websites were utilised. Similarly, business, parking, and tour information, i.e., users' real-time scores and interaction, were shared with the people utilising e-government platforms and Mobile Apps at Petaling Jaya City Council and Putrajaya Corporation in Malaysia [156]. Recently, drones were also used for monitoring disasters, search and rescue tasks, surveillance and taking photographs with aerial views [157]. Shah et al. [106] developed a comprehensive disaster management model by which data can be collected from various sources such as Twitter datasets, weather sensors, surveillance sensors (e.g., CCTV cameras), pedestrian count, location, time, screen sensors for tracking vehicular traffic, and pollution and smoke sensors [106].
- Transportation. Recently, Sato et al. [66] proposed a prototype that included a crowd road surface sensing system on a sensing vehicle on a winter road and a sensor server system using an Axis Mechanical sensor, GPS, temperature, humidity, quasi-electric sensor and infrared laser. This IoT-based server is connected to a communication server. Chakroun et al. [158] proposed a system to reduce delays during emergency traffic by focusing on the density of vehicles vs delays in alert dissemination. The project incorporated the Location-based Alert Messages Dissemination Scheme and the sensors that are provided in the vehicle cluster system look at the speed and flow of traffic using cameras. Ajay et al. [159] proposed smart management systems using IoT sensors such as CCTV, fuzzy logic, pedestrian sensors, and ultrasonic sensors. Li et al. [160] analysed data from 8,900 personal cars for three months in the city of Changsha, China from an IoT-based vehicle monitoring system. Toutouh and Alba [161] developed a data collection method using broadcasted beacon frequency (Hz) to neighbouring vehicles to maintain traffic safety, congestion control and efficiency.
- Waste Management. Solid waste management with IoT was deployed using bin-level monitoring at home and public spaces using ultrasonic sensors and LoRaWAN networks [162]. Similarly, IoT-based sensors attached to bins included automatic open/close smart bin lids, filling level sensors, smart bin waste segregation, garbage collector alerts and ultra-sonic human detectors which helped arrange waste management systems and minimised delays in collecting bins when they are full [163]. Cerchecci et al. [164] proposed a prototype with an ultrasound distance sensor and a microcontroller for determining the level of bins and the count of changes in the bins.

Nonetheless, the process of data collection via IoT in the context of smart cities is being challenged by a number of factors (Table 7).

Based on the systematic review of surveyed articles, Table 7 illustrates data collection methods with a special focus on data collected from IoT devices, relevant human factors and other related systems. From the literature reviews in Table 7, it was observed that there is an extensive range of data collection methods applied in IESCs. Despite the collaborations between IoT sensors and other types of data sources, there is still a lack of consistency when the human factor is involved due to the unpredictability of data and variables. The bulkiness of IoT devices may be reduced in the future with the advancement of technology. However, privacy, security and reliability of human data are the major apprehensions in the successful implementation of smart cities. Finally, Fig. 8 illustrates the main data collection approaches applicable in different sectors of smart cities.



Table 7 Summary of challenges a	associated with IoT-based data collection m	ethods		
Sectors in IESCs	Data collection methods			Reviewed Articles
	Smart loTs	Combined with human factors	Other connected systems	References
Energy Conservation	Smart meters and smart microgrids	1	LED lights, PV panels, thermal energy storage tank	[141–144]
Urban Environment	Smart sensors: pollution/air and water quality, sound, temperature, humidity, pressure, smoke, bin levels, motion	User feedback through mobile apps	Computation/simulated data	[145–148, 151, 165]
Health & Wellbeing	Room condition monitoring (environ- mental sensors)	Human health, physiological, and lifestyle data	Medical devices, manually entered data	[71, 166–168]
Biodiversity	Sound and frequency sensors, soil mois- ture, temperature and humidity	I	Machine learning data	[152, 153]
Surveillance/Security & Safety	Water quality, water pressure, tempera- ture, smart water meters, fire, smoke, pollution, traffic, weather sensors, surveillance sensos, pedestrian count, vehicular traffic detector	Social media data, demographics, health record	Drones, surveillance cameras (CCTV),	[106, 157, 169, 170]
Transportation & Mobility	crowd sensors, GPS, temperature, humidity, quasi-electric, air quality, ultrasonic, and beacon sensors	Human geo-data from smartphones, machine learning intrusion specific behaviour	Communication server, CCTV	[66, 67, 69, 158–161, 171]
Infrastructure & Communication	Smartphones, digital tags	Human feedback and scores on live websites/Mobile Apps	Virtual classrooms	[154–156]
Tourism	Scenic data collection sensor	User feedback/rating through mobile apps	Manually scanned data, such as check-in	[156, 172]
Waste Management	Sensors: bin level, ultrasound distance, temperature, humidity, weight, chemi- cal sensors,	1	Automated actuators	[162–164, 173]



(2024) 1:2



Fig. 8 IoT-based data collection approaches in various application sectors of smart cities

4 Challenges and recommendations

This review showed that IoT-based technologies have a critical role in realising smart cities. In the following sections, the key challenges and associated solutions are expanded by focusing on interconnectivity and integrating those challenges for more sustainable smart cities. From the critical analysis of the research themes, i.e. data analysis approaches, network and communication management and technologies, security and privacy management and data collection approach in IESCs, *seven key challenges* have been identified and these are elaborated below:

Energy consumption and environmental issues: IoT offers the possibility of collecting, analysing, and delivering massive amounts of data via advanced communication technologies. The big data received from IoT devices requires storage capacity, cloud computing, and wide bandwidth for data transmission [174]. However, the entire process of analysing and transmitting big data can be very energy-consuming. This is in addition to the amount of energy that sensing devices consume to continually remain operational. Therefore, there is a concern about the energy efficiency of IoT implementations in smart cities to meet specific SDGs such as Sustainable Cities and Communities (SDG11) and Responsible Consumption and Production (SDG12). This is compounded by issues associated with e-waste generation due to the booming trend in employing IoT in cities.

To address this challenge, the idea of green IoT has recently gained momentum. Green IoT is described as adopting energy-efficient measures to reduce energy consumption and GHG emissions caused by IoT systems in the built environment [175, 176]. In this regard, studies suggested the use of green ICT technologies for green IoT, including the use of green RFID, green wireless sensor network, green cloud computing technology, green M2M, green data centre technology, green communication and networking, and green internet [174–176]. The use of drones to help with data transmission is another promising technology for improving energy efficiency in IoT systems. In principle, devices operating within IoT schemes consume high transmission power to transmit data over long distances. Drones can assist with this process by moving close to IoT devices, gathering data, analysing and processing the collected data, and sending it to those devices which are out of the coverage area [176].

- Data analysis: It is evident that IoT analytics provides many benefits, however, these analytics share difficulties during the implementation, specifically in the form of technical challenges. Tibco [177] highlighted two types of challenges including features related to ascertaining time series with data structures and balancing speed and storage. This issue can affect diagnostic and predictive efforts. Alternatively, balancing speed with storage and scaling the process up, especially in the case of time-sensitive data is considered a challenge when historical data is necessary to make comparisons. Studies also underlined issues related to detecting anomalies with IoT data. These anomalies are considered serious complications in the upstream chain and the data ingestion process. As such, there is a need to manage a large amount of data by delivering timely and accurate feedback. Bellini et al. [178] suggested that a promising solution for anomaly detection is to examine IoT data through structure, movement, producer, stack faults, noise, outlier, conditional, typical trends, period, rate, and scalability. On the other hand, there are challenges associated with remote data processing that create issues in centralised computing systems due to high response time and connection loss [50]. For instance, Atitallah et al. [94] showed that false data injection can mislead the analytics processes. Such issues can subsequently lead to incorrect outcomes, guidance, and forecasts [179].
- Privacy and security: The issues related to privacy and security are among the most daunting challenges for implementing IoT in smart cities. These issues are manifested in different layers of IoT architecture such as device level or communication level. At the device level of privacy, there is an issue of "inadequate authorisation and authentication", "insecure software", "firmware", "web interface" and poor "transport layer encryption" [180]. To address this, security considerations should be improvised at different layers of IoT architecture to preclude security threats and attacks [181]. A number of protocols have been developed and implemented on different communication layers to ensure increasing security and privacy in IoT-based systems such as Secure Socket Layer (SSL) and Datagram Transport Layer Security (DTLS) [180]. However, the IoT communication layer is still open to threats imposed by malicious actions mainly due to employing wireless technologies within IoT systems. Therefore, there is an urgency to deploy methods for the detection of malicious activities and activating self-healing measures when threats are identified. Another issue associated with implementing IoT in the context of privacy is that users would feel secure once utilising services provided by IoT systems. Hence, recommendations point out the necessity of maintaining authorisation and authentication via secure networks which enable establishing safe communications between trusted parties [180].
- Interoperability: Interoperability is widely regarded as a challenge in implementing IoT in smart cities. This term refers to the possibility for IoT devices and systems to readily communicate and exchange information with each other without using any particular middleware applications. The root of this issue stems from the heterogeneous nature of IoT systems in which various types of devices and technologies are often deployed for data collection purposes. The issue of interoperability may arise at four levels, including technical, semantic, syntactic, and organizational, as stated by van der Veer and Wiles [182]. Koo and Kim [183] presented five interoperability types, i.e., network, semantic, middleware, syntactic, and security, for which common security should be ensured for each other. Studies proposed solutions to facilitate interoperability in IoT systems such as "adapters/gateways-based solutions," "virtual networks/ overlay-based solutions," or "networking technologies" [184]. A study also proposed a hybrid solution, such as 'Double Obfuscation Approach, which is comprehensive and reliable in implementing IESCs [185]. Despite these efforts, interoperability still remains a challenge for the implementation of IoT in smart cities.
- Ethical issues: Ethics in IoT applications in smart cities include issues related to social behaviour standards, encapsulating a wide range of challenges such as intellectual property rights, data accessibility, data sharing, and the use of data or information [186]. In a study, Allhoff and Henschke [187] discussed five fundamental issues associated with IoT applications in the context of smart cities, including informed consent, privacy, information security, physical safety, and trust. The study emphasised that these issues intersect in many ways, hence their impacts should be observed in connection with each other. While the ethical requirements vary between countries, Chang [188] proposed an ethical framework that can be used in six smart cities and explained how the framework can be used even in those countries with lower ethical requirements.
- Scalability, adaptability, and reliability: IoT systems provide a large number of services and applications by connecting numerous devices. However, it becomes challenging to design a system that can constantly adapt to the changing needs of users. Scalability refers to the characteristics of a system for accepting the addition of new services, devices,



and equipment to its configuration without suffering any interruption or degradation in performance [180, 189]. The scalability characteristic can be vital in helping a system to be competitive, efficient, and capable of delivering sufficient quality of service. In this regard, one of the main challenges for the future development of IoT systems is to become scalable so that such systems can support the integration of a large number of devices with each other having different memory, processing, storage power, and bandwidth [180]. While Artificial Intelligence of Things (AIoT) Initiatives are being adopted to implement smart cities, they are usually ineffective due to a lack of preparedness, resources and capabilities [190]. This study proposed three emerging themes, i.e. proof-of-value, treating and managing data as a key asset and comprehensive commitments, that should be taken into consideration in cities to reduce the challenges of scalability issues.

IoT and future development of cities: There is a necessity to develop a vision at the government and policy level for incorporating IoT infrastructures when planning for the future development of cities. IoT is fundamental to the realisation of fully functioning smart cities, thus it is important that future urban development plans would encompass smart features (e.g., smart grids, connected homes, telematics, etc.) as a measure to facilitate IoT implementations. Javed et al. [73] emphasised examining smart cities as an integrated network of interconnected systems rather than isolated entities. Since IoT technologies are emerging and many concepts such as climate resilience, net-zero city, climate-intelligent cities, and digital circular economy are continuously influencing the future development of cities at policy levels, the lack of IoT integration within these concepts could have a social and economic impact, including unintended consequences following the adoption of efficiency-improving measures [191, 192].

The literature review of the above seven challenges also indicated the interconnectivity between them which have direct and/or indirect influence on each other. The recommendations that emerged from the literature reviews are also potential solutions for more than one challenge and have a rebound effect. Figure 9 illustrates the interconnected nature of the challenges and solutions in implementing IESC. Figure 9 reveals that recommended solutions may help to mitigate more than one interconnected challenge, however, most challenges also depend on how IESCs would fit and integrate with future technologies.

By summarising the seven key challenges attained using hybrid systematic analysis, several aspects are identified in line with SDGs in terms of Industry Innovation and Infrastructure (SDG9), Sustainable Cities and Communities (SDG11) and Responsible Consumption and Production (SDG12) that can be listed into specific points. (1) The complexity of IESCs reveals limitations with performance across management, implementation and operation at different levels and scales, offering new opportunities to explore this field in-depth. (2) The projected deployment of 50 billion IoT devices around the world by 2030 [20] and the continuous growth of smart cities [21] would impose a devastating environmental impact in terms of e-waste. Hence, efficient implementations regarding circular economy are needed within the boundary of IESCs developments. (3) Data transmission and data storage from IoT devices require considerable electrical power that intensifies energy loads in smart cities. Several solutions were proposed to overcome this issue, but further research is



Fig. 9 Interconnectivity between challenges and potential solutions in implementing IESCs

needed to limit this demand to achieve net zero by 2050. (4) Handling and analysing IoT data in smart cities encounter challenges in terms of speed, connection, process, anomalies and forecast that pose a need to improve the reliability of computing in selected IESCs infrastructure to ensure delivering smooth and efficient actions. (5) Data privacy and security in wireless environments are still developing. Protections from any external threats or breaches require further research and exploration to maintain secure authorization and authentication in IESCs. (6) Unclarity or immaturity of standards and guides towards intellectual property rights, data accessibility, data sharing, and the use of data or information are the key challenges in terms of ethical use. Further investigations are needed to enhance transparency in developing frameworks. (7) Exchanging data in different devices and environments without using proper intermediate layers could lead to issues in terms of interoperability as data moves through different levels. Thus, further studies should examine these aspects in detail. (8) Integrating IoT solutions in smart cities features issues in terms of scalability and adaptability to meet users' needs that are always changing based on the context. Thus, advanced studies to explore the reliability of modifications are required. (9) Several IESCs concepts have been proposed to achieve functionality, however, environmental aspects in terms of future climate resilience were found to be neglected. As a result, accelerating research in this direction is a future demand. (10) Exploring and developing IESCs requires comprehensible vision and policies as stated in several guides to achieve optimum implementation, such as Smart Readiness Indicator and IoT Readiness Level Index, however, further explorations should be extended in providing proper regulations for different industries and experts in this field, especially in the built environment [5].

5 Conclusions

This study has adopted a hybrid literature review technique to identify and critically analyse hot research topics in the field of IESCs. To this end, 843 documents were retrieved from the WoS database and analysed with reflection on the defined objectives. The results of keywords' co-occurrence analysis in combination with text-mining analysis identified four main areas of IESCs research, including (i) data analysis, (ii) network and communication management and technologies, (iii) security and privacy management, and (iv) data collection.

- From bibliometric analysis and text-mining analysis, the publication trend has shown a consistent upward trajectory
 in recent years, with 53% of all materials (i.e., 445) published between 2020 and 2022. Considering this steady rise in
 publications across these periods, alongside the escalating interest in ICT-based technologies, the interest in IESCs is
 expected to continue growing in the foreseeable future. The findings also revealed that a total of 127 journals collectively published 843 articles spanning the years 2010 to 2022. The top ten prominent journals that have significantly
 contributed to the advancement of the field, accounting for nearly 51% of the published materials.
- The study examined actionable platforms to enhance the data stream, data management, control data anomaly and
 improve data analytics. The content analysis of these research areas showed that most data collected via IoT devices
 is unstructured. Thus, data analytics techniques are required for deployment to process unstructured data for IESCs.
 Data in IESCs undergoes different complexities that are undertaken based on specific values. The assessment revealed
 several limitations with IoT data speed, size, accuracy, response and security. It was found that studies are still investigating numerous methods based on the level of processing. The review found that many studies are still exploring
 and experimenting with different algorithmic techniques for new applications to obtain effective solutions. Finally,
 achieving integration between IoT and big data analytics shows a promising future but requires further research and
 investigation, especially in designing smart cities.
- The study found that IoT network management shows no available detailed or comprehensive overview of existing resource-constrained network solutions. The study found that IoT network management needs to incorporate efficient management processes for handling a large number of devices, vast amounts of data, and diverse services with varying requirements. In addition, there are some limitations in terms of developing an effective solution for managing IoT networks that can be challenging due to the inherent constraints of IoT networks. Finally, further studies are required to provide efficient solutions to manage IESCs with low-power networks to handle heterogeneity while ensuring security and privacy and allowing for scalable resource utilisation.
- The assessment of security and privacy management in IESCs revealed issues at different levels of smart cities' architecture due to the nature of devices being deployed in cities, which are often resource-constrained, thus making cities vulnerable to security attacks. The study identified new technologies that offer high levels of security and privacy, however, they require significant computational resources, which can be a challenge in IESCs with resource-



constrained. The study found that areas of predictive computation, security in fog computing, security in smart grid networks and access control in edge computing have specific challenges in addressing particular security and privacy in emerging technologies and infrastructures. Finally, the survey found the need for context-specific solutions to balance the trade-offs between security, privacy, efficiency, and scalability in resource-constrained smart environments in IESCs.

- Data collection in IESCs demonstrated challenges that may vary depending on the smart data applications, data scale and the sector subject to data collection. The study identified 9 areas for data collection, including Energy Conservation, Urban Environment, Health & Wellbeing, Biodiversity, Surveillance/Security & Safety, Transportation & Mobility, Infrastructure & Communication, Tourism and Waste Management. Also, it was observed that there is an extensive range of data collection methods applied in IESCs. Despite the collaborations between IoT sensors and other types of data sources, there is still a lack of consistency when the human factor is involved due to the unpredictability of data and variables.
- The review singled out seven main challenges associated with the implementation of IoT in smart cities for future
 research. These include energy consumption and environmental issues, data analysis, privacy and security, interoperability, ethical issues, scalability, adaptability and reliability and incorporation of IoT systems into future development
 plans of cities. The review also revealed some recommendations for those interconnected challenges in implementing
 IESCs, where most of those issues rely on future/emerging technology and effective integrations within policies to
 support environmental agendas such as circular economy, climate resilience and net-zero futures.

Author contributions HO: Conceptualization, Methodology, Formal analysis, Software, Validation, Visualization, Writing- Original Draft, Writing-Reviewing & Editing. KMAI-O: Conceptualization, Methodology, Validation, Visualization, Writing- Original Draft, Supervision, Writing- Reviewing & Editing. MH: Writing- Original Draft, Visualization Writing- Reviewing & Editing. HSAI-D: Writing- Original Draft. NAMA: Writing- Original Draft. AG: Writing- Original Draft, Validation.

Data availability No data was used for the research described in the article.

Declarations

Competing interests The authors declare no competing interests.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

References

- 1. Ismagilova E, Hughes L, Dwivedi YK, Raman KR. Smart cities: advances in research—an information systems perspective. Int J Inf Manage. 2019;1(47):88–100.
- 2. Alavi AH, Jiao P, Buttlar WG, Lajnef N. Internet of things-enabled smart cities: state-of-the-art and future trends. Measurement. 2018;1(129):589–606.
- 3. Bellini P, Nesi P, Pantaleo G. IoT-enabled smart cities: a review of concepts, frameworks and key technologies. Appl Sci. 2022;12(3):1607.
- 4. The United Nations. A review of world population. Department of Economic and Social Affairs. 2022. https://www.un.org/development/ desa/en/news/population/2018-revision-of-world-urbanization-prospects.html. Accessed 24 Sept 2022.
- 5. Al-Obaidi KM, Hossain M, Alduais NA, Al-Duais HS, Omrany H, Ghaffarianhoseini A. A review of using IoT for energy efficient buildings and cities: a built environment perspective. Energies. 2022;15(16):5991.
- 6. Kondepudi SN, Ramanarayanan V, Jain A, Singh GN, Nitin Agarwal NK, Kumar R, Gemma P. Smart Sustainable Cities: an Analysis of Definitions; the ITU-T Focus Group for Smart Sustainable Cities. International Telecommunication Union (ITU): Geneva, Switzerland. 2014.
- Bauer M, Sanchez L, Song J. IoT-enabled smart cities: evolution and outlook. Sensors. 2021;21(13):4511.
 Jia M, Komeily A, Wang Y, Srinivasan RS. Adopting Internet of Things for the development of smart buildings: a review of enabling technologies and applications. Autom Constr. 2019;1(101):111–26.
- 9. Talari S, Shafie-Khah M, Siano P, Loia V, Tommasetti A, Catalão JP. A review of smart cities based on the internet of things concept. Energies. 2017;10(4):421.



- 10. Amaxilatis D, Boldt D, Choque J, Diez L, Gandrille E, Kartakis S, Mylonas G, Vestergaard LS. Advancing experimentation-as-a-service through urban IoT experiments. IEEE Internet Things J. 2018;6(2):2563–72.
- Sanchez L, Muñoz L, Galache JA, Sotres P, Santana JR, Gutierrez V, Ramdhany R, Gluhak A, Krco S, Theodoridis E, Pfisterer D. SmartSantander: IoT experimentation over a smart city testbed. Comput Netw. 2014;14(61):217–38.
- 12. Sotres P, Santana JR, Sánchez L, Lanza J, Muñoz L. Practical lessons from the deployment and management of a smart city internet-ofthings infrastructure: the smartsantander testbed case. IEEE Access. 2017;5(5):14309–22.
- 13. City of Darwin. Switching on Darwin. 2022. https://www.darwin.nt.gov.au/transforming-darwin/innovation/switching-on-darwin. Accessed 27 Sept 2022.
- SGIM. How a Smart City Tackles Rainfall-Chicago SGIM. 2022. https://www.iotnewsportal.com/cities/how-a-smart-city-tackles-rainfallchicago-sgim. Accessed 19 Feb 2024.
- 15. Putrajaya. Putrajaya as a smart city. 2022. https://smart.putrajaya.my/blueprint/. Accessed 27 Sept 2022.
- 16. Dimmer. DIMMER FP7 project. 2017. http://dimmer.polito.it. Accessed 27 Sept 2022.
- 17. INTUBE. Intelligent Use of Buildings' Energy Information. 2008. https://cordis.europa.eu/project/id/224286. Accessed 27 Sept 2022.
- IoT-Analytics. Global IoT market size to grow 19% in 2023—IoT shows resilience despite economic downturn. https://iot-analytics.com/ iot-market-size/. Accessed 26 Feb 2024
- Allied Market Research. Smart Cities Market Size, Share, Competitive Landscape and Trend Analysis Report by Component (Hardware, Software, and Service) and Functional Area (Smart Infrastructure, Smart Governance and Smart Education, Smart Energy, Smart Mobility, Smart Healthcare, Smart Buildings, and Others): Global Opportunity Analysis and Industry Forecast, 2021–2030. https://www.allie dmarketresearch.com/smart-cities-market. Accessed 26 Feb 2024
- 20. Statista, Number of connected devices worldwide 2030, Statista, 2020. https://www.statista.com/statistics/802690/worldwide-conne cted-devices-by-accesstechnology/. Accessed 26 Feb 2024
- 21. IMD World Competitive Centre. IMD Smart City Index Report. https://www.imd.org/wp-content/uploads/2023/04/smartcityindex-2023v7.pdf. Accessed 26 Feb 2024
- 22. Zanella A, Bui N, Castellani A, Vangelista L, Zorzi M. Internet of things for smart cities. IEEE Internet Things J. 2014;1(1):22–32.
- 23. Botta A, De Donato W, Persico V, Pescapé A. Integration of cloud computing and internet of things: a survey. Futur Gener Comput Syst. 2016;1(56):684–700.
- 24. Lin J, Yu W, Zhang N, Yang X, Zhang H, Zhao W. A survey on internet of things: architecture, enabling technologies, security and privacy, and applications. IEEE Internet Things J. 2017;4(5):1125–42.
- 25. Arasteh H, Hosseinnezhad V, Loia V, Tommasetti A, Troisi O, Shafie-khah M, Siano P. lot-based smart cities: A survey. In2016 IEEE 16th international conference on environment and electrical engineering (EEEIC) 2016 (pp. 1–6). IEEE.
- 26. Nitulescu M, Jawad YK. Smart city and internet of things technologies. In2021 25th International Conference on System Theory, Control and Computing (ICSTCC) 2021 (pp. 606–611). IEEE.
- 27. Janani RP, Renuka K, Aruna A. IoT in smart cities: a contemporary survey. Global Transit Proceed. 2021;2(2):187–93.
- 28. Shahrour I, Xie X. Role of Internet of Things (IoT) and crowdsourcing in smart city projects. Smart Cities. 2021;4(4):1276–92.
- 29. Belli L, Cilfone A, Davoli L, Ferrari G, Adorni P, Di Nocera F, Dall'Olio A, Pellegrini C, Mordacci M, Bertolotti E. IoT-enabled smart sustainable cities: challenges and approaches. Smart Cities. 2020;3(3):1039–71.
- 30. Omrany H, Chang R, Soebarto V, Zhang Y, Ghaffarianhoseini A, Zuo J. A bibliometric review of net zero energy building research 1995– 2022. Energy Build. 2022;1(262): 111996.
- 31. Sharifi A. Urban sustainability assessment: an overview and bibliometric analysis. Ecol Ind. 2021;1(121): 107102.
- 32. Clarivate analysis. Web of Science. 2022. https://clarivate.com/webofsciencegroup/solutions/web-of-science/. Accessed 19 Feb 2024.
- 33. Niñerola A, Sánchez-Rebull MV, Hernández-Lara AB. Six sigma literature: a bibliometric analysis. Total Qual Manag Bus Excell. 2021;32(9–10):959–80.
- 34. Olawumi TO, Chan DW. A scientometric review of global research on sustainability and sustainable development. J Clean Prod. 2018;10(183):231–50.
- 35. Guo YM, Huang ZL, Guo J, Li H, Guo XR, Nkeli MJ. Bibliometric analysis on smart cities research. Sustainability. 2019;11(13):3606.
- 36. Oladinrin OT, Arif M, Rana MQ, Gyoh L. Interrelations between construction ethics and innovation: a bibliometric analysis using VOSviewer. Constr Innov. 2023;23(3):505–23.
- 37. Wu H, Zuo J, Zillante G, Wang J, Yuan H. Construction and demolition waste research: a bibliometric analysis. Archit Sci Rev. 2019;62(4):354–65.
- 38. Van Eck NJ, Waltman L. VOSviewer Manual. 2020. https://www.vosviewer.com/documentation/Manual_VOSviewer_1.6.15.pdf. Accessed 19 Feb 2024.
- 39. Ranjbari M, Saidani M, Esfandabadi ZS, Peng W, Lam SS, Aghbashlo M, Quatraro F, Tabatabaei M. Two decades of research on waste management in the circular economy: insights from bibliometric, text mining, and content analyses. J Clean Prod. 2021;10(314): 128009.
- 40. Jung H, Lee BG. Research trends in text mining: semantic network and main path analysis of selected journals. Expert Syst Appl. 2020;30(162): 113851.
- 41. González-Zamar MD, Abad-Segura E, Vázquez-Cano E, López-Meneses E. loT technology applications-based smart cities: research analysis. Electronics. 2020;9(8):1246.
- 42. Caragliu A, Del Bo CF. Smart innovative cities: the impact of smart city policies on urban innovation. Technol Forecast Soc Chang. 2019;1(142):373–83.
- 43. Razmjoo A, Østergaard PA, Denai M, Nezhad MM, Mirjalili S. Effective policies to overcome barriers in the development of smart cities. Energy Res Soc Sci. 2021;1(79): 102175.
- 44. Yan L, Shi Y, Wei M, Wu Y. Multi-feature fusing local directional ternary pattern for facial expressions signal recognition based on video communication system. Alex Eng J. 2023;1(63):307–20.
- 45. Yang L, Shami A. IoT data analytics in dynamic environments: from an automated machine learning perspective. Eng Appl Artif Intell. 2022;1(116): 105366.



- 46. Kutty AA, Wakjira TG, Kucukvar M, Abdella GM, Onat NC. Urban resilience and livability performance of European smart cities: a novel machine learning approach. J Clean Prod. 2022;10(378): 134203.
- 47. Choi J. Enablers and inhibitors of smart city service adoption: a dual-factor approach based on the technology acceptance model. Telematics Inform. 2022;1(75): 101911.
- 48. Xiaoyi Z, Dongling W, Yuming Z, Manokaran KB, Antony AB. IoT driven framework based efficient green energy management in smart cities using multi-objective distributed dispatching algorithm. Environ Impact Assess Rev. 2021;1(88): 106567.
- 49. Sun M, Wu F, Ng CT, Cheng TC. Effects of imperfect IoT-enabled diagnostics on maintenance services: a system design perspective. Comput Ind Eng. 2021;1(153): 107096.
- 50. Gomes MM, da Rosa RR, da Costa CA, Griebler D. Simplifying IoT data stream enrichment and analytics in the edge. Comput Electr Eng. 2021;1(92): 107110.
- 51. Yin C, Zhang S, Wang J, Xiong NN. Anomaly detection based on convolutional recurrent autoencoder for IoT time series. IEEE Transact Syst Man Cyber Syst. 2020;52(1):112–22.
- 52. Jhingta P, Vasudeva A, Sood M. Applicability of communication technologies in internet of things: a review. InInternational Conference on Innovative Computing and Communications: Proceedings of ICICC 2022, Volume 3 2022 (pp. 249–264). Singapore: Springer Nature Singapore.
- 53. Nashiruddin MI, Nugraha MA. Long range wide area network deployment for smart metering infrastructure in urban area: case study of Bandung City. In2021 4th International Conference on Information and Communications Technology (ICOIACT) 2021 (pp. 221–226). IEEE.
- 54. Purnama AA, Nashiruddin MI, Murti MA. Feasibility Study of The IoT-Connectivity Deployment for AMI Service: A Case Study in Surabaya City. In2020 IEEE International Conference on Communication, Networks and Satellite (Comnetsat) 2020 Dec 17 (pp. 61–66). IEEE.
- 55. Fraile LP, Tsampas S, Mylonas G, Amaxilatis D. A comparative study of LoRa and IEEE 802.15. 4-based IoT deployments inside school buildings. IEEE Access. 2020;8:160957–81.
- Cedillo-Elias EJ, Larios VM, Orizaga-Trejo JA, Lomas-Moreno CE, Ramirez JR, Maciel R. A Cloud Platform for Smart Government Services, using SDN networks: the case of study at Jalisco State in Mexico. In2019 IEEE International Smart Cities Conference (ISC2) 2019 (pp. 372–377). IEEE.
- 57. Yaqoob I, Hashem IA, Mehmood Y, Gani A, Mokhtar S, Guizani S. Enabling communication technologies for smart cities. IEEE Commun Mag. 2017;55(1):112–20.
- 58. Raza S, Misra P, He Z, Voigt T. Building the Internet of Things with bluetooth smart. Ad Hoc Netw. 2017;15(57):19–31.
- 59. Bohli JM, Langendörfer P, Skarmeta AF. Security and privacy challenge in data aggregation for the iot in smart cities. In Internet of Things 2022 Sep 1 (pp. 225–244). River Publishers.
- 60. Zhang H, Babar M, Tariq MU, Jan MA, Menon VG, Li X. SafeCity: toward safe and secured data management design for IoT-enabled smart city planning. IEEE Access. 2020;6(8):145256–67.
- 61. Waheed N, He X, Ikram M, Usman M, Hashmi SS, Usman M. Security and privacy in IoT using machine learning and blockchain: Threats and countermeasures. ACM Comput Surveys. 2020;53(6):1–37.
- 62. Rahman MA, Asyhari AT, Leong LS, Satrya GB, Tao MH, Zolkipli MF. Scalable machine learning-based intrusion detection system for IoTenabled smart cities. Sustain Cities Soc. 2020;1(61): 102324.
- 63. Hernandez-Ramos JL, Martinez JA, Savarino V, Angelini M, Napolitano V, Skarmeta AF, Baldini G. Security and privacy in internet of things-enabled smart cities: challenges and future directions. IEEE Secur Priv. 2020;19(1):12–23.
- 64. Atlam HF, Wills GB. IoT security, privacy, safety and ethics. Digital twin technologies and smart cities. 2020:123–49.
- 65. Al-Turjman F, Lemayian JP. Intelligence, security, and vehicular sensor networks in internet of things (IoT)-enabled smart-cities: an overview. Comput Electr Eng. 2020;1(87): 106776.
- 66. Sato G, Sakuraba A, Uchida N, Shibata Y. A new road state information platform based on crowed sensing on challenged network environments. Internet of Things. 2022;1(18): 100214.
- 67. Menon VG, Jacob S, Joseph S, Sehdev P, Khosravi MR, Al-Turjman F. An IoT-enabled intelligent automobile system for smart cities. Internet of Things. 2022;1(18): 100213.
- 68. Kusumastuti RD, Nurmala N, Rouli J, Herdiansyah H. Analyzing the factors that influence the seeking and sharing of information on the smart city digital platform: empirical evidence from Indonesia. Technol Soc. 2022;1(68): 101876.
- 69. Aljoufie M, Tiwari A. Citizen sensors for smart city planning and traffic management: crowdsourcing geospatial data through smartphones in Jeddah. Saudi Arabia GeoJournal. 2022;87(4):3149–68.
- 70. Wang S, Liu X, Liu S, Muhammad K, Heidari AA, Del Ser J, de Albuquerque VH. Human short long-term cognitive memory mechanism for visual monitoring in IoT-assisted smart cities. IEEE Internet Things J. 2021;9(10):7128–39.
- 71. Tian J, Gao L. Using data monitoring algorithms to physiological indicators in motion based on Internet of Things in smart city. Sustain Cities Soc. 2021;1(67): 102727.
- 72. Dhungana D, Engelbrecht G, Parreira JX, Schuster A, Tobler R, Valerio D. Data-driven ecosystems in smart cities: A living example from Seestadt Aspern. In2016 IEEE 3rd World Forum on Internet of Things (WF-IoT) 2016 (pp. 82–87). IEEE.
- 73. Javed AR, Shahzad F, UrRehman S, Zikria YB, Razzak I, Jalil Z, Xu G. Future smart cities: requirements, emerging technologies, applications, challenges, and future aspects. Cities. 2022;129:103794.
- 74. Yassine A, Singh S, Hossain MS, Muhammad G. loT big data analytics for smart homes with fog and cloud computing. Futur Gener Comput Syst. 2019;1(91):563–73.
- 75. Azad P, Navimipour NJ, Rahmani AM, Sharifi A. The role of structured and unstructured data managing mechanisms in the Internet of things. Clust Comput. 2020;23:1185–98.
- 76. Atitallah SB, Driss M, Ghzela HB. Microservices for data analytics in IoT applications: current solutions, open challenges, and future research directions. Procedia Comput Sci. 2022;1(207):3938–47.
- 77. Al-Obaidi KM, Al-Duais HS, Alduais NA, Alashwal A, Ismail MA. Exploring the environmental performance of liquid glass coating using Sol-Gel technology and responsive Venetian blinds in the tropics. J Build Eng. 2022;15(62): 105329.



- 78. Marjani M, Nasaruddin F, Gani A, Karim A, Hashem IA, Siddiqa A, Yaqoob I. Big IoT data analytics: architecture, opportunities, and open research challenges. IEEE Access. 2017;5:5247–61.
- 79. TechTarget. Internet of things (IoT). 2018. https://www.techtarget.com/. Accessed 16 Feb 2024.
- 80. Minteer A. Analytics for the internet of things (iot). Packt Publishing Ltd; 2017.
- 81. Akbar A, Khan A, Carrez F, Moessner K. Predictive analytics for complex IoT data streams. IEEE Internet Things J. 2017;4(5):1571–82.
- 82. Chen M, Herrera F, Hwang K. Cognitive computing: architecture, technologies and intelligent applications. IEEE Access. 2018;15(6):19774–83.
- 83. Sidorov V, Ng WK. Transparent data encryption for data-in-use and data-at-rest in a cloud-based database-as-a-service solution. In2015 IEEE world congress on services 2015 (pp. 221–228). IEEE.
- 84. Ali U, Calis C. Centralized smart governance framework based on iot smart city using ttg-classified technique. In2019 IEEE 16th International Conference on Smart Cities: Improving Quality of Life Using ICT & IoT and AI (HONET-ICT) 2019 (pp. 157–160). IEEE.
- 85. Mohammadi M, Al-Fuqaha A, Sorour S, Guizani M. Deep learning for IoT big data and streaming analytics: a survey. IEEE Communicat Surveys Tutor. 2018;20(4):2923–60.
- 86. Yang L, Shami A. A lightweight concept drift detection and adaptation framework for IoT data streams. IEEE Int Things Magazine. 2021;4(2):96–101.
- 87. L'heureux A, Grolinger K, Elyamany HF, Capretz MA. Machine learning with big data: challenges and approaches. IEEE Access. 2017;5:7776–97.
- 88. Maciel BI, Hidalgo JI, de Barros RS. An ultimately simple concept drift detector for data streams. In2021 IEEE International Conference on Systems, Man, and Cybernetics (SMC) 2021 (pp. 625–630). IEEE.
- 89. Natarajan P, Frenzel JC, Smaltz DH. Demystifying big data and machine learning for healthcare. CRC Press; 2017.
- 90. Saheb T, Izadi L. Paradigm of IoT big data analytics in the healthcare industry: a review of scientific literature and mapping of research trends. Telematics Inform. 2019;1(41):70–85.
- 91. Leeflang PS, Wieringa JE, Bijmolt TH, Pauwels KH, editors. Advanced methods for modeling markets. New York City: Springer; 2017.
- Li H, Ota K, Dong M. Learning IoT in edge: deep learning for the internet of things with edge computing. IEEE Network. 2018;32(1):96–101.
- 93. Deng L. A tutorial survey of architectures, algorithms, and applications for deep learning. APSIPA Transact Signal Informat Process. 2014;3: e2.
- 94. Atitallah SB, Driss M, Boulila W, Ghézala HB. Leveraging Deep Learning and IoT big data analytics to support the smart cities development: review and future directions. Comput Sci Rev. 2020;1(38): 100303.
- 95. Daissaoui A, Boulmakoul A, Karim L, Lbath A. IoT and big data analytics for smart buildings: a survey. Procedia Comput Sci. 2020;1(170):161-8.
- 96. Stoppel CM, Leite F. Integrating probabilistic methods for describing occupant presence with building energy simulation models. Energy Build. 2014;1(68):99–107.
- 97. Chen Z, Xu J, Soh YC. Modeling regular occupancy in commercial buildings using stochastic models. Energy Build. 2015;15(103):216–23.
- 98. Akbar A, Nati M, Carrez F, Moessner K. Contextual occupancy detection for smart office by pattern recognition of electricity consumption data. In 2015 IEEE international conference on communications (ICC) 2015 (pp. 561–566). IEEE.
- 99. D'Oca S, Hong T. Occupancy schedules learning process through a data mining framework. Energy Build. 2015;1(88):395–408.
- Hong HJ, Tsai PH, Cheng AC, Uddin MY, Venkatasubramanian N, Hsu CH. Supporting internet-of-things analytics in a fog computing platform. In2017 IEEE International Conference on Cloud Computing Technology and Science (CloudCom) 2017 (pp. 138–145). IEEE.
 Kong G, LT, Kon
- 101. Yang S. IoT stream processing and analytics in the fog. IEEE Commun Mag. 2017;55(8):21–7.
- 102. Rahman MA, Hossain MS, Hassanain E, Muhammad G. Semantic multimedia fog computing and IoT environment: sustainability perspective. IEEE Commun Mag. 2018;56(5):80–7.
- 103. Portelli K, Anagnostopoulos C. Leveraging edge computing through collaborative machine learning. In2017 5th International Conference on Future Internet of Things and Cloud Workshops (FiCloudW) 2017 Aug 21 (pp. 164–169). IEEE.
- 104. Lujic I, De Maio V, Brandic I. Adaptive recovery of incomplete datasets for edge analytics. In2018 IEEE 2nd international conference on fog and edge computing (ICFEC) 2018 (pp. 1–10). IEEE.
- 105. Ali MI, Patel P, Breslin JG. Middleware for real-time event detection and predictive analytics in smart manufacturing. In 2019 15th international conference on distributed computing in sensor systems (DCOSS) 2019 (pp. 370–376). IEEE.
- 106. Shah SA, Seker DZ, Rathore MM, Hameed S, Yahia SB, Draheim D. Towards disaster resilient smart cities: can internet of things and big data analytics be the game changers? IEEE Access. 2019;11(7):91885–903.
- 107. Srinidhi NN, Kumar SD, Venugopal KR. Network optimizations in the internet of things: a review. Eng Sci Techn Int J. 2019;22(1):1–21.
- 108. Aboubakar M, Kellil M, Roux P. A review of IoT network management: current status and perspectives. J King Saud Univer Comput Informat Sci. 2022;34(7):4163–76.
- 109. Sikimić M, Amović M, Vujović V, Suknović B, Manjak D. An overview of wireless technologies for IoT network. In2020 19th International Symposium INFOTEH-JAHORINA (INFOTEH) 2020 (pp. 1–6). IEEE.
- 110. Lombardi M, Pascale F, Santaniello D. Internet of things: a general overview between architectures, protocols and applications. Information. 2021;12(2):87.
- 111. Lonzetta AM, Cope P, Campbell J, Mohd BJ, Hayajneh T. Security vulnerabilities in Bluetooth technology as used in IoT. J Sens Actuator Netw. 2018;7(3):28.
- 112. VenkataLakshmi Y, Singh P. UWB localization procedures with range control methods—a review. Adv Signal Process Commun Eng Select Proceed ICASPACE. 2022;2021(2):295–316.
- 113. Group, I. W. Layer MP. Part 15.4: low-rate wireless personal area networks (LR-WPANs). IEEE Std, 2011, 802, 4–2011.
- 114. Abied SR, Shams AB, Kawser MT. Comparison of the LTE performance parameters in different environments under close loop spatial multiplexing (CLSM) mode in downlink LTE-A. J Comput Commun. 2017;5(09):117.
- 115. Rost P, Bernardos CJ, De Domenico A, Di Girolamo M, Lalam M, Maeder A, Sabella D, Wübben D. Cloud technologies for flexible 5G radio access networks. IEEE Commun Mag. 2014;52(5):68–76.



- 116. Al-Fuqaha A, Guizani M, Mohammadi M, Aledhari M, Ayyash M. Internet of things: a survey on enabling technologies, protocols, and applications. IEEE Communicat Surveys Tutor. 2015;17(4):2347–76.
- 117. Cho HH, Lai CF, Shih TK, Chao HC. Integration of SDR and SDN for 5G. leee Access. 2014;11(2):1196–204.
- 118. Santos MA, Nunes BA, Obraczka K, Turletti T, De Oliveira BT, Margi CB. Decentralizing SDN's control plane. In 39th Annual IEEE conference on local computer networks 2014 (pp. 402–405). IEEE.
- 119. Palattella MR, Dohler M, Grieco A, Rizzo G, Torsner J, Engel T, Ladid L. Internet of things in the 5G era: enablers, architecture, and business models. IEEE J Sel Areas Commun. 2016;34(3):510–27.
- 120. Bizanis N, Kuipers FA. SDN and virtualization solutions for the internet of things: a survey. IEEE Access. 2016;9(4):5591–606.
- 121. Sood K, Yu S, Xiang Y. Software-defined wireless networking opportunities and challenges for internet-of-things: a review. IEEE Internet Things J. 2015;3(4):453–63.
- 122. Aslam MS, Khan A, Atif A, Hassan SA, Mahmood A, Qureshi HK, Gidlund M. Exploring multi-hop LoRa for green smart cities. IEEE Network. 2019;34(2):225–31.
- 123. Ndiaye M, Hancke GP, Abu-Mahfouz AM. Software defined networking for improved wireless sensor network management: a survey. Sensors. 2017;17(5):1031.
- 124. Al-Turjman F, Zahmatkesh H, Shahroze R. An overview of security and privacy in smart cities' IoT communications. Transact Emerg Telecommun Technol. 2022;33(3): e3677.
- 125. Prabavathy S, Sundarakantham K, Shalinie SM. Design of cognitive fog computing for intrusion detection in internet of things. J Commun Netw. 2018;20(3):291–8.
- 126. Butpheng C, Yeh KH, Xiong H. Security and privacy in IoT-cloud-based e-health systems—a comprehensive review. Symmetry. 2020;12(7):1191.
- 127. Babun L, Denney K, Celik ZB, McDaniel P, Uluagac AS. A survey on IoT platforms: communication, security, and privacy perspectives. Comput Netw. 2021;19(192): 108040.
- 128. Chatterjee S. The safety of IoT-enabled system in smart cities of India: do ethics matter? Int J Ethics Syst. 2020;36(4):601–18.
- 129. Anajemba JH, Tang Y, Iwendi C, Ohwoekevwo A, Srivastava G, Jo O. Realizing efficient security and privacy in IoT networks. Sensors. 2020;20(9):2609.
- 130. Arunkumar JR, Velmurugan S, Chinnaiah B, Charulatha G, Prabhu MR, Chakkaravarthy AP. Logistic Regression with Elliptical Curve Cryptography to Establish Secure IoT. Comput Syst Sci Eng. 2023;46(1).
- 131. Deebak BD, Memon FH, Dev K, Khowaja SA, Wang W, Qureshi NM. TAB-SAPP: a trust-aware blockchain-based seamless authentication for massive IoT-enabled industrial applications. IEEE Trans Industr Inf. 2022;19(1):243–50.
- 132. Haseeb K, Saba T, Rehman A, Ahmed Z, Song HH, Wang HH. Trust management with fault-tolerant supervised routing for smart cities using internet of things. IEEE Internet Things J. 2022;9(22):22608–17.
- 133. Deebak BD, Memon FH, Cheng X, Dev K, Hu J, Khowaja SA, Qureshi NM, Choi KH. Seamless privacy-preservation and authentication framework for IoT-enabled smart eHealth systems. Sustain Cities Soc. 2022;1(80): 103661.
- 134. Zhao K, Wang XA, Yang B, Tian Y, Zhang J. A privacy preserving homomorphic computing toolkit for predictive computation. Inf Process Manage. 2022;59(2): 102880.
- 135. Guo Y, Zhang Z, Guo Y. SecFHome: secure remote authentication in fog-enabled smart home environment. Comput Netw. 2022;22(207): 108818.
- 136. Chaudhry SA, Alhakami H, Baz A, Al-Turjman F. Securing demand response management: a certificate-based access control in smart grid edge computing infrastructure. IEEE Access. 2020;20(8):101235–43.
- 137. Haseeb K, Ud Din I, Almogren A, Islam N. An energy efficient and secure IoT-based WSN framework: an application to smart agriculture. Sensors. 2020;20(7):2081.
- 138. Bilal M, Usmani RS, Tayyab M, Mahmoud AA, Abdalla RM, Marjani M, Pillai TR, Targio Hashem IA. Smart cities data: framework, applications, and challenges. Handbook Smart Cities. 2020:1–29.
- 139. Gray M, Kovacova M. Internet of Things sensors and digital urban governance in data-driven smart sustainable cities. Geo Hist Inte Relat. 2021;13(2):107–20.
- 140. Li W, Batty M, Goodchild MF. Real-time GIS for smart cities. Int J Geogr Inf Sci. 2020;34(2):311–24.
- 141. Ahuja K, Khosla A. Data analytics criteria of IoT enabled smart energy meters (SEMs) in smart cities. Int J Energy Sect Manage. 2019;13(2):402–23.
- 142. Cipollina A, Di Silvestre ML, Giacalone F, Micale GM, Sanseverino ER, Sangiorgio R, Tran QT, Vaccaro V, Zizzo G. A methodology for assessing the impact of salinity gradient power generation in urban contexts. Sustain Cities Soc. 2018;1(38):158–73.
- 143. Jiang D, Zhu W, Muthu B, Seetharam TG. Importance of implementing smart renewable energy system using heuristic neural decision support system. Sustainable Energy Technol Assess. 2021;1(45): 101185.
- 144. Abu-Rayash A, Dincer I. Development and analysis of an integrated solar energy system for smart cities. Sust Energy Technol Assess. 2021;1(46): 101170.
- 145. Yu A, Zhang P, Rudkin S. Simultaneous action or protection after production? Decision making based on a chance-constrained approach by measuring environmental performance considering PM2. 5. Soc Eco Plann Sci. 2022;80: 101147.
- 146. Hu Z, Bai Z, Yang Y, Zheng Z, Bian K, Song L. UAV aided aerial-ground IoT for air quality sensing in smart city: architecture, technologies, and implementation. IEEE Network. 2019;33(2):14–22.
- 147. Toma C, Alexandru A, Popa M, Zamfiroiu A. IoT solution for smart cities' pollution monitoring and the security challenges. Sensors. 2019;19(15):3401.
- 148. Segura-Garcia J, Calero JM, Pastor-Aparicio A, Marco-Alaez R, Felici-Castell S, Wang Q. 5G IoT system for real-time psychoacoustic soundscape monitoring in smart cities with dynamic computational offloading to the edge. IEEE Internet Things J. 2021;8(15):12467–75.
- 149. Dembski F, Wössner U, Letzgus M, Ruddat M, Yamu C. Urban digital twins for smart cities and citizens: the case study of Herrenberg, Germany. Sustainability. 2020;12(6):2307.
- 150. Chen Y, Han D. Water quality monitoring in smart city: a pilot project. Autom Constr. 2018;1(89):307–16.



- 151. Jha S, Nkenyereye L, Joshi GP, Yang E. Mitigating and monitoring smart city using internet of things. Comput Mater Contin. 2020;65(2):1059–79.
- 152. Gallacher S, Wilson D, Fairbrass A, Turmukhambetov D, Firman M, Kreitmayer S, Mac Aodha O, Brostow G, Jones K. Shazam for bats: Internet of Things for continuous real-time biodiversity monitoring. IET Smart Cities. 2021;3(3):171–83.
- 153. Podder AK, Al Bukhari A, Islam S, Mia S, Mohammed MA, Kumar NM, Cengiz K, Abdulkareem KH. IoT based smart agrotech system for verification of Urban farming parameters. Microprocess Microsyst. 2021;1(82): 104025.
- 154. Setiawan R, Devadass MM, Rajan R, Sharma DK, Singh NP, Amarendra K, Ganga RK, Manoharan RR, Subramaniyaswamy V, Sengan S. IoT based virtual E-learning system for sustainable development of smart cities. J Grid Comput. 2022;20(3):24.
- Kinawy SN, El-Diraby TE, Konomi H. Customizing information delivery to project stakeholders in the smart city. Sustain Cities Soc. 2018;1(38):286–300.
- 156. Lim SB, Yigitcanlar T. Participatory governance of Smart cities: Insights from e-participation of Putrajaya and Petaling Jaya. Malaysia Smart Cities. 2022;5(1):71–89.
- 157. Yazdinejad A, Parizi RM, Dehghantanha A, Karimipour H, Srivastava G, Aledhari M. Enabling drones in the internet of things with decentralized blockchain-based security. IEEE Internet Things J. 2020;8(8):6406–15.
- 158. Chakroun R, Abdellatif S, Villemur T. LAMD: location-based alert message dissemination scheme for emerging infrastructure-based vehicular networks. Int Things. 2022;1(19): 100510.
- 159. Ajay P, Nagaraj B, Pillai BM, Suthakorn J, Bradha M. Intelligent ecofriendly transport management system based on iot in urban areas. Environ Dev Sustain. 2022;4:1–8.
- 160. Li H, Liu Y, Qin Z, Rong H, Liu Q. A large-scale urban vehicular network framework for IoT in smart cities. IEEE Access. 2019;28(7):74437–49.
- 161. Toutouh J, Alba E. A swarm algorithm for collaborative traffic in vehicular networks. Vehicular Commun. 2018;1(12):127–37.
- 162. Vishnu S, Ramson SJ, Senith S, Anagnostopoulos T, Abu-Mahfouz AM, Fan X, Srinivasan S, Kirubaraj AA. IoT-Enabled solid waste management in smart cities. Smart Cities. 2021;4(3):1004–17.
- 163. Ashwin M, Alqahtani AS, Mubarakali A. lot based intelligent route selection of wastage segregation for smart cities using solar energy. Sustain Energy Technol Assess. 2021;1(46): 101281.
- 164. Cerchecci M, Luti F, Mecocci A, Parrino S, Peruzzi G, Pozzebon A. A low power IoT sensor node architecture for waste management within smart cities context. Sensors. 2018;18(4):1282.
- 165. Huang CJ, Kuo PH. A deep CNN-LSTM model for particulate matter (PM2. 5) forecasting in smart cities. Sensors. 2018;18(7):2220.
- 166. Islam MM, Rahaman A, Islam MR. Development of smart healthcare monitoring system in IoT environment. SN computer science. 2020;1:1–1.
- 167. Mutanu L, Gupta K, Gohil J. Leveraging IoT solutions for enhanced health information exchange. Technol Soc. 2022;1(68): 101882.
- 168. Trencher G, Karvonen A. Stretching "smart": Advancing health and well-being through the smart city agenda. InSmart and Sustainable Cities? 2020 (pp. 54–71). Routledge.
- 169. Abd El-Latif AA, Abd-El-Atty B, Mehmood I, Muhammad K, Venegas-Andraca SE, Peng J. Quantum-inspired blockchain-based cybersecurity: securing smart edge utilities in IoT-based smart cities. Inf Process Manage. 2021;58(4): 102549.
- 170. Park MS, Lee H. Smart city crime prevention services: the incheon free economic zone case. Sustainability. 2020;12(14):5658.
- 171. Aloqaily M, Otoum S, Al Ridhawi I, Jararweh Y. An intrusion detection system for connected vehicles in smart cities. Ad Hoc Netw. 2019;1(90): 101842.
- 172. Wang W, Kumar N, Chen J, Gong Z, Kong X, Wei W, Gao H. Realizing the potential of the internet of things for smart tourism with 5G and AI. IEEE Network. 2020;34(6):295–301.
- 173. Srikantha N, Moinuddin K, Lokesh KS, Narayana A. Waste management in IoT-enabled smart cities: a survey. Int J Eng Comput Sci. 2017;6(6):2319–7242.
- 174. Almalki FA, Alsamhi SH, Sahal R, Hassan J, Hawbani A, Rajput NS, Saif A, Morgan J, Breslin J. Green IoT for eco-friendly and sustainable smart cities: future directions and opportunities. Mobile Netw Appl. 2023;28(1):178–202.
- 175. Arshad R, Zahoor S, Shah MA, Wahid A, Yu H. Green IoT: an investigation on energy saving practices for 2020 and beyond. leee Access. 2017;31(5):15667–81.
- 176. Alsamhi SH, Ma O, Ansari MS, Meng Q. Greening internet of things for greener and smarter cities: a survey and future prospects. Telecommun Syst. 2019;72:609–32.
- 177. TIBCO. What is IoT Analytics?. 2022. tibco.com/reference-center/what-is-iot-analytics#:~:text=Internet%20of%20Things%20(IoT)%20 analytics,with%20Industrial%20IoT%20(IIoT). Accessed 20 Dec 2022.
- 178. Bellini P, Cenni D, Nesi P, Soderi M. Anomaly detection on IoT data for smart city. In2020 IEEE International Conference on Smart Computing (SMARTCOMP) 2020 (pp. 416–421). IEEE.
- 179. Bostami B, Ahmed M, Choudhury S. False data injection attacks in internet of things. Performability in internet of things. 2019:47–58.
- 180. Kumar S, Tiwari P, Zymbler M. Internet of Things is a revolutionary approach for future technology enhancement: a review. J Big Data. 2019;6(1):1–21.
- 181. Yan Z, Zhang P, Vasilakos AV. A survey on trust management for internet of things. J Netw Comput Appl. 2014;1(42):120–34.
- 182. Van Der Veer H, Wiles A. Achieving technical interoperability. European telecommunications standards institute. 2008.
- 183. Koo J, Kim YG. Interoperability requirements for a smart city. InProceedings of the 36th Annual ACM Symposium on Applied Computing 2021 (pp. 690–698).
- 184. Noura M, Atiquzzaman M, Gaedke M. Interoperability in internet of things: taxonomies and open challenges. Mobile Netw Appl. 2019;15(24):796–809.
- Albouq SS, Abi Sen AA, Almashf N, Yamin M, Alshanqiti A, Bahbouh NM. A survey of interoperability challenges and solutions for dealing with them in IoT environment. IEEE Access. 2022;25(10):36416–28.
- 186. AboBakr A, Azer MA. IoT ethics challenges and legal issues. In2017 12th International Conference on Computer Engineering and Systems (ICCES) 2017 (pp. 233–237). IEEE.
- 187. Allhoff F, Henschke A. The internet of things: foundational ethical issues. Internet of Things. 2018;1(1):55–66.
- 188. Chang V. An ethical framework for big data and smart cities. Technol Forecast Soc Chang. 2021;1(165): 120559.



- 189. Gupta A, Christie R, Manjula R. Scalability in internet of things: features, techniques and research challenges. Int J Comput Intell Res. 2017;13(7):1617-27.
- 190. Kuguoglu BK, van der Voort H, Janssen M. The giant leap for smart cities: scaling up smart city artificial intelligence of things (AIOT) initiatives. Sustainability. 2021;13(21):12295.
- 191. Li X, Bao J, Sun J, Wang J. Development of circular economy in smart cities based on FPGA and wireless sensors. Microprocess Microsyst. 2021;1(80): 103600.
- 192. Pee LG, Pan SL. Climate-intelligent cities and resilient urbanisation: challenges and opportunities for information research. Int J Inf Manage. 2022;1(63): 102446.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

